


BEGINNING SERIAL NO: 17072871


		REVISIONS	
REV	DC #	APPROVED BY	APPROVED ON
-	-	-	-
-	-	-	-
Α	-	nvidojevic	08/04/2017


1 2 3 4 5 5	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	P/N 20442 20601 5130 14585-CG	DESCRIPTION ENCLOSURE, CSW-ELV, CORNDITIONER DECAL, CORNDITIONER, CSW-ELV SWITCH, LIGHTED, 230V
2 3 4 5	2 1 1	20601 5130	DECAL, CORNDITIONER, CSW-ELV
3 4 5	2 1 1	5130	
4 5	1		SWITCH, LIGHTED, 230V
5	1	14585-CG	
	-		GUARD, CONTROL, HOT DOG GRILL
	1	14585	TEMPERATURE CONTROLLER, DIGITAL, 120V
6	1	5601	HIGH LIMIT, 200 DEG
7	2	7727	#8-32 X 3/8"LG FULLY THD, SLOT ROUND HEAD MACHINE SCREW, STEEL 7INC.
8	2	7789	#8, INTERNAL TOOTH LOCKWASHER, STEEL NICKEL
9	1	1727-A	HEAT ELEMENT, 1100W, 120V, 13.1 OHMS
10	1	7264	ELEMENT CLAMP, 1-5/8"
11	6	5505	#8-32, SERRATED HEX FLANGE NUT, STEEL ZINC
12	1	2123	BUSHING, HEYCO #2030, 1/4"
13	1	4709	SPACER, 0.21"ID X 0.3"OD X 5/8"LG, STEEL
14	1	7683	#10, SAE FLAT WASHER, 18-8 S.S.
15	1	16086	THERMOCOUPLE, RING TYPE, HOT DOG
16	1	5634	BLOWER, 115/230V, 50/60 Hz, 1/40 HP
17	8	5742	1/4", SAE FLAT WASHER, 18-8 S.S.
18	8	5743	1/4", MEDIUM SPLIT LOCKWASHER, 18-8 S.S.
19	8	10121	1/4-20 X 1/2"LG FULLY THD, HEX HEAD CAP SCREW, 18-8 S.S.
20	1	5712	PLUG, 15AMP, 5 CONTACT
21	2	7642	#8-32 X 3/8"LG FULLY THD, PHIL TRUSS HEAD MACHINE SCREW, 18-8 S.S.
22	2	14646	#8-32, KEPS NUT, STEEL NICKEL
23	1	20463	COVER, CSW-ELV CORNDITIONER


FOR WIRING:





Ph:(847)616-6900,	ITEL DRIVE, WOOD DALE, IL 60191 (800)228-1885, Fax:(847)616-6970 rs.com, postmaster@cretors.com			
ndarji	08/04/2017	material REFER INDIVIDUAL SUB-PARTS	APP. WEIGHT 12.51 LBS	SHEET 1 OF 5
nvidojevic	APPROVED DATE 08/04/2017	DRAWING NUMBER 20450	REVISION	

































BEGINNING SERIAL NO: 17072871


		REVISIONS	
REV	DC #	APPROVED BY	APPROVED ON
-	-	-	-
-	-	-	-
Α	-	nvidojevic	08/04/2017


1 2 3 4 5 5	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	P/N 20442 20601 5130 14585-CG	DESCRIPTION ENCLOSURE, CSW-ELV, CORNDITIONER DECAL, CORNDITIONER, CSW-ELV SWITCH, LIGHTED, 230V
2 3 4 5	2 1 1	20601 5130	DECAL, CORNDITIONER, CSW-ELV
3 4 5	2 1 1	5130	
4 5	1		SWITCH, LIGHTED, 230V
5	1	14585-CG	
	-		GUARD, CONTROL, HOT DOG GRILL
	1	14585	TEMPERATURE CONTROLLER, DIGITAL, 120V
6	1	5601	HIGH LIMIT, 200 DEG
7	2	7727	#8-32 X 3/8"LG FULLY THD, SLOT ROUND HEAD MACHINE SCREW, STEEL 7INC.
8	2	7789	#8, INTERNAL TOOTH LOCKWASHER, STEEL NICKEL
9	1	1727-A	HEAT ELEMENT, 1100W, 120V, 13.1 OHMS
10	1	7264	ELEMENT CLAMP, 1-5/8"
11	6	5505	#8-32, SERRATED HEX FLANGE NUT, STEEL ZINC
12	1	2123	BUSHING, HEYCO #2030, 1/4"
13	1	4709	SPACER, 0.21"ID X 0.3"OD X 5/8"LG, STEEL
14	1	7683	#10, SAE FLAT WASHER, 18-8 S.S.
15	1	16086	THERMOCOUPLE, RING TYPE, HOT DOG
16	1	5634	BLOWER, 115/230V, 50/60 Hz, 1/40 HP
17	8	5742	1/4", SAE FLAT WASHER, 18-8 S.S.
18	8	5743	1/4", MEDIUM SPLIT LOCKWASHER, 18-8 S.S.
19	8	10121	1/4-20 X 1/2"LG FULLY THD, HEX HEAD CAP SCREW, 18-8 S.S.
20	1	5712	PLUG, 15AMP, 5 CONTACT
21	2	7642	#8-32 X 3/8"LG FULLY THD, PHIL TRUSS HEAD MACHINE SCREW, 18-8 S.S.
22	2	14646	#8-32, KEPS NUT, STEEL NICKEL
23	1	20463	COVER, CSW-ELV CORNDITIONER


FOR WIRING:





Ph:(847)616-6900,	ITEL DRIVE, WOOD DALE, IL 60191 (800)228-1885, Fax:(847)616-6970 rs.com, postmaster@cretors.com			
ndarji	08/04/2017	material REFER INDIVIDUAL SUB-PARTS	APP. WEIGHT 12.51 LBS	SHEET 1 OF 5
nvidojevic	APPROVED DATE 08/04/2017	DRAWING NUMBER 20450	REVISION	

























































BEGINNING SERIAL NO: 17072871


		REVISIONS	
REV	DC #	APPROVED BY	APPROVED ON
-	-	-	-
-	-	-	-
Α	-	nvidojevic	08/04/2017


1 2 3 4 5 5	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	P/N 20442 20601 5130 14585-CG	DESCRIPTION ENCLOSURE, CSW-ELV, CORNDITIONER DECAL, CORNDITIONER, CSW-ELV SWITCH, LIGHTED, 230V
2 3 4 5	2 1 1	20601 5130	DECAL, CORNDITIONER, CSW-ELV
3 4 5	2 1 1	5130	
4 5	1		SWITCH, LIGHTED, 230V
5	1	14585-CG	
	-		GUARD, CONTROL, HOT DOG GRILL
	1	14585	TEMPERATURE CONTROLLER, DIGITAL, 120V
6	1	5601	HIGH LIMIT, 200 DEG
7	2	7727	#8-32 X 3/8"LG FULLY THD, SLOT ROUND HEAD MACHINE SCREW, STEEL 7INC.
8	2	7789	#8, INTERNAL TOOTH LOCKWASHER, STEEL NICKEL
9	1	1727-A	HEAT ELEMENT, 1100W, 120V, 13.1 OHMS
10	1	7264	ELEMENT CLAMP, 1-5/8"
11	6	5505	#8-32, SERRATED HEX FLANGE NUT, STEEL ZINC
12	1	2123	BUSHING, HEYCO #2030, 1/4"
13	1	4709	SPACER, 0.21"ID X 0.3"OD X 5/8"LG, STEEL
14	1	7683	#10, SAE FLAT WASHER, 18-8 S.S.
15	1	16086	THERMOCOUPLE, RING TYPE, HOT DOG
16	1	5634	BLOWER, 115/230V, 50/60 Hz, 1/40 HP
17	8	5742	1/4", SAE FLAT WASHER, 18-8 S.S.
18	8	5743	1/4", MEDIUM SPLIT LOCKWASHER, 18-8 S.S.
19	8	10121	1/4-20 X 1/2"LG FULLY THD, HEX HEAD CAP SCREW, 18-8 S.S.
20	1	5712	PLUG, 15AMP, 5 CONTACT
21	2	7642	#8-32 X 3/8"LG FULLY THD, PHIL TRUSS HEAD MACHINE SCREW, 18-8 S.S.
22	2	14646	#8-32, KEPS NUT, STEEL NICKEL
23	1	20463	COVER, CSW-ELV CORNDITIONER


FOR WIRING:




Ph:(847)616-6900,	ITEL DRIVE, WOOD DALE, IL 60191 (800)228-1885, Fax:(847)616-6970 rs.com, postmaster@cretors.com			
ndarji	08/04/2017	material REFER INDIVIDUAL SUB-PARTS	APP. WEIGHT 12.51 LBS	SHEET 1 OF 5
nvidojevic	APPROVED DATE 08/04/2017	DRAWING NUMBER 20450	REVISION	










BEGINNING SERIAL NO: 17072871

		REVISIONS	
REV	DC #	APPROVED BY	APPROVED ON
-	-	-	-
-	-	-	-
Α	-	nvidojevic	08/04/2017

1 2 3 4 5 5	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	P/N 20442 20601 5130 14585-CG	DESCRIPTION ENCLOSURE, CSW-ELV, CORNDITIONER DECAL, CORNDITIONER, CSW-ELV SWITCH, LIGHTED, 230V
2 3 4 5	2 1 1	20601 5130	DECAL, CORNDITIONER, CSW-ELV
3 4 5	2 1 1	5130	
4 5	1		SWITCH, LIGHTED, 230V
5	1	14585-CG	
	-		GUARD, CONTROL, HOT DOG GRILL
	1	14585	TEMPERATURE CONTROLLER, DIGITAL, 120V
6	1	5601	HIGH LIMIT, 200 DEG
7	2	7727	#8-32 X 3/8"LG FULLY THD, SLOT ROUND HEAD MACHINE SCREW, STEEL 7INC.
8	2	7789	#8, INTERNAL TOOTH LOCKWASHER, STEEL NICKEL
9	1	1727-A	HEAT ELEMENT, 1100W, 120V, 13.1 OHMS
10	1	7264	ELEMENT CLAMP, 1-5/8"
11	6	5505	#8-32, SERRATED HEX FLANGE NUT, STEEL ZINC
12	1	2123	BUSHING, HEYCO #2030, 1/4"
13	1	4709	SPACER, 0.21"ID X 0.3"OD X 5/8"LG, STEEL
14	1	7683	#10, SAE FLAT WASHER, 18-8 S.S.
15	1	16086	THERMOCOUPLE, RING TYPE, HOT DOG
16	1	5634	BLOWER, 115/230V, 50/60 Hz, 1/40 HP
17	8	5742	1/4", SAE FLAT WASHER, 18-8 S.S.
18	8	5743	1/4", MEDIUM SPLIT LOCKWASHER, 18-8 S.S.
19	8	10121	1/4-20 X 1/2"LG FULLY THD, HEX HEAD CAP SCREW, 18-8 S.S.
20	1	5712	PLUG, 15AMP, 5 CONTACT
21	2	7642	#8-32 X 3/8"LG FULLY THD, PHIL TRUSS HEAD MACHINE SCREW, 18-8 S.S.
22	2	14646	#8-32, KEPS NUT, STEEL NICKEL
23	1	20463	COVER, CSW-ELV CORNDITIONER

FOR WIRING:



Ph:(847)616-6900,	ITEL DRIVE, WOOD DALE, IL 60191 (800)228-1885, Fax:(847)616-6970 rs.com, postmaster@cretors.com			
ndarji	08/04/2017	material REFER INDIVIDUAL SUB-PARTS	APP. WEIGHT 12.51 LBS	SHEET 1 OF 5
nvidojevic	APPROVED DATE 08/04/2017	DRAWING NUMBER 20450	REVISION	

