



*Cretors*<sup>TM</sup>

We invented the popcorn machine  
**THEN JUST KEPT GOING!**



*Cretors*



## ...AND WE'VE KEPT GROWING TOO!

**We've come a long way since working out of Charles Cretors' apartment. Our new, state-of-the art facility features production systems configured for the efficient manufacturing of our robust product line and room for additional capabilities as we continue to innovate. Airy and bright, the expansive 100,000 square foot factory and headquarters was designed and purpose-built to keep Cretors at the forefront of our industry.**

### **ON THE COVER:**

Our family name is our brand and promise. Since 1885, all our equipment has been proudly branded with the Cretors name. It has taken different forms over the years, but it always stands for quality craftsmanship, innovation, customer service and industry leadership.

The Cretors name is embossed into the equipment using the custom made, heat-treated steel die shown on the cover.

Today, this mark of quality and pride is found on almost every piece of equipment Cretors makes and represents the commitment upheld by our generations of Cretors and the extended family of Cretors employees.

### **ABOVE:**

View of the shop floor from Cretors' museum mezzanine through the windows of a 1914 Model C Popcorn Wagon.

# TABLE OF CONTENTS

## SMALL POPPERS

|                                             |       |
|---------------------------------------------|-------|
| Goldrush Red Top . . . . .                  | 4     |
| Goldrush Antique . . . . .                  | 4     |
| Nugget . . . . .                            | 5     |
| Nite Club . . . . .                         | 5     |
| Apprentice . . . . .                        | 5     |
| T-2000 Red Top . . . . .                    | 6     |
| T-2000 Antique . . . . .                    | 6     |
| Trilogy . . . . .                           | 7     |
| T-3000 Red Top . . . . .                    | 8     |
| T-3000 Antique . . . . .                    | 8     |
| T-3000 Plus Red Top . . . . .               | 8     |
| Profiteer Red Top . . . . .                 | 9     |
| Profiteer Antique . . . . .                 | 9     |
| Small Popper Features and Options . . . . . | 10-11 |

## SMALL POPPERS WAGON BASES

|                                                       |    |
|-------------------------------------------------------|----|
| Knock Down Wagon . . . . .                            | 12 |
| Black Two-Wheel Wagon . . . . .                       | 12 |
| Steerable Four-Wheel Red Antique Wagon Base . . . . . | 13 |
| Standard Four-Wheel Red Antique Wagon Base . . . . .  | 13 |
| Red Two-Wheel Wagon . . . . .                         | 13 |

## MID-SIZE POPPERS

|                                            |    |
|--------------------------------------------|----|
| Merchant . . . . .                         | 14 |
| Merchant and optional base . . . . .       | 14 |
| Econo-Merchant and optional base . . . . . | 14 |

## OIL PUMPS, HEATERS AND WARMERS

|                                                      |    |
|------------------------------------------------------|----|
| The Original Automatic Bag-in-Box Oil Pump . . . . . | 15 |
| Heated Oil Pail Step . . . . .                       | 15 |
| Control Switch . . . . .                             | 15 |
| Bag-in-Box Short Oil Pump . . . . .                  | 15 |
| Automatic Bucket Pump . . . . .                      | 15 |
| Hot Rod . . . . .                                    | 15 |
| Box Pump . . . . .                                   | 15 |
| Bag-in-Box Backroom Warmer . . . . .                 | 15 |

## LARGE POPPERS SUSPENDED KETTLE

|                                                         |       |
|---------------------------------------------------------|-------|
| Mach 5 Floor Model (3 ft) . . . . .                     | 18    |
| Mach 5 with Lighted Retro Plastic Top . . . . .         | 18    |
| Mach 5 Floor Model (3 ft) . . . . .                     | 19    |
| Mach 5 Ventless . . . . .                               | 19    |
| Mach 5 Floor Model (4 ft) . . . . .                     | 19    |
| 3 ft Diplomat and Optional Base . . . . .               | 20    |
| Self Serve Diplomat . . . . .                           | 20    |
| 5 ft Diplomat . . . . .                                 | 20    |
| 6 ft Twin Diplomat Pop N' Roll . . . . .                | 21    |
| Mobile Roc N' Roll Cornditioner . . . . .               | 21    |
| 6 ft Twin Diplomat Pass Through Dual Operator . . . . . | 21    |
| Headliner . . . . .                                     | 22    |
| Large Popper Features and Options . . . . .             | 24-25 |
| Large Poppers Ventless and ANSUL Safety . . . . .       | 26    |
| Mach 5 Ventless . . . . .                               | 26    |
| Diplomat with ANSUL System . . . . .                    | 27    |

## LARGE POPPERS PEDESTAL STYLE

|                                          |    |
|------------------------------------------|----|
| Electric Giant Pedestal Popper . . . . . | 30 |
| Gas Giant Pedestal Popper . . . . .      | 30 |
| G12 Two-Wheel Cart . . . . .             | 31 |
| G60 Four-Wheel Cart . . . . .            | 31 |

## LARGE POPPERS CABINET PEDESTAL

|                                                  |    |
|--------------------------------------------------|----|
| Enclosed President . . . . .                     | 32 |
| Open Top President . . . . .                     | 32 |
| Twin President Without Top (6 ft Twin) . . . . . | 33 |
| Twin Enclosed President (6 ft Twin) . . . . .    | 33 |

## LARGE POPPERS PRODUCTION TABLES

|                                      |    |
|--------------------------------------|----|
| 3.5 ft Production Table . . . . .    | 34 |
| 4.5 ft Production Table . . . . .    | 34 |
| 6 ft Production Table . . . . .      | 34 |
| 6 ft Twin Knock Down Table . . . . . | 35 |

## GOURMET COOKING EQUIPMENT

|                                                                                                    |    |
|----------------------------------------------------------------------------------------------------|----|
| CMD 25 Caramelizer . . . . .                                                                       | 38 |
| CMD 50 Caramelizer . . . . .                                                                       | 38 |
| CMD100 Caramelizer . . . . .                                                                       | 38 |
| 25 lb Cooker and Coater (CMD25) on 6 ft Twin<br>Knock Down Table with 32 oz Giant Popper . . . . . | 39 |
| CMD25 on Giant Cooling Bin with fan . . . . .                                                      | 39 |
| Double Feature<br>12 oz dual Caramelizer and Popper . . . . .                                      | 40 |
| Receiving Tray . . . . .                                                                           | 40 |
| Coater Mixer Tumbler . . . . .                                                                     | 40 |
| Countertop Cheese Warmer . . . . .                                                                 | 41 |
| Twin Double Feature and Poppi<br>on a 6 ft Twin table . . . . .                                    | 41 |
| Vented Giant and CMD 25 on 6 ft Twin Table<br>with Optional Blower . . . . .                       | 41 |
| Cooling Cart with Removable Bin . . . . .                                                          | 41 |

## HOT AIR PRODUCTION

|                                                    |    |
|----------------------------------------------------|----|
| The OriginateAir Popper and Puffer . . . . .       | 42 |
| Poppi . . . . .                                    | 43 |
| The Model FT40 Continuous Hot Air Popper . . . . . | 43 |

## CORNDITIONER CABINETS

|                                                                            |    |
|----------------------------------------------------------------------------|----|
| Diplomat Showcase Cabinet . . . . .                                        | 46 |
| Modular Showcase . . . . .                                                 | 46 |
| Diplomat Self-Serve 48" Cornditioner . . . . .                             | 46 |
| Combination Modular and Counter<br>Showcase Cornditioner Cabinet . . . . . | 47 |
| Diplomat Self-Serve 24" Cornditioner . . . . .                             | 47 |
| 20" Counter Showcase Cornditioner . . . . .                                | 48 |
| 36" Counter Showcase Cornditioner . . . . .                                | 48 |
| 48" Counter Showcase Cornditioner . . . . .                                | 48 |
| 36" Counter Showcase Cornditioner<br>(shallow depth) . . . . .             | 48 |
| 48" Counter Showcase Cornditioner<br>with Three Doors . . . . .            | 48 |
| Mobile Roc N' Roll Cornditioner . . . . .                                  | 49 |
| Bulk Cabinet . . . . .                                                     | 49 |
| Popcorn Display Cabinet . . . . .                                          | 49 |
| Pretzel Display Cabinet . . . . .                                          | 49 |
| Churro Display Cabinet . . . . .                                           | 49 |

## TOPPING AND DISPENSING

|                                    |    |
|------------------------------------|----|
| Integrated Butter Topper . . . . . | 50 |
| Countertop Butter Topper . . . . . | 50 |
| Bag-in-Box Butter Topper . . . . . | 51 |
| Mini Butter Topper . . . . .       | 51 |

## NACHO EQUIPMENT

|                                         |    |
|-----------------------------------------|----|
| Nacho Alto Cabinet . . . . .            | 54 |
| Nacho Tray Cabinet . . . . .            | 54 |
| Nacho Pequeño Display Cabinet . . . . . | 54 |
| Mas Grande Cabinet . . . . .            | 54 |
| Nacho Bulk Cabinet . . . . .            | 54 |
| Nacho Chip Display Case . . . . .       | 54 |
| Portion Pak Cabinet . . . . .           | 55 |
| Condiment Dispenser . . . . .           | 55 |
| Nacho Cheese Pump . . . . .             | 55 |

## HOT DOG GRILL AND BUN WARMERS

|                                                           |    |
|-----------------------------------------------------------|----|
| HD36 Hot Dog Grill . . . . .                              | 56 |
| HD36 Bun Warmer . . . . .                                 | 56 |
| HD36 Hot Dog Grill<br>and Bun Warmer with Guard . . . . . | 56 |
| HD24 Hot Dog Grill . . . . .                              | 57 |
| HD24 Bun Warmer . . . . .                                 | 57 |
| HD24 Lighted Stackable Hot Dog Grill Stand . . . . .      | 57 |
| Hot Dog Broiler and Bun Warmer . . . . .                  | 57 |

## PIZZA EQUIPMENT

|                                      |    |
|--------------------------------------|----|
| Pizza Oven and Warmer Unit . . . . . | 60 |
| Pizza Oven . . . . .                 | 61 |
| Pizza Warmer . . . . .               | 61 |
| Pizza Peel . . . . .                 | 61 |

## COTTON CANDY EQUIPMENT

|                                                |    |
|------------------------------------------------|----|
| Ringmaster . . . . .                           | 62 |
| Ringmaster Lite . . . . .                      | 63 |
| 19" Floss Bowl (9" depth) . . . . .            | 63 |
| 26" Floss Bowl (9" depth) . . . . .            | 63 |
| Ringmaster Two-Wheel Knock-Down Cart . . . . . | 63 |
| Cotton Candy Stand . . . . .                   | 63 |

## ICE AND FOOD SHAVERS

|                                 |    |
|---------------------------------|----|
| Electric Ice Shaver . . . . .   | 64 |
| Gas Ice Shaver . . . . .        | 64 |
| Battery Ice Shaver . . . . .    | 64 |
| Microflake . . . . .            | 65 |
| Big Max . . . . .               | 65 |
| Food Shaver . . . . .           | 65 |
| Paneled Counter Stand . . . . . | 65 |
| Open Counter Stand . . . . .    | 65 |
| Floor Stand . . . . .           | 65 |

## POPPING SUPPLIES

|                                       |    |
|---------------------------------------|----|
| Butterfly Popcorn . . . . .           | 68 |
| Mushroom Popcorn . . . . .            | 68 |
| Portion Pack . . . . .                | 68 |
| Gourmet Salt . . . . .                | 68 |
| Non-Stick . . . . .                   | 68 |
| Eco Bags . . . . .                    | 68 |
| Caramel Mix . . . . .                 | 69 |
| Neutral Glaze Mix . . . . .           | 69 |
| Maize Glaze . . . . .                 | 69 |
| Cretors Crunch . . . . .              | 69 |
| Cheese Paste, Cheddar . . . . .       | 69 |
| Cheese Paste, White Cheddar . . . . . | 69 |
| Salted Corn Kit . . . . .             | 69 |
| Sugar Corn Kit . . . . .              | 69 |

## POPPER CLEANING SUPPLIES

|                                     |    |
|-------------------------------------|----|
| Disposable Filters . . . . .        | 70 |
| Heat N' Spray (red can) . . . . .   | 70 |
| Carbon Cleaner (blue can) . . . . . | 70 |
| Inside Kettle Cleaner . . . . .     | 70 |
| Outside Kettle Cleaner . . . . .    | 70 |
| Popper Cleaning Kit . . . . .       | 70 |

## COTTON CANDY SUPPLIES

|                                      |    |
|--------------------------------------|----|
| Cherry Candy Floss . . . . .         | 70 |
| Green Apple Candy Floss . . . . .    | 70 |
| Grape Candy Floss . . . . .          | 70 |
| Blue Raspberry Candy Floss . . . . . | 70 |
| Pink Vanilla Candy Floss . . . . .   | 70 |

## METRIC WEIGHT VOLUME TESTER

|                                       |    |
|---------------------------------------|----|
| Metric Weight Volume Tester . . . . . | 71 |
|---------------------------------------|----|

## EQUIPMENT SPECIFICATIONS

|                                        |    |
|----------------------------------------|----|
| North America Specifications . . . . . | 73 |
| Export Specifications . . . . .        | 85 |



WELCOME TO THE SHOP

# INGENUITY STARTS HERE

In 1893, Charles Cretors' imagination led to an invention, the first commercial popcorn machine. That invention brought innovations that led to an industry. We're proud we revolutionized, and continue to lead, the concessions industry. Whether we're inventing the popcorn machine or perfecting the hot dog grill, being the leader in technical innovation means that from food service equipment to food processing systems, snacking starts with Cretors.



For five generations and counting, the Cretors family of inventors, craftsmen, manufacturers, distributors, and customer service professionals has worked out of what we call The Shop. There, the great-great-grandchildren of Charles Cretors can be spotted talking shop with a machinist who's been with the company for decades. And, there, we blend the best of our legacy of technical innovation with our continued promise of quality craftsmanship to provide the best value and most reliable concession equipment in the world.

#### **Quality engineering is at the core of what we do.**

We're a modern company developing and utilizing the latest industry technology. But there are real people behind each machine who have ownership over their work and produce handmade, thoughtfully built products. Our skilled craftspeople sign off on each machine, and every machine is tested before it leaves The Shop. Ideas from our loyal customers fuel improvements and further innovation. We believe in knowing our products, our workforce, and our customers. It's what's made Cretors a success story, and the industry standard, for 130 years.

#### **Service to our customers inspires us.**


At the dawn of the 20<sup>th</sup> century, we were champions of the peddler, street vendor, and concessionaire. Today, we support 21<sup>st</sup> century multiplexes, multi-thousand seat stadia, and large-scale food processors. We've maintained that same spirit of innovation while also maintaining our sense of service. Our machines reveal a history of quality and a legacy of service. Need a part for a 1948 Giant? We can do that. Want to replace the nickel plated all-steel kettle in that 1970 Diplomat? We can do that, too. We pride ourselves on being the people who've designed and manufactured equipment that provides solutions to the food industry.

#### **Join the Cretors Family.**

You can't trademark history and you can't copy tradition. Cretors products are made with a craftsman's eye for quality, our family's sense of history and integrity, and every machine is made to last. There's a commitment to value and excellence in everything that comes from The Shop. From the entrepreneurial spirit of the first peddlers selling popcorn from a horse-drawn cart to the corporations our products support today, our customers become part of the family and part of our story. It's why the top U.S. snack companies have chosen Cretors. *Made in America, loved world-round.*

# SMALL POPPERS

**6 oz Poppers** Small but mighty. Whether you are popping corn at home, a convenience store, a school or a cafeteria, C. Cretors and Company makes it easy and effortless with our small 6 oz poppers. They're perfect for work, school, or a store. Cretors popping equipment combines clean design and exceptional technology with unsurpassed durability. Helping you to pop delicious popcorn each and every time.



## Goldrush Red Top

- 6 oz nickel plated all-steel kettle
- First on the market to have the patented One-Pop safety option
- Top seller

The antique cabinet top boasts a cast-aluminum, hand-painted scrollwork cast from an original Cretors first used over 125 years ago.



## Goldrush Antique

- 6 oz nickel plated all-steel kettle
- Hand-painted scrollwork

Choose from several versions of our 6 oz kettle poppers, each of which makes six one-ounce servings per batch. The **Apprentice** and **Nugget** offer a perfect blend of quality and economy. Both machines offer the essential Cretors features to pop fresh and crisp popcorn, every time. The versatile and classic **Goldrush** meets a wide range of popping needs and comes with the choice between our standard or antique cabinet styles. The sophisticated look of the **Nite Club** popper is well suited for the home theatre, club setting, or anywhere a sleek, understated machine is desired. Its sophistication is enhanced with the word "popcorn" etched into the tinted glass. Custom glass etching, like corporate names and logos, is also available. All small poppers are built with the Cretors exclusive clean-in-place, nickel-plated all-steel kettle. The swing down kettle with a one-piece lid design allows complete access to the inside of the kettle for easy cleaning without removal. Frame and joints will not warp, bend or come apart even with extended use because there are no screws holding the welded stainless-steel frame together. Kettle damage and lost parts are virtually eliminated. All these machines plug into a standard outlet. Durability, ease of use and cleaning make Cretors Small Poppers a favorite among rental and profit-sharing businesses.

### Nite Club

- 6 oz nickel plated all-steel kettle
- Tinted windows and etched glass
- Subtle yet sophisticated design



### Nugget

- 6 oz nickel plated all-steel kettle
- Aluminum frame
- Excellent entry level popper



### Apprentice

- 6 oz stainless-steel kettle
- Stainless-steel frame and top
- Affordable quality

## KEY FEATURES

- Interior heat lamp
- Illuminated eye-level rocker switches
- Cycling pilot light indicator (excluding Apprentice and Trilogy)
- Clean-in-place, swing down, nickel-plated all-steel kettle, or stainless-steel kettle
- Direct drive motor
- Removable one-piece kettle lid with magnetic catch and agitator for ease of use and cleaning
- Thermostatically controlled kettle heat
- Welded stainless-steel cabinet (excluding Nugget)

- Tempered safety glass front and sides
- Lift-off Vyvak® doors for easy cleaning
- Thermostatically controlled heated corn deck for keeping corn warm and crisp (optional on Nugget)
- Lift-off, one-piece drop shelf for easy access to cabinet
- Stainless-steel popper case, deck and clean out drawer
- Included accessory kit contains measuring tools for salt, corn, oil and popcorn scoop

## OPTIONS (not available on Apprentice)

- Stainless-steel kettle
- Salt/sugar switch for making traditional and sugar corn
- Patented One-Pop control
- Patented One-Pop control with cycle counter
- Stainless-steel top
- Custom paint colors

# SMALL POPPERS

**8 oz Poppers** With a slightly larger cabinet and kettle size, the **T-2000** produces 33% more popcorn per cycle than the Goldrush. The T-2000 is the perfect mid-range popper. Choose between a standard or antique-style cabinet.



**T-2000 Red Top**

- 8 oz nickel plated all-steel kettle
- Increased capacity with compact footprint
- Profit sharing and rental market workhorse



**T-2000 Antique**

- 8 oz nickel plated all-steel kettle
- Hand-painted scrollwork

The antique cabinet top boasts a cast-aluminum, hand-painted scrollwork cast from an original Cretors first used over 125 years ago.

## KEY FEATURES

- Interior heat lamp
- Illuminated eye-level rocker switches
- Cycling pilot light indicator (excluding Apprentice and Trilogy)
- Clean-in-place, swing down, nickel plated all-steel kettle, or stainless-steel kettle
- Direct drive motor
- Removable one-piece kettle lid with magnetic catch and agitator for ease of use and cleaning
- Thermostatically controlled kettle heat

- Welded stainless-steel cabinet
- Tempered safety glass front and sides
- Lift-off Vyvak doors for easy cleaning
- Thermostatically controlled heated corn deck for fresh, crisp popcorn
- Lift-off, one-piece drop shelf for easy access to cabinet
- Stainless-steel popper case, deck and clean out drawer
- Included accessory kit contains measuring tools for salt, corn, oil and popcorn scoop

## OPTIONS (not available on Trilogy)

- Stainless-steel kettle
- Salt/sugar switch for making traditional and sugar corn
- Patented One-Pop control
- Patented One-Pop control with cycle counter
- Stainless-steel top
- Custom paint colors

# Welcome to the family!

The Trilogy popper, named by a loyal customer, boasts three kettle sizes in one machine.

The Trilogy will pop an 8, 12, or 16 oz popcorn portion pack quickly and efficiently. Increasing popcorn production is as simple as increasing the amount of corn and oil loaded into the kettle. No switches to flip, no settings to change. It's that easy.



## Trilogy

- Three different popping capacities in one stainless-steel kettle: 8, 12, 16 oz
- Includes all key features found on regular Cretors poppers (excluding cycling pilot light)
- Uses standard 120v/15amp outlet in U.S., 120v/20amp in Canada

# SMALL POPPERS

**12 and 14 oz Poppers** With an almost 50% increase in popcorn production over the T-2000, the **T-3000** is the gateway in the Cretors small popper line to our large popcorn machines. The **T-3000 Plus** and the **Profiteer** are the only small concession poppers that are equipped for automatic oil pumps. The T-3000 Plus also has the hot air Cornditioner system, providing large machine capabilities in a small machine footprint.



## T-3000 Red Top

- 12 oz nickel plated all-steel kettle
- Up to 50% popcorn production increase over the 8 oz popper
- Easily serves a crowd



## T-3000 Plus Red Top

- 12 oz nickel plated all-steel kettle
- Direct oil feed
- Hot-air Cornditioner blower
- High production in limited space



## T-3000 Antique

- 12 oz nickel plated all-steel kettle
- Available in T-3000 and T-3000 Plus Models



### Profiteer Red Top

- 14 oz nickel plated all-steel kettle
- Stainless-steel welded construction
- Includes direct oil feed

The antique cabinet top boasts a cast-aluminum, hand-painted scrollwork cast from an original Cretors first used over 125 years ago.



### Profiteer Antique

- 14 oz nickel plated all-steel kettle
- Stainless-steel welded construction
- Includes direct oil feed

## KEY FEATURES

- Interior heat lamp
- Illuminated eye-level rocker switches
- Cycling pilot light indicator
- Clean-in-place, swing down, nickel plated, all-steel kettle or stainless-steel kettle
- Direct drive motor
- Removable one-piece kettle lid with magnetic catch and agitator for ease of use and cleaning
- Thermostatically controlled kettle heat
- Heavy-duty dump spring
- Welded stainless-steel cabinet
- Tempered safety glass front and sides
- Lift-off Vyvak doors for easy cleaning
- Thermostatically controlled heated corn deck for fresh, crisp popcorn
- Lift-off, one-piece drop shelf for easy access to cabinet
- Stainless-steel popper case, deck and clean out drawer
- Included accessory kit contains measuring tools for salt, corn, oil and popcorn scoop

## OPTIONS

- Stainless-steel kettle
- Salt/sugar switch for making traditional and sugar corn
- Patented One-Pop control
- Patented One-Pop control with cycle counter
- Stainless-steel top
- Integrated pump for the T3000 Plus and Profiteer
- Custom paint colors

# SMALL POPPERS

## FEATURES AND OPTIONS

You can further enhance the operation and appearance of your Cretors machine by adding options that provide additional versatility, safety, sanitation and merchandising features.

### SMALL POPPER FEATURES

- Interior heat lamp
- Illuminated eye-level rocker switches
- Cycling pilot light indicator (excluding Apprentice and Trilogy)
- Clean-in-place, swing down, nickel-plated all-steel kettle, or stainless-steel kettle
- Direct drive motor
- Removable one-piece kettle lid with magnetic catch and agitator for ease of use and cleaning
- Thermostatically controlled kettle heat
- Welded stainless-steel cabinet (excluding Nugget)
- Interior heat lamp
- Tempered safety glass front and sides
- Lift-off Vyvak doors for easy cleaning
- Thermostatically controlled heated corn deck for fresh, crisp popcorn
- Lift-off, one-piece drop shelf for easy access to cabinet
- Stainless-steel popper case, deck and clean out drawer
- Included accessory kit contains measuring tools for salt, corn, oil and popcorn scoop

### WHAT POPPER IS RIGHT FOR YOU?

First, decide which size suits your needs. Popcorn machines are organized by kettle size: the amount of popcorn they pop during one three-minute popping cycle. For example, a 6 oz popcorn machine will pop six ounces of popcorn in three minutes. One ounce of popcorn will yield one small individual serving. Our popcorn machines can have up to 20 popping cycles per hour if run nonstop. Therefore, a 6 oz popcorn machine can produce up to 120 one-ounce servings per hour. (6 ounces x 20 cycles = 120 one-ounce servings per hour).

Use this easy formula to calculate the number of serving sizes for other kettle sizes:

**(ounces x cycles = # one-ounce servings per hour)**

**6 oz kettle = 120 one-ounce servings per hour**

**8 oz kettle = 160 one-ounce servings per hour**

**12 oz kettle = 240 one-ounce servings per hour**

**14 oz kettle = 280 one-ounce servings per hour**

### SMALL POPPER OPTIONS

#### Patented One-Pop/One-Pop with cycle counter

- This patented safety feature will bring you peace of mind! It not only saves energy, but it reduces the chances of a grease fire in your home theatre, grocery store, car dealer, hotel or anywhere else you pop. It's the safest machine on the market. With the push of a button the kettle will heat, pop a batch of corn, and turn itself off after one popping cycle, not allowing an unattended kettle of popped corn to catch fire if forgotten.
- The counter option will count the number of popping cycles the popper has performed, ideal when the number of popping cycles needs to be recorded. It's perfect for profit-sharing programs or calculating corn usage.

#### Salt/sugar switch

With a single switch, change between the higher temperature of salted corn production and the lower temperature needed for sugar corn, kettle or glazed popcorn production.

#### Stainless-steel kettle

- Stainless-steel durability is built directly into the kettle and will never rust.
- Stainless steel is superior to other surfaces and is not damaged by carbon remover or kettle cleaner.
- It provides improved heat transfer technology, which evenly heats the bottom of the kettle and creates a more uniform popping surface temperature that heats up quickly to maximize corn expansion.

#### Custom powder coating paint colors

Customize your machine for an additional charge to reflect a favorite collegiate or professional sports team, your corporate colors or to blend with any décor. We can match any PMS color to create a one-of-a-kind machine.



Patented One-Pop Option



Salt/Sugar Switch Option



Patented One-Pop Counter Option



Stainless-steel Kettle



Colors shown are examples only. Contact Cretors for pricing and more information regarding custom-color machines.

# SMALL POPPERS

## WAGON BASES (poppers sold separately)

Charmingly reminiscent of Cretors wagons and poppers from 100 years ago, you can combine one of our wagon bases with either the standard or antique small concession poppers. Not only do our bases increase versatility and mobility, when strategically placed, our poppers become easy to spot and work hard to increase sales. They're ideal for locations where the counter model popper is not practical or a small floor model or mobility is needed.



**Knock Down Wagon (shown assembled)**

- Made for 6 oz popper only
- Assembly required
- Can be purchased assembled



**Black Two-Wheel Wagon**

- Fits 6 oz Nite Club Popper
- Black powder coating is tough and resists scratching



**Knock Down Wagon**

- Shown unassembled
- UPS shipping reduces cost



#### **Steerable Four-Wheel Red Antique Wagon Base**

- Vinyl canopy
- Sturdy supports
- Fits counter model poppers 6-14 oz
- Red powder coating resists scratching



#### **Red Two-Wheel Wagon**

- Sizes available to fit 6, 8, 12 and 14 oz poppers
- Red powder coating resists scratching



#### **Standard Four-Wheel Red Antique Wagon Base**

- Fits counter model poppers 6-14 oz
- Red powder coating resists scratching

### **KEY FEATURES**

- Steel construction
- Rigid cross leg support
- Sizes to fit 6, 8, 12, and 14 oz poppers
- 6 oz wagon has knock down design
- Durable red or black powder coating

### **OPTIONS**

- Two and four-wheel designs available
- Optional canopy frame for four-wheel wagon
- Steering option available for four-wheel wagon
- Available in custom colors

# MID-SIZE POPPERS

Designed with key features found in our larger poppers, the **Merchant** delivers increased popcorn production with a high performance, 16 oz nickel-plated, all-steel kettle equipped with Cretors' convenient kettle dump and return system. A favorite among mid-sized concession operators, this machine's compact footprint satisfies the need for increased production while taking up minimal concession space.

The **Econo-Merchant** is our economy version of the Merchant. It comes equipped with many deluxe features including the convenient kettle dump and return system and Cretors exclusive Cornditioner system, which keeps popcorn dry, crisp and ready to enjoy. Customize both machines with options that will ensure safety and allow both salted and sugar corn to be popped.



## Merchant

- Automatic cover lift
- Welded stainless-steel frame and cabinet
- LED sign available on customer side only



## Merchant and optional base

- Welded stainless-steel frame and base
- Rolling casters for mobility
- Automatic cover lift
- LED popcorn sign available (customer side only)
- 35 lb tilt out corn bin



## Econo-Merchant and optional base

A simplified, economic popper with the world-class Cretors kettle that remains the heart of the machine.

- Welded stainless-steel base and frame
- 35 lb tilt-out corn bin
- Manual cover lift

## KEY FEATURES

- Clean-in-place, nickel plated, all-steel kettle
- One-piece lid ensures maximum corn expansion
- Direct drive agitator motor provides longer motor life
- Cycling pilot light indicator
- Illuminated eye-level rocker switches
- Dual-stage disposable filter system on Merchant
- Single-stage washable filter system on Econo-Merchant
- Clean out drawer
- Internal heat lamps and heated corn deck
- 35 lb tilt-out corn bin
- Equipped for direct oil feed, use with automatic oil pump
- Exclusive counter-balance kettle dump and return system (excluding Econo-Merchant)
- Circulating hot air Cornditioner system to keep popcorn warm, dry and crisp
- LED lighted sign on Merchant only
- Automatic jump up kettle lid on Merchant only

## OPTIONS

- Stainless-steel kettle
- Salt/sugar switch
- Patented One-Pop control
- Patented One-Pop control with cycle counter

# OIL PUMPS, HEATERS AND WARMERS

The stainless-steel design of our oil pumps, heaters and warmers make them simple to use. Cretors offers three styles of oil pumps: The Bag-in-Box (BIB) Oil Pump, the Self Contained Automatic Bucket Pump and the Box Pump. Ideal for movie theaters, concession stands, restaurants, gourmet popcorn stores, and self-serve applications.



## The Original Automatic Bag-in-Box (BIB) Oil Pump

Cretors first brought this innovation to concession stands based on a customer request for a pump that was easier to use and keep clean. The robust gear pump will ensure extended-term pump life.

- Heated shelf holds and warms two 35 lb boxes of popping oil
- Electronic timer provides accurate portion control when used in a popcorn machine.
- Heated oil tubes available for coconut oil
- Front or rear oil line (optional)
- Remote control switch
- Cabinet heater blower for use with coconut oil (optional)



## Bag-in-Box (BIB) Short Oil Pump

This single-shelf pump is perfect for situations when the double-shelf BIB Oil Pump is not practical due to space limitations.

- Heated shelf holds and warms one 35 lb box of popping oil



## Box Pump

A self-contained BIB oil pump with independent power cord provides compact oil delivery. This pump automatically delivers the proper amount of oil to the kettle with the push of a button. Magnets allow the pump to be placed anywhere in the machine. For liquid oils only.



## 50 lb Bucket Pumps

- **Self-Contained Bucket Pump** for use with Profiteer and T-3000 Plus models
- **Automatic Bucket Pump** for use with all large poppers that are electrically wired for a pump
- Automatic portion control heats, measures and delivers oil to kettle.
- Rugged cast aluminum heating element
- Electronic 30-minute heat timer
- Use with 50 lb oil pail



## Heated Oil Pail Step

The Oil Pail Step makes it easy to slide a 50 lb pail of coconut oil into the base of your Cretors popcorn machine without spillage. Our step features a passive low-wattage heater to liquefy your reserve pail of coconut oil for an easy switch over to a fresh pail when needed.



## Control Switch

Designed for machines that are oil ready but are not electrically wired for a pump.

- Combine with Bag-in-Box Oil Pump for Profiteer and T-3000 Plus



## Hot Rod

Hot Rod is the fastest, most economical way to melt solidified coconut oil in a pail. Rugged construction allows it to be forced into cold, hard oil. Insert the heating element directly into a pail of coconut oil, plug in and allow the heat to gently melt the oil for popper use.



## Bag-in-Box (BIB) Backroom Warmer

Melting and maintaining popping oil at the proper temperature takes time. The BIB Backroom Warmer stores and liquefies four standard sized boxes on heated shelf decks, ensuring you have the popping oil you need when you need it.

- Holds and warms four 35 lb boxes of oil
- Heated shelf decks melt and maintain product for immediate use
- Can be used to heat other BIB items, such as cheese or topping
- Two-shelf warmer also available



WELCOME TO THE SHOP

# VALUE

We know high quality products like the ones we make are investments. So we work to make it easy and affordable to own a Cretors. We love that service teams are often our best advocates, letting customers know that a Cretors requires fewer repairs and are built so repairs and maintenance are easier and faster. We'll always strive to have the parts, the service, and the support you need. Every step of our design includes thinking about assembly, maintenance, and serviceability to maximize the value for our customers.

*You can't find a better made or longer lasting machine.*



# LARGE POPPERS

## SUSPENDED KETTLE

With more than 12 decades of concession experience, Cretors large concession poppers have evolved to become the top performers in the industry. Form, function and durability are constantly integrated into each new machine design and upgrade. Whether your popping style includes a suspended or a pedestal kettle design, Cretors has the design that best works for you.



**Mach 5 Floor Model (3 ft)**

- Shown with LED programmable sign
- Front view



**Mach 5 with Lighted Retro Plastic Top**

- Available on 3 ft only

**MACH 5 – 32, 48, 60 OZ** The **Mach 5** popper is a truly versatile machine. Beautifully styled and built to last for generations, this popper draws on the Cretors long tradition of popping technology combined with exciting, innovative features. Cretors exclusive one-piece, automatic lid design, along with the resealable corn bin will ensure maximum corn expansion. The optional programmable LED sign, which can be customized, will promote additional sales. As your business grows, the oversized cabinet allows you to upgrade to a larger kettle. The large 16" diameter kettle allows for maximum expansion for today's high expansion corn hybrids. Need more volume? Turn your 32 oz kettle into a 48 oz or 60 oz by simply changing the heat elements. The current MACH 5 is the fifth generation of our popular popper, coupling Cretors expertise and all the benefits of modern manufacturing.



**Mach 5 Floor Model (3 ft)**

- Back view
- Tilt-out resealable corn bin



**Mach 5 Kettle**



**Mach 5 Ventless**

- Shown with elevator option



**Mach 5 Floor Model (4 ft)**

- Shown with LED lighted top
- Shown with Bag-in-the-Box Pump

## KEY FEATURES

- Available in 3 and 4 ft cabinets
- Available with 32, 48 and 60 oz kettles
- Welded stainless-steel cabinet
- Welded stainless-steel base with air-tight, tilt-out resealable corn bin keeps corn fresh for maximum corn expansion
- One-piece kettle
- LED lighting system
- Two heat lamps
- Digital temperature controller
- Lift off Vyvak doors for easy cleaning

## OPTIONS

- Backlit red and yellow LED popcorn sign
- Neon sign
- LED programmable sign
- ANSUL fire suppression system
- Pass through side glass (left or right)
- Bin elevator
- Patented Pop It N' Top It system
- Bag filler
- Corn guard chute
- Ventless recirculating hood system
- Pass through dual control system
- Two side raw corn drawer
- Patented One-Pop
- Patented One-Pop with cycle counter
- Salt/sugar switch
- Integrated pump
- Stainless-steel corn bin
- 30 Amp power cord option for 32 oz 30 Amp machine only

# LARGE POPPERS

## SUSPENDED KETTLE



### 3 ft Diplomat and Optional Base

- Available as counter model or floor model
- Extruded aluminum cabinet
- Stainless-steel base
- Shown with backlit LED sign



### 5 ft Diplomat

- Shown with Bag-in-Box pump
- Single or twin kettles available
- Stainless-steel base
- Shown with backlit LED sign



### Self Serve Diplomat

- Built-in topper
- 20 and 32 oz kettles
- Serves two customers at once

**DIPLOMAT – 20, 32, 48, 60 OZ** With more than 40 years of field experience, the **Diplomat** with Cretors kettles has developed a reputation for making the best tasting popcorn. All Diplomats feature a nickel plated all-steel kettle, tempered safety glass, Vyvak® doors, cycling pilot light, digital temperature controls, stainless-steel interior and a drop shelf. The popcorn is kept fresh and crisp by Cretors high-powered Cornditioner system, which maintains the popcorn at just the right temperature for serving up big profits.

Cabinet sizes available are 3, 4, 5, and 6 ft. Within that cabinet, any kettle size can be installed: 20, 32, 48, 60 oz or twin kettles, depending on your production volume needs. For a completely different take, install a CMD 25 Caramelizer in a 6 ft twin cabinet with a single kettle to create an enclosed caramel corn production plant.

The **Self Service Diplomat** is designed with profits in mind. It transfers labor from your employees to your customers while maximizing impulse sales and savings. This popper is designed with two customer-controlled augers that dispense popcorn and an integrated butter topper that dispenses topping on the spot. The self-serve feature is excellent for sanitation as it prevents people from putting their hands in the popcorn while serving themselves.



### 6 ft Twin Diplomat Pop N' Roll

Cretors patented design combines a popcorn machine that pops and dumps corn directly into a mobile warming bin. The Cornditioner bin unplugs from the popper site and is then rolled and docked into the serving site for continuous warming. Purchase additional bins for several serving locations.

- Shown with optional Roc N' Roll Cornditioner
- Removable stainless-steel bin holds 15 lb of popped corn  
20, 32, 48 and 60 oz kettles available
- Only available in twin design

### Mobile Roc N' Roll Cornditioner

The Patented Roc N' Roll bin is designed to dock directly into the Diplomat Pop N' Roll Popper. As corn pops, it falls directly into the bin. When full, the Roc N' Roll Cornditioner easily unplugs from the popper and is then wheeled and plugged directly into the concession stand for continuous warming with the docking station. Bags or boxes are not needed to transport popcorn from the machine to the merchandising point. Popcorn breakage is greatly reduced and popcorn is continually kept fresh until ready for serving. It's ideal for remote merchandising.

- Halogen lights
- Angled cabinet design on operator side makes serving product easy
- Sliding protective lid provides easy access
- Ideal for remote merchandising
- Can be used independently of popper



### 6 ft Twin Diplomat Pass Through Dual Operator

- Shown with optional dual control to allow operators from both sides

## KEY FEATURES

- Available in 3, 4, 5 and 6 ft cabinets
- Available with 20, 32, 48, and 60 oz nickel plated all-steel kettle
- Aluminum extruded cabinet frame
- Stainless-steel base with stainless-steel slide out 50 lb corn bin on 4, 5, 6 ft cabinets
- Counterbalance dump and return system
- Digital temperature controller
- Halogen lighting system
- Twin popper model available with 5 and 6 ft cabinet
- 3 ft cabinets have resealable corn bins
- Lift off Vyvak doors for easy cleaning

## OPTIONS

- Backlit red and yellow LED popcorn sign
- Neon sign
- LED programmable sign
- ANSUL fire suppression system
- Pass through side glass (left or right)
- Bin elevator
- Patented Pop It N' Top It system
- Bag filler
- Corn guard chute
- Ventless hood filtration system
- Pass through dual control system
- Two side raw corn drawer
- Mobile Roc N' Roll Cornditioner
- Sliding NSF doors (4, 5 and 6 ft Twin)
- Customer side wing door (3 ft cabinet)
- Salt/sugar switch
- Patented One-Pop
- Patented One-Pop with cycle counter
- Stainless-steel kettle (available for 32, 48 and 60 oz kettles)
- 100 lb corn bin

# LARGE POPPERS

## SUSPENDED KETTLE

Designed to merchandise and showcase popcorn beautifully in the concession stand, the **Headliner** stands out. From the illuminated accent strips on the corner posts, both inside and outside the cabinet, to the dynamic signage on all four sides, Cretors' Headliner attracts attention from every angle. Sleek rounded corners and a stainless-steel cabinet give this machine a marquee look.



### KEY FEATURES

- Available with 3 ft cabinet only
- Available with 20 and 32 oz kettles
- Welded stainless-steel cabinet with rounded corners
- Welded stainless-steel base with sliding doors and 50 lb corn bin
- Digital temperature controller
- Two-piece kettle
- Counterbalance kettle dump and return system
- LED lighting system
- 360-degree merchandising and accent LED lights on all four sides
- Lift off Vyvak doors for easy cleaning

### OPTIONS

- Pass through side glass (left or right)
- Patented One-Pop
- Patented One-Pop with cycle counter
- Salt/sugar switch
- Stainless-steel kettle

North America Specifications pp. 75 | Export Specifications pp. 87 | Large Popper Customization pp. 24-25 | Oil Pumps and Warmers pp. 15

# **YOUR DREAM MACHINE. BUILT BY CRETORS.**

**Whatever your need, Cretors can build it.  
With so many features and options, there are literally  
thousands of unique combinations of poppers.**

## **Any Size Crowd, Every Taste**

Make popcorn for a crowd of 10 or more than 500 with a wide range of kettle sizes.  
Please everyone with popcorn that's salted or sweet. Or go for double  
with a popper and a caramelizer combination.

## **All the Options**

Select a stainless-steel or nickel plated all-steel kettle, a popper kettle that is suspended  
in a cabinet, or a pedestal kettle that mounts to the floor of the popper or table.  
Whether you have 3 or 7 feet to work with, or something in between,  
we can optimize your corn production.

## **Make it Your Own**

Make a Cretors your own by selecting appearance and personalization options  
like our antique or modern looks, signage and customization  
of a favorite team or your corporate colors.

## **Storage and Safety**

Maximize your popcorn storage with one of our cabinets with a corn deck that  
can be lowered so you can maximize your popcorn storage. Select a built-in ventless hood  
that expands your foodservice capabilities in areas with limited space.  
Add industry-leading fire prevention like ANSUL or an automatic kettle-heat shut-off.

## **Around the World**

Our American-made machines provide delicious popcorn and concessions around the world.  
Cretors offers as many as 12 different domestic and international voltages.

## **And that's just popcorn.**

Imagine what we can do for you when it comes to our Cornditioner cabinets,  
toppers and dispensers, cotton candy machines, hot dog grills, bun warmers,  
ice shavers, and our new pizza oven and warmer combination.

**When it comes to concessions,  
it comes from Cretors.**

# LARGE POPPERS

## FEATURES AND OPTIONS

Our cabinet poppers with suspended kettle are available in 3, 4, 5 and 6 ft sizes. Combine this with a single or twin 20, 32, 48 or 60 oz kettle(s), and there is sure to be a perfect popper and cabinet combination. You can further enhance the operation of your Cretors machine by adding options that provides additional versatility, safety, sanitation and merchandising features.

### LARGE POPPER FEATURES

- Clean-in-place nickel plated all-steel kettle
- One-piece lid ensures maximum popcorn expansion
- Direct-drive agitator motor provides longer motor life
- Cycling pilot light indicator
- Illuminated eye-level rocker switches
- Disposable filter system
- Clean-out drawer
- Exhaust and Cornditioner system
- Internal heat lamp(s) and heated corn deck
- Equipped for direct-oil feed
- Automatic jump-up kettle lid (excluding Econo-Merchant)
- LED popcorn sign (excluding Econo-Merchant)
- Available as counter or floor model

### WHAT POPPER IS RIGHT FOR YOU?

First, decide which size suits your needs. Popcorn machines are organized by kettle size: the amount of popcorn they pop during one three-minute popping cycle. For example, a 6 oz popcorn machine will pop six ounces of popcorn in three minutes. One ounce of popcorn will yield one small individual serving. Our popcorn machines can have up to 20 popping cycles per hour if run nonstop. A 32-ounce popcorn machine will produce up to 640 one-ounce servings per hour (32 ounces x 20 cycles = 640 one ounce servings per hour). Use this easy formula (ounces x cycles = # one-ounce servings per hour) to calculate the number of serving sizes for other kettle sizes.

(ounces x cycles = # one-ounce servings per hour)

**16 oz kettle** = 380 one-ounce servings per hour

**20 oz kettle** = 400 one-ounce servings per hour

**32 oz kettle** = 640 one-ounce servings per hour

**48 oz kettle** = 960 one-ounce servings per hour

**60 oz kettle** = 1,200 one-ounce servings per hour

### LARGE POPPER OPTIONS

#### Patented One-Pop control/One-Pop control with cycle counter

- This patented safety feature will bring you peace of mind! It not only saves energy, but it reduces the chances of a grease fire in your home theatre, grocery store, car dealer, hotel or anywhere else you pop. It's the safest machine on the market. With the push of a button the kettle will heat, pop a batch of corn, and turn itself off after one popping cycle, not allowing an unattended kettle of popped corn to catch fire if forgotten.
- Counter option will count the number of popping cycles the popper has performed, ideal when the number of popping cycles needs to be recorded. It's perfect for profit-sharing programs or calculating corn usage.

#### Salt/sugar switch

With a single switch, change between the higher temperature of salted corn production and the lower temperature needed for sugar corn, kettle or glazed popcorn production. Amount of oil dispensed is also automatically adjusted.

#### Bin Elevator

Increase storage capacity without increasing space requirements with our exclusive bin elevator. With a simple turn of a crank, a portion of the popper case bottom is lowered to warm and hold more popcorn during peak selling times. When extra space is not needed, simply crank the popper case bottom back up to its original position. The bin holds three 32 oz batches, equivalent to 39 (85 oz size) tubs. The cabinet plus the bin holds a total of six 32 oz batches.

#### Patented Popit N' Topit

Our exclusive Popit N' Topit butter topper is operated using a hands-free push bar to deliver popcorn topping. Simply fill the bucket with fresh popcorn, press the hands-free push bar to deliver the topping and continue to fill the bucket to desired capacity. Top off the popcorn with another push of the bar, and you are done in one easy step. Reduce transaction time, prevent spills and drips, and maximize counter space.

#### Stainless-steel kettle

- Stainless-steel durability is built directly into the kettle and will never rust.
- Stainless steel is superior to other surfaces and is not damaged by carbon remover or kettle cleaner.
- It provides improved heat transfer technology, which evenly heats the bottom of the kettle and creates a more uniform popping surface temperature that heats up quickly to maximize corn expansion.

#### Ventless Hood

We have partnered with Giles Foodservice Equipment, the premier manufacturer of the Ventless Recirculating Hood system, to create a popcorn machine that does not require expensive hood exhausting ducting. The three stage filter system includes a baffle grease filter, electrostatic air cleaner, and Polysorb® filter. The Ventless Hood limits the emission of grease-laden air to the room in accordance with NFPA 96.

#### Merchandising Signs

- Sign options available for the Diplomat, Mach 5 and President Poppers
- Choose from several sign options to maximize your message in the concession area: neon, red only, red and white and blinking red and white.

Patented One-Pop Control



Salt/sugar Switch



Popit N' Topit



Bin Elevator (up)



Bin Elevator (down)



Stainless-steel Kettle



Ventless Hood System



Neon Sign



Backlit LED Sign



Programmable LED Sign

# LARGE POPPERS

## VENTLESS AND ANSUL SAFETY

We understand how crucial it is to protect people and property from fire. Cretors was the first to pioneer this fire suppression system in the early 1990s with a UL® approved ANSUL® Fire Suppression System that provides frontline fire protection by automatically detecting and suppressing fires.

Insurance companies and fire inspectors recognize ANSUL to be the most effective system used to fight dangerous fires in the restaurant and food service industries. It is the leading brand in commercial kitchen fire suppression. Local fire departments normally do not require fire suppression or exterior exhaust systems for UL listed machines meeting the KNLZ and KNKG standard. Contact Cretors for more information about this important option.

### ANSUL

- Detectors located inside the cabinet quickly detect fire.
- Fire suppressant is discharged from multiple locations inside the cabinet to ensure rapid flame knockdown.
- Power source is automatically shut off.
- UL listed machine meets KNLZ and KNKG standard.
- Available for 3, 4, 5 and 6 ft Twin cabinets
- ANSUL activation not included

### Ventless Hood by Giles® Food Service Equipment

Cretors partnered with Giles Foodservice Equipment, the premier manufacturer of the Ventless Recirculating Hood System, to create a popcorn machine that does not require expensive hood exhausting ducting. Three stage filter system includes a baffle grease filter, electrostatic filter, and Polysorb® filter. The ventless hood limits the emission of grease-laden air to the room in accordance with NFPA 96.

- The Cretors popper with Ventless Hood is available with the ANSUL Fire Suppression System and is the first popper in the industry that has passed the KNKG UL test, making it one of the safest and most reliable machines.
- The innovative hood design incorporates Ventless Recirculating technology that expands your food service capabilities in areas with limited space.
- The Giles Foodservice Equipment Air Filtration System provides one of the most efficient air filtration systems in the industry.
- Using UL's EPA-202 test method, this machine limits the emission of grease-laden air to the room in accordance with NFPA 96.
- The Ventless Recirculating Hood System is designed to fit directly on top of the 3, 4, 5 and 6 ft Diplomat and Mach 5 popping cabinets. No minimum cabinet width is required.
- Available with 32, 48 and 60 oz kettles.
- Both ANSUL and Ventless Hood options can be manufactured separately or together for the Mach 5 and Diplomat machines.



**Mach 5 Ventless**

- Shown with elevator option



**ANSUL Discharge Nozzles**



**ANSUL canister inside base cabinet**

**Diplomat with ANSUL System**



**Close-up of Ventless Feature**



**Ventless Filters**

- Baffle grease filter
- Electrostatic filter
- Polysorb filter



WELCOME TO THE SHOP

# QUALITY CRAFTSMANSHIP

Since the very first popcorn poppers left the original Randolph Street shop in the heart of Chicago, we've made quality our hallmark. Every Cretors machine is tested in-house to ensure it meets our exacting standards. Our method is one of refinement and perfection with a focus on function and durability: our machines are built right and look great. We sign off on each one so our customers know individual attention went into their product. Simply put, we make the best product and an investment in quality craftsmanship is part of the culture of our company. *The concession industry trusts Cretors, the kind of machines only experience can build.*



# LARGE POPPERS

## PEDESTAL STYLE

It's not just how much corn you pop, it's how well you pop it. That's the philosophy behind our high-volume **Giant Poppers**, which let you pop anywhere from a small amount to a mountain of popcorn. These Cretors poppers are designed as compatible components in your production system. Designed to operate efficiently behind the scenes or up front, they're ideal for theaters, shopping malls, stadiums and arenas.

Our Giant Poppers are designed to work with three distinct cabinet configurations: Open Top President, Enclosed Top President, and President without top. The Giant Poppers also work with four different table sizes: 3.5, 4.5, 6 and 6 ft Twin. The poppers can be built directly into custom millwork and are available in gas or electric power.



### Electric Giant Pedestal Popper

- 20, 32, 48, and 60 oz kettles
- Digital readout ensures accurate temperature settings and readings
- Cycling pilot light
- Lighted rocker switches



### Gas Giant Pedestal Popper

The unique enclosed burner collar keeps the flame contained and positioned directly under the bottom of the kettle, increasing heat efficiency and channels hot exhaust.

- 12, 32, and 60 oz kettles
- Propane or natural gas
- Safety pilot automatically cuts off gas if pilot burner goes out (32 and 60 oz only)
- Electric direct drive motor
- Requires small amount of electrical power (contact your Cretors representative for further details)
- Lighted rocker switches
- Easy-to-read controls

#### 60 oz features:

- Exhaust vent located on back of kettle
- Digital readout ensures accurate temperature settings and readings
- A safety off switch automatically turns off burner flame when the kettle is lifted for dumping. The flame automatically relights when the kettle is placed back into the cooking position
- Cycling pilot light with digital temperature controller



### G60 Four-Wheel Cart

This rugged four-wheel cart with stainless-steel receiving bin, when combined with the gas-powered 60 oz Giant, is perfect for events, street fairs, large venue fests and other locations where high-volume popcorn mobility is required. Built for gas poppers.

- Side support holds gas tank
- Storage area for supplies
- Durable powder-coated finish
- Shown with optional canopy



### Cretors Exclusive One-Piece Kettle design with Direct Oil Feed

Our ingenuity sets us apart. Our distinct kettle design addresses several issues found in the field with Cretors exclusive solutions.

- Direct inject oil feed delivers oil directly inside the kettle, preventing messy exterior oil drips and spills.
- Kettle cover comes apart easily with tab and pin design for easy cleaning
- Welded raised pan center prevents oil leakage into the motor



### G12 Two-Wheel Cart

Our two-wheel cart with stainless-steel receiving bin, when combined with the gas powered 12 oz Giant, is perfect for special events, local community fests and other locations where mobility is required.

- Welded wagon base
- Durable powder-coated finish
- Accommodates 12 oz gas popper
- Side support for gas tank

## KEY FEATURES

- **Nickel plated all-steel kettle (G12 only)**
- **One-piece kettle design**
- **Direct oil feed (60 oz only)**
- **Direct drive motor**
- **Stainless-steel pedestal**
- **Digital temperature controller (60 oz only)**
- **Controls located on pedestal for efficient operation**
- **Available in either left hand or right hand dump**

## OPTIONS (Available on Electric Giant Pedestal Popper Only)

- **Stainless-steel pan (32 and 60 oz gas)**
- **Salt/sugar switch**
- **Patented One-Pop control**
- **Patented One-Pop control with cycle counter**

# LARGE POPPERS

## CABINET PEDESTAL



### Enclosed President

- Use with Electric Giant Poppers
- Install caramelizer to create a customized popper and caramel corn machine



### Open Top President

- Excellent choice for covered outdoor stadiums and other covered outdoor applications
- Available in 5 ft only

**PRESIDENT – 20, 32, 48, 60 OZ** The **President** is the leader in high-volume upfront poppers, yet it performs beautifully behind the scenes as well. With a design that's withstood the test of time, our President has evolved into three variations of the classic cabinet style: **Enclosed Top, Open Top and No Top**. All cabinets come in 4, 5 and 6 ft widths. The cabinets are constructed with a welded angle-iron frame for durability and longevity. Stainless-steel panels and receiving tray are not only sanitary, they are also easy to clean. And because they are built so solidly, we put them on special heavy-duty casters for maneuverability. The President is ideal for theatres, amusement parks, stadiums and arenas.



#### **Twin President Without Top (6 ft Twin shown)**

Twin Enclosed President without the top utilizes existing built-in exhaust systems in popcorn production areas

- Side glass panels extend to the full height of the Enclosed President
- Includes vinyl smoke baffles
- Easily installs under built-in ceiling exhaust systems



#### **Twin Enclosed President (6 ft Twin shown)**

- Most popular

### **KEY FEATURES**

- Accepts electric poppers only
- Stainless-steel construction
- Stainless-steel receiving tray
- Recessed storage bin
- 50 lb corn drawer
- Exclusive Cornditioner system
- Available in 4, 5, and 6 ft Twin sizes (excluding Open Top President)
- Sliding NSF doors available on 4, 5, and 6 ft frames

### **OPTIONS**

- Backlit LED sign
- Neon sign
- Plain stainless-steel top
- No top
- Salt/sugar switch
- Patented One-Pop
- Patented One-Pop with cycle counter
- ANSUL (single) available for 3, 4, 5 and 6 ft Twin cabinets
- ANSUL activation not included
- Integrated pump
- Pass through side glass (left or right)
- Bag filler
- Corn guard chute
- Dual control system
- Front/rear operation
- 100 lb raw corn drawer
- External exhaust fan control

# LARGE POPPERS

## PRODUCTION TABLES



**3.5 ft Production Table**

- Shown assembled
- Ideal for a big popper in limited space
- One shelf for pedestal popper installation



**Oil Pump Caddy Shelf**

- Holds oil bucket off of floor
- Easy floor access for cleaning
- Reduces oil spillage and possible slips and falls



**4.5 ft Production Table**

- Expanded storage space over the 3.5 ft table
- One shelf for pedestal popper installation



**6 ft Production Table**

- One shelf for pedestal popper installation
- Second shelf can be added for a second Giant popper or caramelizer unit

**PRODUCTION TABLES** If high volume backroom production is what you need, simply install the pedestal kettle onto one of our knockdown tables. Match the kettle size with the perfect table for your operation. Expand your product line to include savory, as well as candy and caramel-coated popcorn. An optional blower fan can be added to the table that aids in cooling sugar-coated popcorn; making it ideal for producing caramel corn and kettle corn. Tables come in 3.5, 4.5, 6 and 6 ft Twin-size widths.



#### 6 ft Twin Knock Down Table

- Two shelves for installation of either two pedestal poppers or combination pedestal popper and caramelizer

### KEY FEATURES

- Rust proof stainless-steel construction
- Accepts both electric and gas poppers
- Digital temperature controller
- 50 lb corn bin
- Available in 3.5, 4.5, 6, and 6 ft twin sizes

### OPTIONS

- Dual control and kettle dump
- Second shelf can be added for second popper or caramelizer
- Right hand or left hand operation
- Twin cooling bin with fan
- Corn guard chute
- 100 lb corn bin
- Pump caddy
- Salt/sugar switch
- Patented One-Pop
- Patented One-Pop with cycle counter



WELCOME TO THE SHOP

# ENGINEERING AND INNOVATION

Tinkerers all, we work to develop a creative solution to a customer's needs. We trust our people in The Shop to innovate in ways that are good for the customers and good for the company. Each member of the Cretors team is a problem solver. By regularly bringing the whole team together to see completed machines, the makers of the parts see the sum and grow to understand and appreciate that they're part of something bigger. From smart solutions to countless patents, our process means *there's no standard Cretors machine, just a standard of engineering excellence.*



# GOURMET COOKING EQUIPMENT

Cretors offers four sizes of caramel corn cookers and coaters along with our favorite caramel coating. Create your special signature recipes by starting with the original Cretors family caramel recipe and enhancing it with your personal touch. The Caramelizer is mounted on our cooling tables, carts and in President popping cabinets.

Our Caramelizers are designed to work with our Cretors 3.5, 4.5, 6 and 6 ft Twin Knock Down Tables or our 6 ft Twin President Cabinet to give you ideal popcorn and caramel corn production. Incorporate a Giant Pedestal popper or 12 oz Hot Air Poppi for a complete caramel corn popping plant.



## CMD 25 Caramelizer

- Produces 25 lb per hour
- One-piece kettle design
- Simple steam cleaning procedure makes cleanup a snap



## CMD 50 Caramelizer

- Produces 50 lb per hour
- One-piece kettle design
- Simple steam cleaning procedure makes cleanup a snap



### Exclusive caramelizer mixing baffles

- Large mixing baffles ensure a quick and complete coating of popcorn with cooked caramel.



## CMD100 Caramelizer

Caramelizer is mounted on a custom-built, stainless-steel Cretors cooling bin that provides extra stability.

- Produces 100 lb per hour
- Custom cooling table required for installation
- Optional blower available



**25 lb Cooker and Coater (CMD25)  
on 6 ft Twin Knock Down Table with 32 oz Giant Popper**

- Stainless-steel welded table
- Locking casters
- Shown with corn chute and raw corn bin



**CMD25 on Giant Cooling Bin with fan**

- Standard cooling fan comes with disposable filters
- Upgrade to washable aluminum mesh filters
- Add a Giant Pedestal Popper
- Ideal for producing caramel corn and other candy-coated popcorn

## CMD 25 AND CMD 50 KEY FEATURES

- Combination cooker and mixer prepares a variety of caramel coatings
- Stainless-steel mixing bowl, agitator blade and pedestal
- Exclusive large mixing baffles improve coating process and efficiency
- Adjustable digital temperature controller provides precise temperature settings and measures actual product temperature
- Audio alarm signals when temperature is reached
- Install on a knock down table along with a Giant popper or Poppi to create a custom popping plant

## OPTIONS

- Giant Cooling Bin with Fan speeds up the cooling cycle by forcing air up through the finished product. Product is cooled and ready to be bagged more efficiently.
- Caramelizer timer (available for CMD25 and CMD50 units)

# GOURMET COOKING EQUIPMENT



**Double Feature  
Popping/Coating Blades**



## **Receiving Tray**

This stainless-steel bin with lift-up scrap screen completes the Double Feature popping and coating system. Designed for use on a countertop, the bin combined with the Double Feature popper and coater provides small batch caramel corn production virtually anywhere with no assembly required. The optional corn chute with a removable sliding divider is designed to manually push fresh caramel corn through the chute into a bulk storage container located beside the counter or table.

## **Double Feature 12 oz dual Caramelizer and Popper**

At Cretors, we never stop innovating. That's why we created the first popper and caramelizer machine in one. The Double Feature is the perfect choice for the customer who wants to try popcorn and caramel corn production without investing in two machines. Constructed of heavy stainless steel, with easy one-hand, tilt-to-dump action, the Double Feature is capable of producing 12.5 lb of candied popcorn per hour.

- Pop and dump several batches of popcorn in the kettle
- Heat and cook caramel coating
- Add 12 oz of popcorn to the caramel mixture
- When popcorn is completely coated, simply dump out the batch of fresh caramel corn to cool
- Can also be used as a coater for mixing cheese corn
- Steam clean for easy cleanup
- Patent pending design



## **Coater Mixer Tumbler**

Release your inner chef by creating your own flavors quickly and easily with our Coater Mixer Tumbler. Ideal for nuts or popcorn, every piece is evenly coated with your choice of either sweet or savory coatings. The aluminum bowl easily lifts off rubber rollers and can be washed in the sink for easy cleanup.

- One-switch operation
- Powder or liquid coating can be used
- Additional blades available for coarser mixtures
- Available in heavy-duty version for high production



### Countertop Cheese Warmer

Gently warm and hold cheese at safe serving temperatures. Ideal for concession stands and gourmet shops, these warmers come in 7 and 11 qt sizes to suit any food service operation's needs. These round warmers have a sleek, narrow cylinder design to save space on your countertops.

- Heavy duty stainless-steel well
- No drip rim keeps serving area clean
- Coiled tubular heating element
- Adjustable thermostat controls with low, medium and high settings up to 212 degrees Fahrenheit



### Twin Double Feature and Poppi on a 6 ft Twin table



### Cooling Cart with Removable Bin

Stainless-steel design with removable food grade plastic bin.

- Provides easy finished product transport

### Vented Giant and CMD 25 on 6 ft Twin Table with Optional Blower

- Vented filtration system extracts grease and oil emissions from the air during production
- Shown with Bag-in-Box single-shelf oil pump and warmer
- "Daisy Chain" allows for the use of two different types of oils by switching the valve. Clear oil for sugar corn and regular yellow oil for salted corn.
- Shown with optional cooling fan with disposable filter

# HOT AIR PRODUCTION

In 1968, Cretors introduced the first patented hot air popper used in commercial food processing plants. Today, our industrial snack food technology is brought to caramel corn shops and other concession locations around the world. Popcorn kernels and other puffed products are uniformly popped or puffed in a steady current of hot air. No oil is used! Use a variety of sugar or savory coatings to create your own signature product.



## The OriginateAir® Popper and Puffer

Originally designed for snack food plants, the OriginateAir Continuous Hot Air Popper and Puffer is popular among retail stores and large concession areas.

- Production capacity up to 40 lb of raw corn or other healthy snacks per hour
- Automatic continuous dry popper/puffer with Cretors patented hot air suspension system reduces cost through labor reduction
- Product is popped/puffed in a steady current of hot air and uniformly heated to popping temperature, reducing costs by eliminating popping oil
- Digital temperature control allows the operator to set an exact temperature for the best popping and puffing efficiency
- Built-in vibratory feeder continuously feeds raw corn into the popper
- Built-in screw auger continuously feeds seasonings and coatings to popped product
- Built-in sifter removes unwanted scrap
- Built-in coater and seasoning dispenser provides even seasoning application
- Capable of use with multiple seasonings
- Coater is removed without tools for easy cleaning





#### Poppi detail

- Corn feed chute shown
- Dump handle on both sides for right or left hand dumping
- Stainless-steel welded design

#### Poppi®

The next generation of popping innovation is Poppi, a compact industrial counter model that air pops popcorn.

- Stainless-steel construction
- Digital temperature control allows the operator to set an exact temperature for the best popping efficiency
- Uses hot air technology to pop popcorn
- Install on a knock down table along with a Cretors Caramelizer to create a custom popping plant
- 12 oz batch size capacity
- Use with sifter bin that sits on your counter
- Three options: counter, shelf and free-standing models

#### The Model FT40 Continuous Hot Air Popper

Originally designed for snack food plants, the Model 40 Continuous Hot Air Popper is popular among retail stores and large concession areas.

- Production capacity of 40 lb of raw corn per hour with very little scrap
- Automatic continuous dry popper with Cretors patented hot air suspension system
- Popcorn kernels are popped in a steady current of hot air and uniformly heated to popping temperature
- Built-in sifter removes unwanted scrap
- Digital temperature control allows the operator to set an exact temperature for the best popping and puffing efficiency
- Combine the Model 40 popper with Cretors 100 lb Caramelizer for a dependable popping plant to create a variety of popcorn batches using savory and caramel coatings





WELCOME TO THE SHOP

# CUSTOMER SERVICE

Customer Service starts long before one of our products leaves The Shop. We're always thinking about the person who is going to touch the machine next, from the first design to our valued customer. Our approach is to always listen, investigate and answer. It means customizing every machine and every solution to our customer's needs. It means listening at every point of contact. In fact, it's talking to our customers that led to some of our most popular innovations and our most clever names.

*The people and products of Cretors work for you and your business.*



# CORNDITIONER CABINETS

Complete your popcorn production system with Cretors Cornditioner and display cabinets. Many times concession areas require warming capabilities and/or added storage. Our sleek yet practical Cornditioners and display cabinets are the perfect additions and help save energy at the same time.



## Diplomat Showcase Cabinet

The exclusive Cretors Cornditioner system consists of a recirculating air blower that draws air from the top of the cabinet, which is warmed and blown to the bottom of the cabinet through air ducts. The recirculating air maintains a uniform temperature that keeps popcorn fresh and crisp.

- Two adjustable wire shelves
- Sliding doors on one or both sides provide easy access into cabinet while creating a self-service or pass-through design
- Lighted sign options include red neon, red and white neon, red and white blinking neon and backlit LED sign
- Optional wing style or stainless-steel doors available
- Optional mirrored sides
- Optional customer pass-through design

## Modular Showcase

Our modular design works well in locations where self-service or pass-through service is desired.

- Exclusive Cornditioner system recirculates hot air to keep corn dry and crisp
- Modular lighted sign can be positioned on customer or operator sides for optimal merchandising
- External halogen lights for maximum illumination
- Two adjustable wire shelves
- Sliding doors on one or both sides provide easy access into cabinet while creating a self-service or pass-through design
- Rounded corners give the cabinet a stylized look



## Diplomat Self-Serve 48" Cornditioner

Designed with self-service in mind, this Cornditioner cabinet is built with customer-controlled augers that dispense popcorn and an integrated butter topper that dispenses warm topping. Ideal for cafeteria settings, any time refills are offered or self-serve concession design is desired.

- Exclusive Cornditioner system recirculates air to keep corn dry and crisp
- One or two serving stations
- Promotes sanitation by not allowing customer's hand near the popcorn
- Built-in topper
- LED lighted sign
- Sign options include LED, red neon, red and white neon, or red and white blinking neon





#### Combination Modular and Counter Showcase Cornditioner Cabinet (back view)

- Sliding serving side doors for easy access
- Tilt-out drop shelf for easy access into cabinet
- Shown on casters

#### Combination Modular and Counter Showcase Cornditioner Cabinet

Easy-to-load and store combination. We stacked these Cornditioner cabinets to utilize bulk storage along with packaged items. Place this Cornditioner cabinet combination behind the counter for in-counter back bar applications.

- Suited for pass-through, self-serve and in-counter back bar applications
- Load and serve from both sides
- Optional second door on customer side of the Modular Cabinet for self-serve applications



#### Diplomat Self-Serve 24" Cornditioner

Just like the regular Diplomat Self-Serve Cornditioner, this single auger version promotes self-service on a smaller scale. Popcorn is kept fresh and crisp at all times with our recirculating hot air Cornditioner system.

- Single auger design
- Promotes sanitation by not allowing customer's hand near the popcorn
- Perfect for VIP areas and private party rooms



#### Sign options available for the Diplomat Showcase Cornditioner

Choose from our different sign options to maximize your message in the concession area: neon, red only, red and white, blinking red and white. Customer supplied signage installation also available.



Neon Sign



Backlit LED Sign



Programmable LED Sign

# CORNDITIONER CABINETS



**20" Counter Showcase Cornditioner**



**36" Counter Showcase Cornditioner**



**48" Counter Showcase Cornditioner**

- Shown with mirrors



**48" Counter Showcase Cornditioner with Three Doors**

- 30" depth
- Two permanent glass dividers create three compact storage bins inside this 48" cabinet.
- Three individual doors provide easy access into the storage bins.
- Removable heating unit is located on operator side of the warmer for easy access to controls and heat elements



**36" Counter Showcase Cornditioner (shallow depth)**

- 24" depth
- Shown on optional base
- Shown with optional dividers
- Shown with mirrors

## KEY FEATURES

- Recirculating Cornditioner system
- Stainless-steel interior
- Adjustable digital temperature readout and controls is ideal for adjusting storage temperature for sweet or savory gourmet popcorn

## OPTIONS

- Three sizes available: 20", 36" and 48" wide
- Single door or three doors available on the 48" unit only
- Stainless-steel, glass or mirrored back available
- Integrated butter topper available
- Adjustable dividers for 36" and 48" cabinets
- Available on casters.



### Mobile Roc N' Roll Cornditioner

The Patented Roc N' Roll bin is designed to dock directly into the Diplomat Pop N' Roll Popper. As corn pops, it falls directly into the bin. When full, the Roc N' Roll Cornditioner easily unplugs from the popper and is then wheeled and plugged directly into the concession stand for continuous warming with the docking station. Bags or boxes are not needed to transport popcorn from the machine to the merchandising point. Popcorn breakage is greatly reduced and popcorn is continually kept fresh until ready for serving. It's ideal for remote merchandising.

- Halogen lights (optional at an additional cost)
- Angled cabinet design on operator side makes serving product easy
- Sliding protective lid provides easy access
- Ideal for remote merchandising
- Can be used independently of popper



### Bulk Cabinet

- Two drop shelves: top shelf provides easy product loading, bottom used for serving product
- Exclusive Cornditioner system recirculates air to keep product dry and crisp
- Unique rear-load design provides automatic product rotation
- Clean out drawer
- Optional divider
- Sign options include Nacho, Peanuts and Snacks
- Perfect for additional storage of popcorn, nacho chips, puffed snacks, etc.

## DISPLAY CABINETS

CRETORS OFFERS A RANGE OF DISPLAY CABINETS FOR A WIDE VARIETY OF SNACK OPTIONS.



### Popcorn Display Cabinet

- Holds up to 56 oz of popped corn
- Top-load design
- Interior lighting



### Pretzel Display Cabinet

- Rotating rack
- Interior lighting



### Churro Display Cabinet

- Rotating rack
- Interior lighting

# TOPPING AND DISPENSING

The rugged stainless-steel design in our topping and dispensing systems is simple for both concession operators and patrons to use and ideal for movie theaters, concession stands, self-serve applications and restaurants. Choose from a variety of styles including counter toppers, Bag-in-the-Box systems or toppers integrated directly into Cornditioner cabinets.



## Integrated Butter Topper

A combination of a Cretors Counter Showcase Cornditioner and butter topper, this exclusive design is the ultimate in double duty and opens up your concession counter space.

- Heat created by the Cornditioner cabinet helps to keep topping warm and ready for serving
- Pullout drawer is built into the bottom of the cabinet for topping bag installation
- Oil line is heated from the bag connection to the output where the topping is dispensed
- Topping head is available with push button, push bar or both and can be built for customer or operator use
- Available for the 36" and 48" Counter Showcase cabinets
- Double head option available



## Countertop Butter Topper

- High or low-profile heads available to suit your topping container needs
- Warms and dispenses topping
- Holds one 2.5 gallon bag
- Drip tray
- Operator or self-serve design available

### Optional features:

- Stainless-steel top
- Two-gallon liner
- Portion control switch
- High-speed pump
- Timer
- Custom graphics



## Countertop Butter Topper

- Shown with stainless-steel top



### Bag-in-Box Butter Topper

We have taken the BIB technology and created an efficient stainless-steel BIB topping dispenser system. Mount this unit into an existing concession counter or a self-serve station and let customers serve themselves. Reduce costs and improve concession efficiency with a Cretors original Bag-in-Box Butter Topper.

- Topping is consistently heated throughout the system
- Heated shelf deck warms two 35 lb boxes of topping for immediate switch over from first bag to second
- Cabinet doors with base sold separately
- Durable gear pump design



### Mini Butter Topper

The Cretors new stainless-steel Mini Butter Topper with stainless-steel warming tub brings real butter and other toppings to your concession stand. Simply load the warming tub with butter to be gently melted.


- Three serving size settings: small, medium and large
- Holds 4.5 qt melted butter



WELCOME TO THE SHOP

# INDUSTRY LEADERSHIP

The concession industry looks to Cretors. From our first patents to our newest innovations, a commitment to quality craftsmanship, forward-thinking engineering, service, and value have made us the leader. And it's not just our products like poppers, grills, ice and food shavers, and cotton candy machines. Industry leadership creates industry standards. Many corn growers in the world and businesses that purchase popcorn use the Metric Weight Volume Tester Cretors developed to ensure accuracy. *Commitment and innovation at all touch points in our industry: It's what leadership looks like.*



# NACHO EQUIPMENT

Our exclusive circulating air Cornditioner cabinet technology, originally developed for keeping popcorn dry and crisp, has been adapted and designed into our nacho chip cabinets. The Cretors Cornditioner system consists of a recirculating air blower that draws air from the top of the cabinet, which is warmed and blown to the bottom of the cabinet through air ducts.



## Nacho Alto Cornditioner Cabinet

- Tall, vertical storage in a compact foot print
- All welded stainless-steel cabinet design
- Six adjustable, heavy gauge wire racks
- Two lift-off Vyvak® doors
- Internal lighting
- Exclusive Cornditioner system recirculates air to keep product dry and crisp
- Backlit sign
- Optional LED corner lights



## Nacho Tray Cornditioner Cabinet

- All welded stainless-steel cabinet design
- Three adjustable, heavy gauge wire racks
- Two lift-off Vyvak® doors
- Exclusive Cornditioner system recirculates air to keep product dry and crisp
- Backlit Nacho sign
- Customer service side available



## Nacho Pequeño Display Cabinet

- Two adjustable wire racks
- Effective merchandising in a compact footprint
- Heat pad helps keep product warmed and fresh



## Mas Grande Cornditioner Cabinet

- All welded stainless-steel cabinet design
- Four adjustable, heavy gauge wire racks
- Two lift-off Vyvak® doors
- Internal lighting
- Exclusive Cornditioner system recirculates air to keep product dry and crisp
- Backlit sign



## Nacho Bulk Cornditioner Cabinet

- All welded stainless-steel cabinet design
- Two drop shelves with rear top load/bottom serve design create automatic product rotation – top shelf provides easy product loading, bottom is used for serving product
- Exclusive Cornditioner system recirculates air to keep product dry and crisp
- Clean-out drawer
- Optional divider
- Sign options: Nacho, Peanuts and Snacks



## Nacho Chip Display Case

- Two drop shelves with rear top load/bottom serve design create automatic product rotation – top shelf provides easy product loading, bottom is used for serving product.
- Holds up to 10 lb of nacho chips
  - Top-load design
  - Heat pad helps keep product warmed and fresh



### Portion Pak Cornditioner Cabinet

- All welded stainless-steel cabinet
- Exclusive Cornditioner system recirculates air to keep product ready to serve
- Five heavy gauge wire racks
- One lift-off Vyvak door
- Lighted off/on rocker switch



### Condiment Dispenser

Expand your concession offerings with salsa, chili, or even currywurst! Designed with all the ingenuity and quality found in our regular cheese dispenser, this stainless-steel smaller dispenser will pump a variety of condiments. Designed to hold one 2.5 lb bag of product, the no-splash design will efficiently dispense toppings with minimal mess.

- Available in heated (for nacho cheese) or unheated (for condiments) units



### Nacho Cheese Pump

Our Nacho Cheese dispensers stand up to the rigorous workload common in concession and food service locations. Welded stainless-steel construction ensures equipment durability during demanding use. An aluminum tub with a built-in thermostat holds two 6 lb bags and consistently heats cheese to serving temperature within 30 minutes. A no-drip peristaltic pump quickly dispenses warmed cheese and helps to keep your concession area mess free.

- Stainless-steel construction will not warp with use
- Adjustable portion control settings

#### Optional Features include:

- One-portion control or two-portion control delivery
- Manual continuous delivery button
- Lighted sign

# HOT DOG GRILLS AND BUN WARMERS

Discover how easy it can be to cook and serve hot dogs from our state-of-the-art grills and rotisserie-style cookers. Features such as Warm/Hold operation, a lift-off grill rack and digital temperature controls simplify your cooking and serving experience and ensure top quality. The Cretors patented stainless-steel hot dog grill design includes a center drive shaft that reduces the number of moving parts from six to two, ensuring longer motor life and allowing full rotation of the product on the grill. The stainless-steel cooking surface has an aluminum heat plate underneath that evenly distributes heat. Visual digital temperature controls allow for precise temperature setting, and clear visual temperature display.



## HD36 Hot Dog Grill

- Cooks up to 36 hot dogs at once (5 hot dogs per pound)
- 10-12 minutes to cook thawed product, 30 minutes to cook frozen product
- Two digital temperature controllers with visual display ensure accurate temperature settings and readings
- Two separate heat zones enable user to cook on one side and warm on the other
- Warm/Hold feature avoids overcooking the product
- Moving grill provides complete product rotation on heat plate
- More reliable with fewer parts needed for operation than other moving rack or roller-style grills
- Superior heating eliminates cold spots in food product
- Easy to maintain and clean
- Stainless-steel cooking surface with aluminum heating plate underneath
- Grease trap permits the cooking of sausages
- Matching bun warmer available



## HD36 Bun Warmer

- Dry and humid warming capabilities
- Holds up to 55 buns
- The isolated water tray keeps the bun product safe from splashing water and allows for controlled, humidified heat to keep the buns soft and fresh

## HD36 Hot Dog Grill and Bun Warmer with Guard

- Shown with sneeze guard (sold separately)





### HD24 Hot Dog Grill

- Cooks up to 24 hot dogs at once (5 hot dogs per pound)
- 10-12 minutes to cook thawed product, 30 minutes to cook frozen product
- Digital temperature controller with visual display ensure accurate temperature settings and readings
- Warm/Hold feature avoids overcooking the product
- Moving grill provides complete product rotation on heat plate
- More reliable with fewer parts needed for operation than other moving rack or roller-style grills
- Superior heating eliminates cold spots in food product
- Easy to maintain and clean
- Stainless-steel cooking surface with aluminum heating plate underneath
- Grease trap permits the cooking of sausages
- Matching bun warmer available



### HD24 Lighted Stackable Hot Dog Grill Stand

- Stainless-steel design
- Designed to sit on HD24 Bun Warmer
- Supports two HD24 Hot Dog Grills



### HD24 Bun Warmer

- Dry and Humid capabilities
- Holds up to 30 buns
- The isolated water tray keeps the buns safe from splashing water and allows for controlled, humidified heat to keep the buns soft and fresh

### Hot Dog Broiler and Bun Warmer

- Holds 36 hot dogs
- Warms 48 buns
- Heats frozen products in 20 minutes



WELCOME TO THE SHOP

# MADE IN AMERICA

For 130 years, Cretors has championed American-made products for the concession industry. Ask the craftsmen in The Shop and most of them will say that Cretors is not just a line of products made in America. It's a line of products made by hand in America. We take pride in what we do. We train and hire local talent to support our local community. In return, our machines are made right the first time with the thoughtfulness and craftsmanship that come from working together. *Our team and our process is uniquely made in America, just like our machines.*



# PIZZA EQUIPMENT

Round out your concession food offerings with **Cretors Pizza Oven** and **Pizza Warmer**. Constructed of stainless steel inside and out, our cabinets and ovens are designed for years of durability and easy maintenance.



**Pizza Oven and Warmer Unit**

- Available as one unit with single plug

**PIZZA OVEN AND PIZZA WARMER** A unique design includes two round heating elements in the oven that ensure our pies are evenly heated. No more uneven cooking of cheese and toppings. The digital display and timer let you set exact cooking temperature settings. A convenient food-grade cutting board is designed to lift off top of oven for easy cleaning. The oven temperature ranges between 375-475 degrees and the warmer ranges between 135-170 degrees. Our rotating, heavy gauge wire shelving rack holds four pizzas at a time. The rack slowly turns inside the cabinet and automatically stops when the door is opened. An easy-to-access water tray provides the perfect humidity in the cabinet to keep pizza from drying out. Internal lights merchandise your perfectly cooked pizza.



#### Pizza Peel

- Included with pizza oven

#### Pizza Warmer

- Holds up to four 16" pizzas
- Rotating rack stops when door is opened for serving ease
- Keeps cooked pizza warmed up to 2-3 hours
- Humidity tray included
- Stack the Pizza Warmer on the Pizza Oven to create a Pizza Oven and Warmer combination



Pizza Oven Coils

#### Pizza Oven

- Circular coils ensure uniform cooking of pizza
- Removable food-grade cutting board included on top of oven
- Stack the Pizza Warmer on the Pizza Oven to create a Pizza Oven and Warmer combination
- Stack multiple ovens to increase output

## KEY FEATURES

- Stainless-steel construction
- Tempered safety glass sides and door
- Lift-out rack for easy cleaning and cabinet accessibility
- Round heating elements are located in the top and bottom of the oven, providing even and thorough cooking
- Hinges on the door are reversible so that the door can open from either direction
- Oven cutting board included
- Digital countdown timer on pizza oven

# COTTON CANDY EQUIPMENT

Cotton Candy is a tough treat to turn down, especially when it's made on a Cretors floss machine. Over 20 years ago, our revolutionary floss head design offered the industry a new and improved model that simplified cotton candy production and reduced maintenance costs. Today, Cretors cotton candy equipment is versatile enough to meet all your cotton candy needs.



## Ringmaster

- 5" and 7" floss heads
- 7" floss head is ideal for high production output and holds 50% more sugar than the 5" floss head
- Includes aluminum bowl and stabilizer
- 5" floss head yields 10-12 lb/hr
- 7" floss head yields 15-18 lb/hr

## KEY FEATURES

- Stainless-steel construction
- Cretors original Incoloy® heating element design
- Long-lasting Cretors heavy-duty brushes are composed of 70% carbon, and 30% copper for long life and excellent performance
- Uses standard cotton candy floss or regular granulated sugar
- Stretch-proof compression spring motor supports
- Plugs into standard 15-amp outlet (Ringmaster 5" and Lite only)

## OPTIONS

- Two-wheel matching wagon available
- Stationary cotton candy stand
- Half bubble and clips
- 5" and 7" floss head sizes available
- 19" diameter floss bowl (Ringmaster Lite only)
- 26" diameter floss bowl



### Ringmaster Lite

- Light-duty base
- 5" floss head only
- Ideal for rentals and other light-duty applications
- Includes aluminum bowl and stabilizer
- 5" lite floss head yields 8-10 lb/hr



### Floss Head

- Stainless-steel spinner head
- Incoly Heat element fits into a mesh screen that creates a fine floss
- Easy clean-in-place procedure reduces clean up time and repair costs



### 26" Floss Bowl (9" depth)

- Standard size bowl (included with every size Ringmaster including the Ringmaster Lite)
- Fits Ringmaster 5" and 7" machines

### 19" Floss Bowl (9" depth)

- Optional bowl (great for rentals and small spaced areas)
- Fits Ringmaster 5" Lite machine only



### Ringmaster Two-Wheel Knock Down Cart

- Stainless-steel construction
- Powder coating resists scratching



### Cotton Candy Stand

- Internal lighting
- Lighted sign
- Exhaust fan

# ICE AND FOOD SHIVERS

Invented over 75 years ago by S.T. Echols, the Echols Ice Shaver has been the favored design in the concession industry. Just like Cretors, the Echols ice and food shavers combine innovative thinking and dependable design that allows users to shave ice easily and consistently. Constructed of heavy-duty cast aluminum, these machines have the power to handle heavy work loads day after day and their strong construction ensures years of service. These machines will accept any size ice cubes to chunks 4 1/2" in diameter.



**Electric Ice Shaver**

- Powered by a 1/2 hp, 1725 rpm motor
- Shaves up to 500 lbs per hour



**Gas Ice Shaver**

- Powered by 3.5 hp Briggs & Stratton engine with a one-gallon fuel capacity
- Shaves up to 500 lb of ice per hour



**Battery Ice Shaver**

- Powered by a 1/2 hp, 1725 rpm motor that connects to a standard 12 volt battery with heavy-duty battery clips
- Provides shaved ice anytime, anywhere

## KEY FEATURES

- **Constructed of heavy-duty cast aluminum ensuring years of service** (excluding Mircoflake)
- **Equipped with fine stainless-steel blades**
- **Removable clean-out cap has safety interlock to prevent accidental starts during cleaning process**
- **Fits all stands**
- **Accepts ice from cubes to 4.5" chunks**
- **Display case corners are sealed and practically leak proof**
- **Display cases are available with or without fluorescent lights**



### Microflake

- Powered by 1/3 hp motor
- Shaves ice as fine as snow
- Durable cast aluminum body with an ABS plastic outer cover
- Hardened 440A stainless-steel blade
- Electric foot control included
- Finely shaves commercial or home frozen ice cubes



### Big Max

- Powered by 1/2 hp 8000 rpm motor
- Shaves up to 1,500 lb ice per hour
- Fits any Echols sno-cone case, stand and counter stand



### Food Shaver

- Echols' modified ice shaver is ideal to slice other foods including hard cheese, onions, cabbage, carrots, frozen candy or cookies
- Optional blades available for fine or coarse shavings
- Removable clean out cap

## ICE AND FOOD SHAVER STANDS



Paneled Counter Stand



Open Counter Stand



Floor Stand



WELCOME TO THE SHOP

# THE NEXT GENERATION

When we talk about family at Cretors, we don't just mean the people who carry the name. We are proud to have employees who measure their years of service in decades. Father-son work teams, referrals, supportive training, room for growth and change, and a community commitment mean everyone who works with us is part of the family. For five generations, the Cretors family has set a high bar for its own. As we look towards a sixth generation in the business, we know *a commitment to quality is upheld by an extended family of Cretors employees.*



# POPPING SUPPLIES



## Butterfly Popcorn

- 50 lb bag
- Good for theaters
- PART #14228



## Mushroom Popcorn

- 50 lb bag
- Good for caramel corn
- PART #14227



## Gourmet Salt

- Butter flavored
- PART #9795



## Non-Stick

- One gallon jug, 4 per case
- Use with caramel corn to prevent stickiness
- PART #9803



## Portion Pack, available in 6 oz, 8 oz, 12 oz

- 8 oz, 36 packets per carton
- PART #9820



## Eco Bags

- 1-1/2 oz PK 1000 PART #12964
- 2-1/2 oz PK 500 PART #12967
- 4 oz PK 500 PART #12968
- 5 oz PK 500 PART #12969



### Caramel Mix

- 42 oz bag, 12 per case
- Cretors family recipe
- PART #9800



### Neutral Glaze Mix

- 42 oz bag, 12 per case
- Add any flavor to create signature recipe
- PART #9801



### Maize Glaze

- PART #18778

## CRETORS CRUNCH

### Cretors Crunch

- Contact your Cretors representative for more information



### Salted Corn Kit

- Contact your Cretors representative to order the appropriate kit size



### Sugar Corn Kit

- Contact your Cretors representative to order the appropriate kit size

## Cheese Paste

### CHICAGO STYLE CHEESE CORN PASTE

#### Cheese Paste, Cheddar

- 30 lb pail
- PART #16906

## Cheese Paste

### WHITE CHEDDAR CHEESE CORN PASTE

#### Cheese Paste, White Cheddar


- 30 lb pail
- PART #16906-WH

# POPPER CLEANING SUPPLIES



## Disposable Filters

- Fits Mach 5 and Diplomat 3 ft
- PART #14132-5



## Disposable Filters

- Fits Diplomats and President 4, 5, and 6 ft cabinets
- PART #14366-5



## Heat N' Spray (red can)

- 19 oz can, 6 per case
- PART #12732



## Carbon Cleaner (blue can)

- 19 oz can, 6 per case
- PART #12731



## Inside Kettle Cleaner

- 16 oz, 12 per case
- PART #2156

## Outside Kettle Cleaner

- 16 oz, 12 per case
- PART #2157

## Popper Cleaning Kit

- Includes items shown
- 16" Pan kit: PART #10837
- 12" Pan kit: PART #10831

# COTTON CANDY SUGAR FLOSS



## Cherry Candy Floss

- 3.25 lb carton, 6 per case
- PART #7409-CH



## Green Apple Candy Floss

- 3.25 lb carton, 6 per case
- PART #7409-LI



## Grape Candy Floss

- 3.25 lb carton, 6 per case
- PART #7409-GR



## Blue Raspberry Candy Floss

- 3.25 lb carton, 6 per case
- PART #7409-RA



## Pink Vanilla Candy Floss

- 3.25 lb carton, 6 per case
- PART #7409

# METRIC WEIGHT VOLUME TESTER

C. Cretors & Company offers the only volume tester approved by the Popcorn Institute to accurately measure popcorn expansion. The Cretors' **Metric Weight Volume Tester** duplicates normal popping conditions with all variables tightly controlled. Popcorn processors and retailers are able to compare the expansion of various samples of popcorn to ensure corn quality, and determine corn expansion and performance. Detailed instructions are developed by the Popcorn Institute and must be followed for results to be considered valid.

**The volume tester was originally developed in 1952 by Cretors to test the quality of popcorn that was being provided by corn processors. In 1972, Cretors worked closely with the Popcorn Institute Grades and Standards Committee to develop what is now known as the Metric Weight Volume Tester. The MWVT gave the industry an objective standard against which corn processors could compare their product.**

## How it works

- Digital watt meter allows the user to accurately control the power supplied to the popping kettle regardless of voltage supplied to the machine. It also lets the user adjust for variable voltage solutions
- Digital temperature control permits accurate temperature to exactly duplicate the test conditions specified by the Popcorn Institute
- The popping pan is manually charged with specified amounts of corn and coconut oil
- The popped corn drops through the funnel-shaped hopper into the measuring tube, minimizing corn breakage and providing the most accurate measure of corn expansion
- Each measuring tube is individually calibrated using a single reference source to ensure accuracy and consistency
- Before shipment, each MWVT is test popped and compared to a standard unit for reference to assure consistency and accuracy of operation



# FOOD PROCESSING SYSTEMS DIVISION

**INNOVATION. QUALITY. CRAFTSMANSHIP. BORN FROM THE SAME HERITAGE  
THAT MAKES CRETORS A LEADER IN THE CONCESSIONS INDUSTRY, WE'RE ALSO  
A TRUSTED NAME IN INDUSTRIAL-LEVEL FOOD PROCESSING EQUIPMENT.**

Flo-Thru®, the world's first high-volume production hot air system revolutionized the design, engineering and performance of snack processing. A Cretors innovation based on agricultural technology, it was designed in 1967 as a continuous, totally automated production line system for popcorn, cheese and caramel-coated snack foods featuring a hot-air fluidized-bed oven.

During the rising popularity of convenience and snack foods, Flo-Thru established new standards for the snack foods industry: Production efficiencies were increased, labor costs reduced and huge gains realized in product expansion and volume, (up to 5,000 lb an hour to be exact). Kettles and coating systems were added to further create two distinct snack-food categories: hot-air (air popping/expansion) and oil-frying (wet popping). Quite simply, there's nothing else like it on the market. All this, coupled with an ability to produce popcorn, cheese and caramel-coated snack foods, roasted peanuts, grains and cereals make this system a natural fit for global snack food manufacturers today.

Many snack food giants have come to rely on Cretors Flo-Thru equipment.

**We invented the business of popping corn back in 1885.**

**Today we're industry leaders and innovators.**

**You know you are doing business with the best when you  
do business with C. Cretors and Company.**

[www.flo-thru.com](http://www.flo-thru.com)

# SMALL POPPERS NORTH AMERICA

| ELECTRICAL                        |            |           |           |       |      |        | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|-----------------------------------|------------|-----------|-----------|-------|------|--------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                           | KETTLE     | SERVINGS* | VOLTAGE   | WATTS | AMPS | NEMA   | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| Nugget                            | 6 oz       | 120       | 120V/60HZ | 1100  | 9    | 5-15   | 14.50                        | 20.50 | 30.75  | 19.00                     | 24.00 | 34.00  | 56             |
| Apprentice                        | 6 oz       | 120       | 120V/60HZ | 1250  | 10.4 | 5-15   | 14.00                        | 18.00 | 28.00  | 20.00                     | 25.00 | 31.75  | 70             |
| Goldrush Red Top                  | 6 oz       | 120       | 120V/60HZ | 1150  | 9.5  | 5-15   | 14.50                        | 21.00 | 27.50  | 19.00                     | 24.00 | 31.00  | 56             |
| Goldrush Antique                  | 6 oz       | 120       | 120V/60HZ | 1150  | 9.5  | 5-15   | 14.00                        | 21.00 | 33.75  | 19.00                     | 24.00 | 36.00  | 56             |
| Goldrush Antique on Wagon Base    | 6 oz       | 120       | 120V/60HZ | 1150  | 9.5  | 5-15   | 20.75                        | 41.25 | 65.00  | 23.75                     | 44.25 | 68.00  | 135            |
| Nite Club                         | 6 oz       | 120       | 120V/60HZ | 1150  | 9.5  | 5-15   | 14.50                        | 21.00 | 27.50  | 19.00                     | 24.00 | 31.00  | 56             |
| Trilogy                           | 8/12/16 oz | 160-320   | 120V/60HZ | 1440  | 12   | 5-15   | 21.00                        | 24.00 | 34.50  | 26.00                     | 29.00 | 40.00  | 94             |
| T-2000 Red Top                    | 8 oz       | 160       | 120V/60HZ | 1325  | 11   | 5-15   | 21.00                        | 21.00 | 30.50  | 26.00                     | 26.00 | 33.00  | 82             |
| T-2000 Antique                    | 8 oz       | 160       | 120V/60HZ | 1325  | 11   | 5-15   | 21.00                        | 21.00 | 37.50  | 26.00                     | 26.00 | 41.00  | 78             |
| Antique T-2000 on Wagon Base      | 8 oz       | 160       | 120V/60HZ | 1325  | 11   | 5-15   | 28.00                        | 41.75 | 66.50  | 31.00                     | 43.00 | 70.00  | 185            |
| T-3000 Red Top                    | 12 oz      | 240       | 120V/60HZ | 1800  | 15   | 5-15 • | 21.00                        | 24.00 | 34.50  | 26.00                     | 29.00 | 40.00  | 105            |
| T-3000 Antique                    | 12 oz      | 240       | 120V/60HZ | 1800  | 15   | 5-15 • | 22.25                        | 25.00 | 41.00  | 26.00                     | 29.00 | 44.00  | 108            |
| T-3000 Antique on Wagon Base      | 12 oz      | 240       | 120V/60HZ | 1800  | 15   | 5-15 • | 28.00                        | 44.00 | 70.00  | 31.00                     | 43.00 | 75.00  | 218            |
| T-3000 Plus Red Top               | 12 oz      | 240       | 120V/60HZ | 2260  | 19   | 5-20   | 21.00                        | 24.00 | 34.50  | 26.00                     | 29.00 | 40.00  | 113            |
| T-3000 Plus Antique               | 12 oz      | 240       | 120V/60HZ | 2260  | 19   | L5-30  | 22.25                        | 25.00 | 41.00  | 26.00                     | 29.00 | 44.00  | 108            |
| T-3000 Plus Antique on Wagon Base | 12 oz      | 240       | 120V/60HZ | 2260  | 19   | L5-30  | 28.00                        | 44.00 | 70.00  | 31.00                     | 43.00 | 75.00  | 218            |
| Profiteer Red Top                 | 14 oz      | 280       | 120V/60HZ | 1800  | 15   | 5-15   | 22.00                        | 28.50 | 34.50  | 28.00                     | 34.00 | 39.00  | 126            |
| Profiteer Antique                 | 14 oz      | 280       | 120V/60HZ | 1800  | 15   | 5-15   | 23.50                        | 30.00 | 42.25  | 28.00                     | 34.00 | 45.00  | 128            |
| Profiteer Antique on Wagon Base   | 14 oz      | 280       | 120V/60HZ | 1800  | 15   | 5-15   | 28.00                        | 41.75 | 72.25  | 31.00                     | 43.50 | 75.00  | 237            |

\* 1 oz servings per hour

• For CSA/ULC, the T-3000 and Profiteer will require 5-20 NEMA Plug. The T-3000 Plus will require NEMA L5-30.

Base and unit ship separately unless specified.

Due to voltage variations, your Amp draw may vary. OHM's Law is Amps=Watts/Volts

Contact Cretors for machine agency approval listings.

# LARGE POPPERS - SUSPENDED KETTLE NORTH AMERICA

| ELECTRICAL                                    |         |           |                   |              |      |        | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|-----------------------------------------------|---------|-----------|-------------------|--------------|------|--------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                                       | KETTLE  | SERVINGS* | VOLTAGE           | WATTS        | AMPS | NEMA   | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| Econo-Merchant Counter                        | 16 oz   | 320       | 120V/60HZ         | 3150         | 26.3 | L5-30  | 22.25                        | 28.25 | 37.00  | 28.00                     | 33.00 | 43.00  | 130            |
| Econo-Merchant on Base                        | 16 oz   | 320       | 120V/60HZ         | 3150         | 26.3 | L5-30  | 22.25                        | 28.25 | 68.00  | 28.00                     | 33.00 | 74.00  | 400            |
| Merchant Counter with Sign                    | 16 oz   | 320       | 120V/60HZ         | 3300         | 27.5 | L5-30  | 22.25                        | 28.75 | 40.00  | 28.00                     | 33.00 | 43.00  | 152            |
| Merchant on Base                              | 16 oz   | 320       | 120V/60HZ         | 3300         | 27.5 | L5-30  | 22.25                        | 28.75 | 71.00  | 28.00                     | 33.00 | 77.00  | 400            |
| Diplomat 3' Counter                           | 20 oz   | 400       | 120/208-240V/60HZ | 4500         | -    | L14-30 | 28.00                        | 36.00 | 50.25  | 33.00                     | 41.00 | 56.00  | 300            |
| Diplomat 3' Floor                             | 20 oz   | 400       | 120/208-240V/60HZ | 4500         | -    | L14-30 | 28.00                        | 36.00 | 74.00  | 43.00                     | 43.00 | 81.00  | 403            |
| Diplomat 3' Floor Ventless                    | 20 oz   | 400       | 120/208-240V/60HZ | 4500         | -    | L14-30 | 28.00                        | 36.00 | 83.00  | 43.00                     | 43.00 | 89.00  | 403            |
| Diplomat 3' Floor ANSUL                       | 20 oz   | 400       | 120/208-240V/60HZ | 4500         | -    | L14-30 | 28.00                        | 36.00 | 74.00  | 43.00                     | 43.00 | 81.00  | 403            |
| Diplomat 4' Floor                             | 20 oz   | 400       | 120/208-240V/60HZ | 6180         | -    | L14-30 | 32.00                        | 48.00 | 76.00  | 37.00                     | 56.00 | 82.00  | 525            |
| Diplomat 5' Floor                             | 20 oz   | 400       | 120/208-240V/60HZ | 6180         | -    | L14-30 | 32.00                        | 60.00 | 76.00  | 37.00                     | 67.00 | 82.00  | 590            |
| Diplomat 6' Floor                             | 20 oz   | 400       | 120/208-240V/60HZ | 6180         | -    | L14-30 | 32.00                        | 72.00 | 76.00  | 39.00                     | 82.00 | 82.00  | 911            |
| Diplomat 6' Twin Kettle Floor                 | 2x20 oz | 800       | 120/208-240V/60HZ | •            | -    | L14-30 | 32.00                        | 72.00 | 76.00  | 39.00                     | 82.00 | 82.00  | 911            |
| Diplomat 6' Twin Kettle Floor<br>Pass Through | 2x20 oz | 800       | 120/208-240V/60HZ | *            | -    | L14-30 | 32.00                        | 72.00 | 76.00  | 39.00                     | 82.00 | 82.00  | 911            |
| Diplomat 3' Counter                           | 32 oz   | 640       | 120/208-240V/60HZ | 5685         | -    | 14-50  | 28.00                        | 36.00 | 50.25  | 33.00                     | 41.00 | 58.50  | 300            |
| Diplomat 3' Floor                             | 32 oz   | 640       | 120/208-240V/60HZ | 5685         | -    | 14-50  | 28.00                        | 36.00 | 74.00  | 43.00                     | 43.00 | 81.00  | 415            |
| Diplomat 3' Floor Ventless                    | 32 oz   | 640       | 120/208-240V/60HZ | 5685         | -    | 14-50  | 28.00                        | 36.00 | 74.00  | 43.00                     | 43.00 | 81.00  | 415            |
| Diplomat 3' Floor ANSUL                       | 32 oz   | 640       | 120/208-240V/60HZ | 5685         | -    | 14-50  | 28.00                        | 36.00 | 83.00  | 43.00                     | 43.00 | 89.00  | 415            |
| Diplomat 4' Self Serve Counter                | 32 oz   | 640       | 120/208-240V/60HZ | 7300         | -    | 14-50  | 29.00                        | 48.00 | 54.00  | 39.00                     | 57.00 | 64.00  | 300            |
| Diplomat 4' Floor                             | 32 oz   | 640       | 120/208-240V/60HZ | 7300         | -    | 14-50  | 32.00                        | 48.00 | 76.00  | 37.00                     | 56.00 | 82.00  | 525            |
| Diplomat 5' Floor                             | 32 oz   | 640       | 120/208-240V/60HZ | 7300         | -    | 14-50  | 32.00                        | 60.00 | 76.00  | 37.00                     | 67.00 | 82.00  | 590            |
| Diplomat 6' Floor                             | 32 oz   | 640       | 120/208-240V/60HZ | 7500         | -    | 14-50  | 32.00                        | 72.00 | 76.00  | 39.00                     | 82.00 | 82.00  | 911            |
| Diplomat 6' Twin Kettle Floor                 | 2x32 oz | 1280      | 120/208-240V/60HZ | 7500<br>5280 | -    | 14-50  | 32.00                        | 72.00 | 76.00  | 39.00                     | 82.00 | 82.00  | 911            |
| Diplomat 6' Twin Kettle Floor<br>Pass Through | 2x32 oz | 1280      | 120/208-240V/60HZ | 7500<br>5280 | -    | 14-50  | 32.00                        | 72.00 | 76.00  | 39.00                     | 82.00 | 82.00  | 911            |

# LARGE POPPERS - SUSPENDED KETTLE (CONTINUED) NORTH AMERICA

| MACHINE                                       | ELECTRICAL |           |                            |              |      |        | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|-----------------------------------------------|------------|-----------|----------------------------|--------------|------|--------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
|                                               | KETTLE     | SERVINGS* | VOLTAGE                    | WATTS        | AMPS | NEMA   | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| Diplomat 3' Counter                           | 48 oz      | 960       | 120/208V-<br>120/240V/60HZ | 8640         | -    | 14-50  | 28.00                        | 36.00 | 50.25  | 33.00                     | 41.00 | 58.50  | 300            |
| Diplomat 3' Floor                             | 48 oz      | 960       | 120/208V-<br>120/240V/60HZ | 8640         | -    | 14-50  | 28.00                        | 36.00 | 77.50  | 43.00                     | 43.00 | 82.00  | 450            |
| Diplomat 3' Floor Ventless                    | 48 oz      | 960       | 120/208V-<br>120/240V/60HZ | 8640         | -    | 14-50  | 28.00                        | 36.00 | 83.00  | 43.00                     | 43.00 | 89.00  | 450            |
| Diplomat 3' Floor ANSUL                       | 48 oz      | 960       | 120/208V-<br>120/240V/60HZ | 8640         | -    | 14-50  | 28.00                        | 36.00 | 77.50  | 43.00                     | 43.00 | 82.00  | 450            |
| Diplomat 4' Floor                             | 48 oz      | 960       | 120/208V-<br>120/240V/60HZ | 8710         | -    | 14-50  | 32.00                        | 48.00 | 76.00  | 37.00                     | 56.00 | 82.00  | 525            |
| Diplomat 5' Floor                             | 48 oz      | 960       | 120/208V-<br>120/240V/60HZ | 8710         | -    | 14-50  | 32.00                        | 60.00 | 76.00  | 37.00                     | 67.00 | 82.00  | 590            |
| Diplomat 6' Floor                             | 48 oz      | 960       | 120/208V-<br>120/240V/60HZ | 8710         | -    | 14-50  | 32.00                        | 72.00 | 76.00  | 39.00                     | 82.00 | 82.00  | 911            |
| Diplomat 6' Twin Kettle Floor                 | 2x48 oz    | 1920      | 120/208V-<br>120/240V/60HZ | 8550<br>6250 | -    | 14-50  | 32.00                        | 72.00 | 76.00  | 39.00                     | 82.00 | 82.00  | 911            |
| Diplomat 6' Twin Kettle Floor<br>Pass Through | 2x48 oz    | 1920      | 120/208V-<br>120/240V/60HZ | 8550<br>6250 | -    | 14-50  | 32.00                        | 72.00 | 76.00  | 39.00                     | 82.00 | 82.00  | 911            |
| Diplomat 3' Counter                           | 60 oz      | 1200      | 120/208V-<br>120/240V/60HZ | 8640         | -    | 14-50  | 28.00                        | 36.00 | 50.25  | 33.00                     | 41.00 | 58.50  | 300            |
| Diplomat 3' Floor                             | 60 oz      | 1200      | 120/208V-<br>120/240V/60HZ | 8640         | -    | 14-50  | 28.00                        | 36.00 | 77.50  | 43.00                     | 43.00 | 82.00  | 455            |
| Diplomat 3' Floor Ventless                    | 60 oz      | 1200      | 120/208V-<br>120/240V/60HZ | 8640         | -    | 14-50  | 28.00                        | 36.00 | 83.00  | 43.00                     | 43.00 | 89.00  | 455            |
| Diplomat 3' Floor ANSUL                       | 60 oz      | 1200      | 120/208V-<br>120/240V/60HZ | 8640         | -    | 14-50  | 28.00                        | 36.00 | 77.50  | 43.00                     | 43.00 | 82.00  | 455            |
| Diplomat 4' Floor                             | 60 oz      | 1200      | 120/208V-<br>120/240V/60HZ | 8710         | -    | 14-50  | 32.00                        | 48.00 | 76.00  | 37.00                     | 56.00 | 82.00  | 525            |
| Diplomat 5' Floor                             | 60 oz      | 1200      | 120/208V-<br>120/240V/60HZ | 8710         | -    | 14-50  | 32.00                        | 60.00 | 76.00  | 37.00                     | 67.00 | 82.00  | 597            |
| Diplomat 6' Floor                             | 60 oz      | 1200      | 120/208V-<br>120/240V/60HZ | 8710         | -    | 14-50  | 32.00                        | 72.00 | 76.00  | 39.00                     | 82.00 | 82.00  | 911            |
| Diplomat 6' Twin Kettle Floor                 | 2x60 oz    | 2400      | 120/208V-<br>120/240V/60HZ | 8550<br>6250 | -    | 14-50  | 32.00                        | 72.00 | 76.00  | 39.00                     | 82.00 | 82.00  | 911            |
| Diplomat 6' Twin Kettle Floor<br>Pass Through | 2x60 oz    | 2400      | 120/208V-<br>120/240V/60HZ | 8550<br>6250 | -    | 14-50  | 32.00                        | 72.00 | 76.00  | 39.00                     | 82.00 | 82.00  | 911            |
| Diplomat 6' Twin Pop N' Roll                  | 2x60 oz    | 4800      | 120/208V-<br>120/240V/60HZ | 8550<br>6250 | -    | 14-50  | 32.00                        | 72.00 | 77.50  | 39.00                     | 82.00 | 82.00  | 876            |
| Headliner Counter                             | 20 oz      | 400       | 120/208-240V/60HZ          | 5200         | -    | L14-30 | 28.25                        | 36.00 | 47.00  | 33.00                     | 45.00 | 55.00  | 300            |
| Headliner Floor                               | 20 oz      | 400       | 120/208-240V/60HZ          | 5200         | -    | L14-30 | 28.25                        | 36.00 | 74.00  | 43.00                     | 43.00 | 81.00  | 405            |
| Headliner Counter with Sign                   | 32 oz      | 640       | 120/208-240V/60HZ          | 6600         | -    | 14-50  | 28.25                        | 36.00 | 47.00  | 33.00                     | 41.00 | 56.00  | 305            |
| Headliner Floor with Sign                     | 32 oz      | 640       | 120/208-240V/60HZ          | 6600         | -    | 14-50  | 28.25                        | 36.00 | 74.00  | 43.00                     | 43.00 | 81.00  | 405            |

# LARGE POPPERS - SUSPENDED KETTLE (CONTINUED) NORTH AMERICA

| ELECTRICAL               |        |           |                            |       |      |       | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|--------------------------|--------|-----------|----------------------------|-------|------|-------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                  | KETTLE | SERVINGS* | VOLTAGE                    | WATTS | AMPS | NEMA  | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| Mach 5 3' Counter        | 32 oz  | 640       | 120/208V-<br>120/240V/60HZ | 6185  | -    | 14-50 | 28.00                        | 36.00 | 53.50  | 33.00                     | 41.00 | 69.50  | 323            |
| Mach 5 3' Floor          | 32 oz  | 640       | 120/208V-<br>120/240V/60HZ | 6185  | -    | 14-50 | 28.00                        | 36.00 | 77.50  | 43.00                     | 43.00 | 83.00  | 445            |
| Mach 5 3' Floor Ventless | 32 oz  | 640       | 120/208V-<br>120/240V/60HZ | 6618  | -    | 14-50 | 28.00                        | 36.00 | 83.00  | 43.00                     | 43.00 | 89.00  | 445            |
| Mach 5 3' Floor ANSUL    | 32 oz  | 640       | 120/208V-<br>120/240V/60HZ | 6185  | -    | 14-50 | 28.00                        | 36.00 | 77.50  | 43.00                     | 43.00 | 83.00  | 445            |
| Mach 5 4' Floor          | 32 oz  | 640       | 120/208V-<br>120/240V/60HZ | 6185  | -    | 14-50 | 28.00                        | 49.00 | 75.00  | 37.00                     | 56.00 | 82.00  | 500            |
| Mach 5 5' Floor          | 32 oz  | 640       | 120/208V-<br>120/240V/60HZ | 6185  | -    | 14-50 | 32.50                        | 60.00 | 74.50  | 37.00                     | 67.00 | 82.00  | 590            |
| Mach 5 3' Counter        | 48 oz  | 960       | 120/208V-<br>120/240V/60HZ | 7735  | -    | 14-50 | 28.00                        | 36.00 | 53.50  | 33.00                     | 41.00 | 69.50  | 326            |
| Mach 5 3' Floor          | 48 oz  | 960       | 120/208V-<br>120/240V/60HZ | 7735  | -    | 14-50 | 28.00                        | 36.00 | 77.50  | 43.00                     | 43.00 | 83.00  | 445            |
| Mach 5 3' Floor Ventless | 48 oz  | 960       | 120/208V-<br>120/240V/60HZ | 8168  | -    | 14-50 | 28.00                        | 36.00 | 83.00  | 43.00                     | 43.00 | 89.00  | 445            |
| Mach 5 3' Floor ANSUL    | 48 oz  | 960       | 120/208V-<br>120/240V/60HZ | 7735  | -    | 14-50 | 28.00                        | 36.00 | 77.50  | 43.00                     | 43.00 | 83.00  | 445            |
| Mach 5 4' Floor          | 48 oz  | 960       | 120/208V-<br>120/240V/60HZ | 7735  | -    | 14-50 | 28.00                        | 49.00 | 75.00  | 37.00                     | 56.00 | 82.00  | 505            |
| Mach 5 5' Floor          | 48 oz  | 960       | 120/208V-<br>120/240V/60HZ | 7735  | -    | 14-50 | 32.50                        | 60.00 | 74.50  | 37.00                     | 67.00 | 82.00  | 598            |
| Mach 5 3' Counter        | 60 oz  | 1200      | 120/208V-<br>120/240V/60HZ | 7735  | -    | 14-50 | 28.00                        | 36.00 | 53.50  | 33.00                     | 41.00 | 69.50  | 326            |
| Mach 5 3' Floor          | 60 oz  | 1200      | 120/208V-<br>120/240V/60HZ | 7735  | -    | 14-50 | 28.00                        | 36.00 | 77.50  | 43.00                     | 43.00 | 83.00  | 445            |
| Mach 5 3' Floor Ventless | 60 oz  | 1200      | 120/208V-<br>120/240V/60HZ | 8168  | -    | 14-50 | 28.00                        | 36.00 | 83.00  | 43.00                     | 43.00 | 89.00  | 445            |
| Mach 5 3' Floor ANSUL    | 60 oz  | 1200      | 120/208V-<br>120/240V/60HZ | 7735  | -    | 14-50 | 28.00                        | 36.00 | 77.50  | 43.00                     | 43.00 | 83.00  | 445            |
| Mach 5 4' Floor          | 60 oz  | 1200      | 120/208V-<br>120/240V/60HZ | 7735  | -    | 14-50 | 28.00                        | 49.00 | 75.00  | 37.00                     | 56.00 | 82.00  | 508            |
| Mach 5 5' Floor          | 60 oz  | 1200      | 120/208V-<br>120/240V/60HZ | 7735  | -    | 14-50 | 32.50                        | 60.00 | 74.50  | 37.00                     | 67.00 | 82.00  | 598            |

\* 1 oz servings per hour

• Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers.

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

Add 750 watts for 32 oz stainless steel kettles.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.

# LARGE POPPERS - PEDESTAL STYLE NORTH AMERICA

| ELECTRICAL                                        |         |           |                       |              |        |                  | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|---------------------------------------------------|---------|-----------|-----------------------|--------------|--------|------------------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                                           | KETTLE  | SERVINGS* | VOLTAGE               | WATTS        | BTU    | NEMA             | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| <b>12 oz Giant</b>                                |         |           |                       |              |        |                  |                              |       |        |                           |       |        |                |
| Giant Propane/Natural                             | 12 oz   | 240       | 120V/60HZ             | 100          | 13,000 | 5-15             | 12.00                        | 14.00 | 24.00  | 15.00                     | 16.00 | 25.00  | 29             |
| Gas Giant Propane with 12V Battery                | 12 oz   | 240       | 12V DC                | 100          | 13,000 | -                | 12.00                        | 14.00 | 24.00  | 15.00                     | 16.00 | 25.00  | 29             |
| Gas Popper on Cart                                | 12 oz   | 240       | 12V DC                | 100          | 13,000 | -                | 18.00                        | 44.00 | 56.00  | 28.00                     | 47.00 | 61.00  | 185            |
| <b>20 oz Giant</b>                                |         |           |                       |              |        |                  |                              |       |        |                           |       |        |                |
| Electric Giant & OEM Popper                       | 20 oz   | 400       | 120/208-120/240V/60HZ | 3800         | -      | L14-30           | 10.50                        | 10.50 | 27.50  | 25.00                     | 28.00 | 35.00  | 100            |
| Electric Giant Open Stadium Cabinet 5'            | 20 oz   | 400       | 120/208-120/240V/60HZ | 5100         | -      | L14-30           | 38.75                        | 60.00 | 63.00  | 45.00                     | 69.00 | 71.00  | 603            |
| Electric Giant Enclosed President Cabinet 4'      | 20 oz   | 400       | 120/208-120/240V/60HZ | 5100         | -      | L14-30           | 28.00                        | 48.00 | 75.00  | 37.00                     | 56.00 | 82.00  | 528            |
| Electric Giant Enclosed President Cabinet 5'      | 20 oz   | 400       | 120/208-120/240V/60HZ | 5100         | -      | L14-30           | 28.00                        | 60.00 | 75.00  | 37.00                     | 67.00 | 82.00  | 595            |
| Electric Giant Enclosed President Cabinet 6' Twin | 2x20 oz | 800       | 120/208-120/240V/60HZ | •            | -      | L14-30<br>L14-30 | 28.00                        | 72.00 | 75.00  | 39.00                     | 84.00 | 72.00  | 675            |
| Electric Giant on Knock Down Table 3.5'           | 20 oz   | 400       | 120/208-120/240V/60HZ | 3800         | -      | L14-30           | 33.50                        | 42.00 | 61.00  | 39.00                     | 48.80 | 66.00  | 270            |
| Electric Giant on Knock Down Table 4.5'           | 20 oz   | 400       | 120/208-120/240V/60HZ | 3800         | -      | L14-30           | 30.50                        | 53.00 | 61.50  | 39.00                     | 57.60 | 66.00  | 300            |
| Electric Giant on Knock Down Table 6'             | 20 oz   | 400       | 120/208-120/240V/60HZ | 3800         | -      | L14-30           | 33.25                        | 68.50 | 61.50  | 39.00                     | 77.00 | 66.00  | 390            |
| Electric Giant on Knock Down Table 6' Twin        | 2x20 oz | 800       | 120/208-120/240V/60HZ | 3800<br>3800 | -      | L14-30<br>L14-30 | 33.25                        | 79.50 | 61.50  | 39.00                     | 87.00 | 67.00  | 565            |
| <b>32 oz Giant</b>                                |         |           |                       |              |        |                  |                              |       |        |                           |       |        |                |
| Electric Giant & OEM Popper                       | 32 oz   | 640       | 120/208-120/240V/60HZ | 5200         | -      | L14-30           | 18.00                        | 23.00 | 32.50  | 25.00                     | 28.00 | 35.00  | 116            |
| Gas Giant Propane/Natural* Equipped for Pump      | 32 oz   | 640       | 120V/60HZ             | 160          | 31,000 | 5-15             | 24.50                        | 18.75 | 32.00  | 25.00                     | 27.00 | 34.50  | 104            |
| Electric Giant Open Stadium Cabinet 5'            | 32 oz   | 640       | 120/208-120/240V/60HZ | 6650         | -      | 14-50            | 28.00                        | 60.00 | 63.00  | 39.00                     | 69.00 | 71.00  | 503            |
| Electric Giant Enclosed President Cabinet 4'      | 32 oz   | 640       | 120/208-120/240V/60HZ | 7150         | -      | 14-50            | 28.00                        | 48.00 | 75.00  | 37.00                     | 56.00 | 82.00  | 528            |
| Electric Giant Enclosed President Cabinet 5'      | 32 oz   | 640       | 120/208-120/240V/60HZ | 6650         | -      | 14-50            | 28.00                        | 60.00 | 75.00  | 37.00                     | 67.00 | 82.00  | 597            |
| Electric Giant Enclosed President Cabinet 6' Twin | 2x32 oz | 1280      | 120/208-120/240V/60HZ | 6800<br>5200 | -      | 14-50<br>14-50   | 28.00                        | 72.00 | 75.00  | 39.00                     | 84.00 | 82.00  | 675            |
| Electric Giant Enclosed President No Top 4'       | 32 oz   | 640       | 120/208-120/240V/60HZ | 6250         | -      | 14-50            | 28.00                        | 48.00 | 66.25  | 39.00                     | 57.00 | 72.00  | 490            |
| Electric Giant Enclosed President No Top 5'       | 32 oz   | 640       | 120/208-120/240V/60HZ | 6250         | -      | 14-50            | 28.00                        | 60.00 | 66.25  | 39.00                     | 69.00 | 72.00  | 490            |

# LARGE POPPERS - PEDESTAL STYLE (CONTINUED) NORTH AMERICA

| ELECTRICAL                                               |         |           |                       |              |                |                | MACHINE DIMENSIONS<br>INCHES |        |        | SHIP DIMENSIONS<br>INCHES |        |        | SHIP<br>WEIGHT |
|----------------------------------------------------------|---------|-----------|-----------------------|--------------|----------------|----------------|------------------------------|--------|--------|---------------------------|--------|--------|----------------|
| MACHINE                                                  | KETTLE  | SERVINGS* | VOLTAGE               | WATTS        | BTU            | NEMA           | LENGTH                       | WIDTH  | HEIGHT | LENGTH                    | WIDTH  | HEIGHT | lb             |
| Electric Giant<br>Enclosed President No Top 6' Twin      | 2x32 oz | 1280      | 120/208-120/240V/60HZ | 6800<br>5200 | -              | 14-50<br>14-50 | 28.00                        | 72.00  | 66.25  | 39.00                     | 84.00  | 72.00  | 490            |
| Electric Giant<br>on Knock Down Table 3.5'               | 32 oz   | 640       | 120/208-120/240V/60HZ | 5200         | -              | 14-50          | 33.50                        | 42.00  | 61.00  | 39.00                     | 48.00  | 66.00  | 270            |
| Electric Giant<br>on Knock Down Table 4.5'               | 32 oz   | 640       | 120/208-120/240V/60HZ | 5200         | -              | 14-50          | 30.50                        | 53.00  | 61.50  | 39.00                     | 57.50  | 65.00  | 300            |
| Electric Giant<br>on Knock Down Table 6'                 | 32 oz   | 640       | 120/208-120/240V/60HZ | 5200         | -              | 14-50          | 33.25                        | 70.00  | 61.50  | 39.00                     | 77.00  | 68.00  | 390            |
| Electric Giant<br>on Knock Down Table 6' Twin            | 2x32 oz | 1280      | 120/208-120/240V/60HZ | 5200<br>5200 | -              | 14-50          | 33.25                        | 81.00  | 61.50  | 37.00                     | 87.00  | 66.00  | 565            |
| Gas Giant Propane/Natural<br>on Knock Down Table 3.5'    | 32 oz   | 640       | 120V/60HZ             | 160          | 3,100          | 5-15           | 33.50                        | 47.00  | 61.00  | 39.00                     | 50.50  | 66.00  | 286            |
| Gas Giant Propane/Natural<br>on Knock Down Table 4.5'    | 32 oz   | 640       | 120V/60HZ             | 160          | 3,100          | 5-15           | 30.50                        | 58.00  | 61.50  | 39.00                     | 57.50  | 65.00  | 365            |
| Gas Giant Propane/Natural<br>on Knock Down Table 6'      | 32 oz   | 640       | 120V/60HZ             | 160          | 3,100          | 5-15           | 33.25                        | 72.00  | 61.50  | 39.00                     | 80.00  | 65.00  | 365            |
| Gas Giant Propane/Natural<br>on Knock Down Table 6' Twin | 2x32 oz | 1280      | 120V/60HZ             | 160<br>160   | 3,100<br>3,100 | 5-15<br>5-15   | 33.55                        | 102.00 | 61.50  | 39.00                     | 104.50 | 68.00  | 550            |
| <b>48 oz Giant</b>                                       |         |           |                       |              |                |                |                              |        |        |                           |        |        |                |
| Giant & OEM Popper                                       | 48 oz   | 960       | 120/208-120/240V/60HZ | 6800         | -              | 14-50          | 18.00                        | 23.00  | 32.50  | 25.00                     | 28.00  | 35.00  | 116            |
| Electric Giant<br>Open Stadium Cabinet 5'                | 48 oz   | 960       | 120/208-120/240V/60HZ | 8200         | -              | 14-50          | 28.00                        | 60.00  | 63.00  | 39.00                     | 69.00  | 71.00  | 520            |
| Electric Giant<br>Enclosed President Cabinet 4'          | 48 oz   | 960       | 120/208-120/240V/60HZ | 8200         | -              | 14-50          | 28.00                        | 48.00  | 75.00  | 39.00                     | 57.00  | 82.00  | 528            |
| Electric Giant<br>Enclosed President Cabinet 5'          | 48 oz   | 960       | 120/208-120/240V/60HZ | 8200         | -              | 14-50          | 28.00                        | 60.00  | 75.00  | 38.00                     | 69.00  | 82.00  | 546            |
| Electric Giant<br>Enclosed President Cabinet 6' Twin     | 2x48 oz | 1920      | 120/208-120/240V/60HZ | 8350<br>6800 | -              | 14-50<br>14-50 | 28.00                        | 72.00  | 76.00  | 39.00                     | 84.00  | 82.00  | 872            |
| Electric Giant<br>Enclosed President No Top 4'           | 48 oz   | 960       | 120/208-120/240V/60HZ | 8000         | -              | 14-50          | 28.00                        | 48.00  | 66.50  | 39.00                     | 57.00  | 72.00  | 490            |
| Electric Giant<br>Enclosed President No Top 5'           | 48 oz   | 960       | 120/208-120/240V/60HZ | 8000         | -              | 14-50          | 28.00                        | 60.00  | 66.50  | 39.00                     | 69.00  | 72.00  | 495            |
| Electric Giant<br>Enclosed President No Top 6' Twin      | 2x48 oz | 1920      | 120/208-120/240V/60HZ | 8350<br>6800 | -              | 14-50<br>14-50 | 28.00                        | 72.00  | 66.55  | 39.00                     | 84.00  | 72.00  | 780            |
| Electric Giant<br>on Knock Down Table 3.5'               | 48 oz   | 960       | 120/208-120/240V/60HZ | 6800         | -              | 14-50          | 33.50                        | 42.00  | 61.00  | 39.00                     | 48.00  | 66.00  | 270            |
| Electric Giant<br>on Knock Down Table 4.5'               | 48 oz   | 960       | 120/208-120/240V/60HZ | 6800         | -              | 14-50          | 30.50                        | 53.00  | 61.50  | 39.00                     | 57.60  | 65.00  | 300            |
| Electric Giant<br>on Knock Down Table 6'                 | 48 oz   | 960       | 120/208-120/240V/60HZ | 6800         | -              | 14-50          | 33.25                        | 70.00  | 61.50  | 39.00                     | 77.00  | 68.00  | 390            |
| Electric Giant<br>on Knock Down Table 6' Twin            | 2x48 oz | 1920      | 120/208-120/240V/60HZ | 6800<br>6800 | -              | 14-50<br>14-50 | 33.25                        | 81.00  | 61.50  | 37.00                     | 87.00  | 66.00  | 565            |

# LARGE POPPERS - PEDESTAL STYLE (CONTINUED) NORTH AMERICA

| ELECTRICAL                                               |         |           |                       |              |                  |                | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|----------------------------------------------------------|---------|-----------|-----------------------|--------------|------------------|----------------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                                                  | KETTLE  | SERVINGS* | VOLTAGE               | WATTS        | BTU              | NEMA           | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| <b>60 oz Giant</b>                                       |         |           |                       |              |                  |                |                              |       |        |                           |       |        |                |
| Giant & OEM Popper                                       | 60 oz   | 1200      | 120/208-120/240V/60HZ | 6800         | -                | 14-50          | 18.00                        | 23.00 | 32.50  | 25.00                     | 28.00 | 35.00  | 116            |
| Gas Giant Propane/Natural<br>*Equipped for Pump          | 60 oz   | 1200      | 120V/60HZ             | 160          | 50,000           | 5-15           | 21.25                        | 21.00 | 33.00  | 25.00                     | 27.00 | 34.50  | 115            |
| Electric Giant<br>Open Stadium Cabinet 5'                | 60 oz   | 1200      | 120/208-120/240V/60HZ | 8200         | -                | 14-50          | 28.00                        | 60.00 | 63.00  | 39.00                     | 69.00 | 71.00  | 520            |
| Electric Giant<br>Enclosed President Cabinet 4'          | 60 oz   | 1200      | 120/208-120/240V/60HZ | 8200         | -                | 14-50          | 28.00                        | 48.00 | 76.00  | 39.00                     | 57.00 | 82.00  | 528            |
| Electric Giant<br>Enclosed President Cabinet 5'          | 60 oz   | 1200      | 120/208-120/240V/60HZ | 8200         | -                | 14-50          | 28.00                        | 60.00 | 76.00  | 39.00                     | 69.00 | 82.00  | 575            |
| Electric Giant<br>Enclosed President Cabinet 6' Twin     | 2x60 oz | 2400      | 120/208-120/240V/60HZ | 8350<br>6800 | -                | 14-50<br>14-50 | 28.00                        | 72.00 | 76.00  | 39.00                     | 84.00 | 82.00  | 872            |
| Electric Giant<br>Enclosed President No Top 4'           | 60 oz   | 1200      | 120/208-120/240V/60HZ | •            | -                | 14-50          | 28.00                        | 48.00 | 66.50  | 39.00                     | 57.00 | 72.00  | 490            |
| Electric Giant<br>Enclosed President No Top 5'           | 60 oz   | 1200      | 120/208-120/240V/60HZ | 8000         | -                | 14-50          | 28.00                        | 60.00 | 66.50  | 39.00                     | 69.00 | 72.00  | 546            |
| Electric Giant<br>Enclosed President No Top 6' Twin      | 2x60 oz | 2400      | 120/208-120/240V/60HZ | 8350<br>6800 | -                | 14-50<br>14-50 | 28.00                        | 72.00 | 66.50  | 39.00                     | 84.00 | 72.00  | 780            |
| Electric Giant<br>on Knock Down Table 3.5'               | 60 oz   | 1200      | 120/208-120/240V/60HZ | 6800         | -                | 14-50          | 33.50                        | 42.00 | 61.00  | 39.00                     | 48.00 | 66.00  | 270            |
| Electric Giant<br>on Knock Down Table 4.5'               | 60 oz   | 1200      | 120/208-120/240V/60HZ | 6800         | -                | 14-50          | 30.50                        | 53.00 | 61.50  | 39.00                     | 57.00 | 65.00  | 300            |
| Electric Giant<br>on Knock Down Table 6'                 | 60 oz   | 1200      | 120/208-120/240V/60HZ | 6800         | -                | 14-50          | 33.25                        | 69.50 | 61.50  | 39.00                     | 77.00 | 68.00  | 391            |
| Electric Giant<br>on Knock Down Table 6' Twin            | 2x60 oz | 2400      | 120/208-120/240V/60HZ | 6800<br>6800 | -                | 14-50<br>14-50 | 33.50                        | 81.00 | 61.50  | 37.00                     | 85.00 | 66.50  | 565            |
| Gas Giant Propane/Natural<br>on Knock Down Table 3.5'    | 60 oz   | 1200      | 120V/60HZ             | 160          | 50,000           | 5-15           | 33.25                        | 47.00 | 62.00  | 39.00                     | 53.50 | 66.00  | 286            |
| Gas Giant Propane/Natural<br>on Knock Down Table 6'      | 60 oz   | 1200      | 120V/60HZ             | 160          | 50,000           | 5-15           | 33.25                        | 72.00 | 61.50  | 39.00                     | 77.00 | 69.00  | 365            |
| Gas Giant Propane/Natural<br>on Knock Down Table 6' Twin | 2x60 oz | 2400      | 120V/60HZ             | 160<br>160   | 50,000<br>50,000 | 5-15<br>5-15   | 33.25                        | 92.00 | 63.00  | 39.00                     | 96.00 | 70.00  | 587            |

\* 1 oz servings per hour

• Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers.

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

OEM Poppers are designed with an extra set of switches that control other cabinet features (fan and lights).

All Giant poppers available in left hand or right hand dump.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.

# GOURMET COOKING EQUIPMENT NORTH AMERICA

| ELECTRICAL                                                                   |                |                                      |              |                  | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |                |                | SHIP<br>WEIGHT |          |
|------------------------------------------------------------------------------|----------------|--------------------------------------|--------------|------------------|------------------------------|-------|--------|---------------------------|----------------|----------------|----------------|----------|
| MACHINE                                                                      | KETTLE         | VOLTAGE                              | WATTS        | NEMA             | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH          | HEIGHT         | lb             |          |
| Double Feature<br>12 oz dual Caramelizer and Popper                          | 12 oz          | 120V/50/60HZ<br>Canada: 115V/50/60Hz | 1350<br>1392 | 5-15             | 19.00                        | 17.00 | 33.50  | 23.00                     | 21.00          | 36.00          | •              |          |
| Receiving Tray                                                               | -              | -                                    | -            | -                | 26.00                        | 26.00 | 7.00   | 30.00                     | 30.00          | 10.00          | •              |          |
| CMD25 Caramelizer                                                            | -              | 120/208-120/240V60HZ                 | 3000         | L14-30           | 21.00                        | 16.00 | 28.00  | 25.00                     | 28.00          | 35.00          | 115            |          |
| CMD25 Caramelizer<br>on 6' Knock Down Table                                  | -              | 120/208-120/240V60HZ                 | 3000         | L14-30           | 33.50                        | 71.00 | 60.00  | 39.00                     | 87.00          | 66.00          | 385            |          |
| CMD25 Caramelizer<br>on 6' Cooling Table with Fan                            | -              | 120/208-120/240V60HZ                 | 3140         | L14-30           | 33.50                        | 71.00 | 60.00  | 39.00                     | 87.00          | 66.00          | 385            |          |
| CMD25 Twin Caramelizer<br>on 6' Twin Knock Down Table                        | -              | 120/208-120/240V60HZ                 | 6000         | L14-30           | 33.50                        | 83.50 | 62.50  | 37.00                     | 87.00          | 66.00          | 575            |          |
| CMD25 Twin Caramelizer<br>on 6' Twin Cooling Table with Fan                  | -              | 120/208-120/240V60HZ                 | 6140         | L14-30           | 33.50                        | 83.50 | 62.50  | 37.00                     | 87.00          | 66.00          | 575            |          |
| CMD25* Caramelizer and 32 oz Giant<br>on 6' Twin Knock Down Table            | CMD25<br>32 oz | 120/208-120/240V60HZ                 | 3000<br>5200 | L14-30<br>14-50  | 33.50                        | 83.50 | 62.50  | 37.00                     | 87.00          | 66.00          | 550            |          |
| CMD25* Caramelizer and 32oz Giant<br>on 6' Twin Cooling Table with Fan       | CMD25<br>32 oz | 120/208-120/240V60HZ                 | 3140<br>5200 | L14-30<br>14-50  | 33.50                        | 83.50 | 62.50  | 37.00                     | 87.00          | 66.00          | 500            |          |
| CMD25* Caramelizer and 48 oz Giant<br>on 6' Twin Knock Down Table            | CMD25<br>48 oz | 120/208-120/240V60HZ                 | 3000<br>6800 | L14-30<br>14-50  | 33.50                        | 83.50 | 65.00  | 37.00                     | 87.00          | 66.00          | 500            |          |
| CMD25* Caramelizer and 48 oz Giant<br>on 6' Twin Cooling Table with Fan      | CMD25<br>48 oz | 120/208-120/240V60HZ                 | 3140<br>6800 | L14-30<br>14-50  | 33.00                        | 83.00 | 65.00  | 37.00                     | 87.00          | 66.00          | 550            |          |
| CMD25* Caramelizer and 60 oz Giant<br>on 6' Twin Cooling Table               | CMD25<br>60 oz | 120/208-120/240V60HZ                 | 3000<br>6800 | L14-30<br>14-50  | 33.00                        | 83.00 | 66.00  | 37.00                     | 87.00          | 66.00          | 550            |          |
| CMD25* Caramelizer and 60 oz Giant<br>on 6' Twin Cooling Table with Fan      | CMD25<br>60 oz | 120/208-120/240V60HZ                 | 3140<br>6800 | L14-30<br>14-50  | 33.00                        | 83.00 | 66.00  | 37.00                     | 87.00          | 66.00          | 550            |          |
| CMD50 Caramelizer                                                            | -              | 120/208-120/240V60HZ                 | 3500         | L14-30           | 24.00                        | 19.50 | 31.00  | Box 1<br>Box 2            | 28.00<br>13.00 | 25.00<br>13.00 | 35.00<br>13.00 | 125<br>5 |
| CMD50 Twin Caramelizer<br>on 6' Cooling Table with Fan                       | -              | 120/208-120/240V60HZ                 | 3640<br>3500 | L14-30<br>L14-30 | 33.00                        | 71.75 | 59.50  | 37.00                     | 87.00          | 66.00          | 575            |          |
| CMD100 Caramelizer (5' tall frame)                                           | -              | 120/208-120/240V60HZ                 | 8200         | 14-50            | 33.00                        | 42.00 | 67.00  | 39.00                     | 60.00          | 71.00          | 578            |          |
| CMD100 Caramelizer on Cooling Table<br>(6' table attaches to frame) with fan | -              | 120/208-120/240V60HZ                 | 8520         | L14-50           | 35.00                        | 97.00 | 65.00  | 39.00                     | 60.00          | 70.00          | 578            |          |
| Coater Mixer Tumbler - Commercial                                            | -              | 120/208-120/240V60HZ                 | 325          | 5-15             | 25.00                        | 26.00 | 30.00  | Box 1<br>Box 2            | 19.00<br>22.00 | 24.00<br>22.00 | 32.00<br>20.00 | 40<br>16 |
| Coater Mixer Tumbler - Retail                                                | -              | 120/208-120/240V60HZ                 | 163          | 5-15             | 25.00                        | 26.00 | 30.00  | Box 1<br>Box 2            | 19.00<br>22.00 | 24.00<br>22.00 | 32.00<br>20.00 | 40<br>16 |
| Cooling Cart with Removeable Bin                                             | -              | -                                    | -            | -                | 15.00                        | 26.00 | 21.00  | 20.00                     | 30.00          | 24.00          | 30             |          |
| 7 qt Countertop Cheese Warmer                                                | 7 qt           | 120V/60HZ                            | 550          | 5-15             | -                            | 12.00 | 9.75   | •                         | •              | •              | •              |          |
| 11 qt Countertop Cheese Warmer                                               | 11 qt          | 120V/60HZ                            | 750          | 5-15             | -                            | 13.75 | 9.75   | •                         | •              | •              | •              |          |

\* Also available with CMD50 in place of CMD25. For CMD50 option, add 500 watts to listed CMD25 wattage

• Contact Cretors for details

Contact Cretors for machine agency approval listings.

## HOT AIR POPPERS AND PUFFERS NORTH AMERICA

| ELECTRICAL                         |        |           |                            |        |      |      | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|------------------------------------|--------|-----------|----------------------------|--------|------|------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                            | KETTLE | SERVINGS* | VOLTAGE                    | WATTS  | AMPS | NEMA | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| Poppi                              | 12 oz  | 240       | 120/208V-<br>120/240V/60HZ | 3250   | 30   | -    | 16.75                        | 18.75 | 34.00  | 22.00                     | 24.00 | 40.00  | •              |
| Model 40 Continuous Hot Air Popper | -      | 40 lb     | 120/208V-<br>120/240V/60HZ | 10,000 | -    | -    | 32.00                        | 65.50 | 64.00  | 38.00                     | 70.00 | 69.00  | •              |
| Model 40 Continuous Hot Air Puffer | -      | 40 lb     | 120/208V-<br>120/240V/60HZ | 10,000 | -    | -    | 32.00                        | 65.50 | 64.00  | 38.00                     | 70.00 | 69.00  | •              |
| OriginatAir                        | -      | 40 lb     | 120/208V-<br>120/240V/60HZ | 10,000 | -    | -    | 32.00                        | 81.64 | 64.00  | 38.00                     | 87.00 | 69.00  | •              |

## CORNDITIONER AND DISPLAY CABINETS NORTH AMERICA

| ELECTRICAL                                               |              |       |      |        | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|----------------------------------------------------------|--------------|-------|------|--------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                                                  | VOLTAGE      | WATTS | AMPS | NEMA   | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| 20" Counter Showcase Cornditioner                        | 120V/60HZ    | 950   | 7.9  | 5-15   | 30.00                        | 20.00 | 27.00  | 33.00                     | 25.00 | 35.00  | 190            |
| 36" Counter Showcase Cornditioner                        | 120V/60HZ    | 950   | 7.9  | 5-15   | 30.00                        | 36.00 | 27.00  | 33.00                     | 41.00 | 34.00  | 195            |
| 36" Counter Showcase Cornditioner<br>(shallow depth)     | 120V/60HZ    | 950   | 7.9  | 5-15   | 21.50                        | 36.00 | 27.00  | 33.00                     | 41.00 | 34.00  | 195            |
| 48" Counter Showcase Cornditioner                        | 120V/60HZ    | 950   | 7.9  | 5-15   | 30.00                        | 48.00 | 27.00  | 33.00                     | 53.00 | 34.00  | 253            |
| Modular Showcase                                         | 120V/60HZ    | 1440  | 12.4 | 5-15   | 24.50                        | 36.00 | 51.00  | 33.00                     | 41.00 | 55.00  | 197            |
| Combination Modular and Counter Showcase<br>Cornditioner | 120V/60HZ    | 2045  | 17.1 | 5-15   | 30.50                        | 36.00 | 76.00  | 37.00                     | 42.00 | 84.00  | 387            |
| Diplomat Self Serve 24" Cornditioner                     | 120V/50/60HZ | 950   | 7.9  | 5-15   | 24.00                        | 24.00 | 40.00  | 30.00                     | 30.00 | 46.00  | 300            |
| Diplomat Self Serve 48" Cornditioner                     | 120V/60HZ    | 1440  | 12.1 | 5-15   | 29.00                        | 48.00 | 58.00  | 39.00                     | 57.00 | 68.00  | 428            |
| Diplomat Showcase Cabinet                                | 120V/60HZ    | 2000  | 16.7 | L14-30 | 28.00                        | 36.00 | 43.25  | 33.00                     | 41.00 | 55.00  | 225            |
| Mobil Roc N' Roll Cornditioner                           | 120V/60HZ    | 1310  | 10.9 | 5-15   | 26.00                        | 30.00 | 30.50  | 34.00                     | 35.00 | 37.00  | 156            |
| Bulk Cabinet                                             | 120V/60HZ    | 450   | 3.5  | 5-15   | 19.00                        | 19.00 | 27.00  | 22.00                     | 22.00 | 30.00  | 68             |
| Popcorn Display Cabinet                                  | 120V/60HZ    | 80    | 0.6  | 5-15   | 14.25                        | 14.25 | 24.00  | 19.00                     | 19.00 | 30.00  | 30             |
| Pretzel Display Cabinet                                  | 120V/60HZ    | 130   | 1.1  | 5-15   | 14.25                        | 14.25 | 24.00  | 19.00                     | 19.00 | 30.00  | 30             |
| Churro Display Cabinet                                   | 120V/60HZ    | 130   | 1.1  | 5-15   | 14.25                        | 14.25 | 24.00  | 19.00                     | 19.00 | 30.00  | 30             |

For Canada: 5-15 plug is max 1440 watts

• Contact Cretors for details

Contact Cretors for machine agency approval listings.

TOPPERS AND DISPENSERS
 NORTH AMERICA

| ELECTRICAL                                                           |           |       |      |      | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP WEIGHT |
|----------------------------------------------------------------------|-----------|-------|------|------|------------------------------|-------|--------|---------------------------|-------|--------|-------------|
| MACHINE                                                              | VOLTAGE   | WATTS | AMPS | NEMA | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb          |
| 36" Integrated Butter Topper                                         | 120V/60HZ | 1050  | 8.75 | 5-15 | 30.00                        | 36.00 | 45.00  | 33.00                     | 41.00 | 34.00  | 214         |
| 48" Integrated Butter Topper                                         | 120V/60HZ | 1050  | 8.75 | 5-15 | 30.00                        | 48.00 | 45.00  | 33.00                     | 53.00 | 34.00  | 225         |
| Bag-in-Box Butter Topper (holds 2-35 lb boxes of oil)                | 120V/60HZ | 275   | 2.3  | 5-15 | 18.00                        | 14.00 | 16.50  | 21.00                     | 17.00 | 25.00  | 45          |
| Mini Butter Topper                                                   | 120V/60HZ | 380   | 3.2  | 5-15 | 22.00                        | 8.20  | 18.30  | 26.00                     | 13.00 | 23.00  | 30          |
| Countertop Butter Topper (auto)<br>(accommodates one 2.5 gallon bag) | 120V/60HZ | 380   | 3.2  | 5-15 | 25.00                        | 11.50 | 17.75  | 29.00                     | 17.00 | 23.00  | 34          |

NACHO EQUIPMENT
 NORTH AMERICA

| ELECTRICAL                       |           |       |      |      | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP WEIGHT |
|----------------------------------|-----------|-------|------|------|------------------------------|-------|--------|---------------------------|-------|--------|-------------|
| MACHINE                          | VOLTAGE   | WATTS | AMPS | NEMA | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb          |
| Nacho Cheese Pump with Sign      | 120V/60HZ | 645   | 5.4  | 5-15 | 18.00                        | 12.00 | 18.75  | 25.00                     | 17.00 | 28.00  | 46          |
| Condiment Dispenser              | 120V/60HZ | 400   | 3.3  | 5-15 | 16.00                        | 6.50  | 20.00  | 19.00                     | 19.00 | 30.00  | 30          |
| Nacho Bulk Cornditioner Cabinet  | 120V/60HZ | 450   | 3.5  | 5-15 | 19.00                        | 19.00 | 27.00  | 22.00                     | 22.00 | 30.00  | 68          |
| Nacho Alto Cornditioner Cabinet  | 120V/60HZ | 550   | 4.6  | 5-15 | 19.00                        | 18.50 | 36.25  | 23.00                     | 23.00 | 27.00  | 45          |
| Mas Grande Cornditioner Cabinet  | 120V/60HZ | 1050  | 8.8  | 5-15 | 23.00                        | 34.75 | 31.00  | 27.00                     | 39.00 | 34.00  | 92          |
| Nacho Pequeno Cabinet            | 120V/60HZ | 120   | 1    | 5-15 | 14.25                        | 14.25 | 24.25  | 19.00                     | 19.00 | 30.00  | 30          |
| Nacho Tray Cornditioner Cabinet  | 120V/60HZ | 450   | 3.5  | 5-15 | 19.00                        | 19.00 | 27.00  | 22.00                     | 22.00 | 30.00  | 68          |
| Portion Pak Cornditioner Cabinet | 120V/60HZ | 425   | 3.5  | 5-15 | 16.50                        | 13.00 | 19.00  | 17.00                     | 21.00 | 25.00  | 45          |
| Nacho Chip Case                  | 120V/60HZ | 80    | 0.6  | 5-15 | 14.25                        | 14.25 | 24.00  | 19.00                     | 19.00 | 30.00  | 30          |

HOT DOG GRILLS AND BUN WARMERS
 NORTH AMERICA

| ELECTRICAL                 |                              |           |       |      |      | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|----------------------------|------------------------------|-----------|-------|------|------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                    | APPROXIMATE CAPACITY         | VOLTAGE   | WATTS | AMPS | NEMA | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| HD24 Hot Dog Grill         | 24 at once/<br>144 per hour* | 120V/60HZ | 1000  | 8.3  | 5-15 | 22.00                        | 22.00 | 8.00   | 26.00                     | 24.00 | 12.00  | 44             |
| HD24 Bun Warmer            | 36 buns                      | 120V/60HZ | 250   | 2.08 | 5-15 | 19.00                        | 19.75 | 10.00  | 26.00                     | 24.00 | 12.00  | 51             |
| Stackable Hot Dog Stand    | -                            | 120V/60HZ | 8     | .06  | 5-15 | 22.00                        | 18.00 | 17.75  | 26.00                     | 22.00 | 22.00  | •              |
| HD36 Hot Dog Grill         | 36 at once/<br>216 per hour* | 120V/60HZ | 1850  | 15.4 | 5-20 | 24.00                        | 35.50 | 9.50   | 28.00                     | 40.00 | 13.00  | 93             |
| HD36 Bun Warmer            | 55 buns                      | 120V/60HZ | 350   | 2.9  | 5-15 | 21.00                        | 34.00 | 7.75   | 26.00                     | 40.00 | 10.00  | 73             |
| Hot Dog Broiler and Warmer | 36 hot dogs/48 buns          | 120V/60HZ | 1200  | 10   | 5-15 | 25.00                        | 35.50 | 17.00  | 29.00                     | 39.00 | 20.00  | 70             |
|                            |                              |           |       |      |      |                              |       |        |                           |       |        |                |

\* 5 to 1 hot dogs – 5 hot dogs per pound

• Contact Cretors for details

Contact Cretors for machine agency approval listings.

## PIZZA EQUIPMENT NORTH AMERICA

| ELECTRICAL                 |           |       |      |      | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|----------------------------|-----------|-------|------|------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                    | VOLTAGE   | WATTS | AMPS | NEMA | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| Pizza Oven                 | 120V/60HZ | 900   | 7.5  | 5-15 | 24.00                        | 20.20 | 14.00  | 28.00                     | 25.00 | 18.00  | 110            |
| Pizza Warmer               | 120V/60HZ | 550   | 4.6  | 5-15 | 23.00                        | 20.20 | 29.00  | 27.00                     | 25.00 | 33.00  | 100            |
| Pizza Oven and Warmer Unit | 120V/60HZ | 1440  | 12   | 5-15 | 24.00                        | 20.20 | 42.00  | 28.00                     | 25.00 | 46.00  | 160            |

For Canada: 5-15 plug is max 1440 watts

## COTTON CANDY EQUIPMENT NORTH AMERICA

| ELECTRICAL                                              |                         |           |       |      |       | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |                |                | SHIP<br>WEIGHT |          |
|---------------------------------------------------------|-------------------------|-----------|-------|------|-------|------------------------------|-------|--------|---------------------------|----------------|----------------|----------------|----------|
| MACHINE                                                 | APPROXIMATE<br>CAPACITY | VOLTAGE   | WATTS | AMPS | NEMA  | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH          | HEIGHT         | lb             |          |
| Ringmaster Lite 5" Floss Head<br>includes bowl          | 8-10 lb/hour            | 120V/60HZ | 1250  | 10.4 | 5-15  | 13.25                        | 13.00 | 17.25  | Box 1<br>Box 2            | 16.00<br>31.00 | 16.00<br>31.00 | 20.00<br>12.00 | 30<br>22 |
| Ringmaster 5" Floss Head<br>includes bowl               | 10-12 lb/hour           | 120V/60HZ | 1700  | 14.2 | 5-15  | 20.50                        | 13.50 | 17.25  | Box 1<br>Box 2            | 25.00<br>31.00 | 16.00<br>31.00 | 22.00<br>12.00 | 53<br>22 |
| Ringmaster 5" Floss Head<br>includes bowl – Canada only | 10-12 lb/hour           | 120V/60HZ | 1700  | 14.2 | 5-20  | 20.50                        | 13.50 | 17.25  | Box 1<br>Box 2            | 25.00<br>31.00 | 16.00<br>31.00 | 22.00<br>12.00 | 53<br>22 |
| Ringmaster 7" Floss Head<br>includes bowl               | 15-18 lb/hour           | 120V/60HZ | 2350  | 19.6 | L5-30 | 21.00                        | 13.50 | 17.50  | Box 1<br>Box 2            | 25.00<br>31.00 | 16.00<br>31.00 | 22.00<br>12.00 | 55<br>22 |
| Stationary Cabinet                                      | -                       | 120V/60HZ | 130   | 1.08 | L5-30 | 27.50                        | 27.50 | 71.50  |                           | 34.00          | 35.00          | 77.00          | 250      |
| 2-Wheel Cotton Candy Wagon                              | -                       | -         | -     | -    | -     | 28.00                        | 40.00 | 30.00  |                           | 30.00          | 46.00          | 33.00          | 115      |
| 2-Wheel Cotton Candy<br>Knock Down Wagon                | -                       | -         | -     | -    | -     | 28.00                        | 40.00 | 30.00  |                           | 24.50          | 24.00          | 11.00          | 54       |

## ICE AND FOOD SHAVERS NORTH AMERICA

| ELECTRICAL              |               |           |       |      |      | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|-------------------------|---------------|-----------|-------|------|------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                 | CAPACITY/HR   | VOLTAGE   | WATTS | AMPS | NEMA | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| Food Shaver             | Up to 500 lb  | 120V/60HZ | 828   | 6.9  | 5-15 | 19.00                        | 14.00 | 15.00  | 27.00                     | 17.00 | 16.00  | 44             |
| Electric Shaver         | Up to 500 lb  | 120V/60HZ | 828   | 6.9  | 5-15 | 19.00                        | 14.00 | 15.00  | 27.00                     | 17.00 | 16.00  | 44             |
| Gas Shaver              | Up to 500 lb  | -         | -     | -    | -    | 28.00                        | 21.00 | 20.50  | 28.00                     | 23.00 | 22.00  | 70             |
| Battery Shaver          | Up to 500 lb  | -         | -     | -    | -    | 27.00                        | 17.00 | 15.00  | 26.00                     | 17.00 | 16.00  | 45             |
| Big Max Shaver          | Up to 1500 lb | 120V/60HZ | 828   | 6.9  | 5-15 | 17.00                        | 23.00 | 18.00  | 22.00                     | 28.00 | 23.00  | 89             |
| Microflake              | Up to 500 lb  | 120V/60HZ | 351   | 2.93 | 5-15 | 14.00                        | 19.00 | 20.00  | 20.00                     | 23.00 | 29.00  | 70             |
| Ice Shaver Display Case | -             | 120V/60HZ | 8     | 0.07 | 5-15 | 14.00                        | 19.00 | 19.00  | 16.00                     | 21.00 | 22.00  | 19             |
| Paneled Counter Stand   | -             | -         | -     | -    | -    | 15.00                        | 19.00 | 12.00  | 16.00                     | 21.00 | 13.00  | 7              |
| Open Counter Stand      | -             | -         | -     | -    | -    | 15.00                        | 19.00 | 12.00  | 16.00                     | 21.00 | 13.00  | 7              |

Contact Cretors for machine agency approval listings.

WAGON BASES NORTH AMERICA

|                                                  |  |  |  |  | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|--------------------------------------------------|--|--|--|--|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                                          |  |  |  |  | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| Antique Red Goldrush 2-Wheel Wagon               |  |  |  |  | 20.75                        | 40.50 | 31.25  | 23.00                     | 43.00 | 34.00  | 62             |
| Red Goldrush Two-Wheel Knock Down Wagon          |  |  |  |  | 20.75                        | 41.25 | 31.25  | 21.25                     | 21.25 | 14.00  | 47             |
| Red Goldrush Two-Wheel Knock Down Wagon – UPS    |  |  |  |  | 20.75                        | 41.25 | 31.25  | 19.00                     | 24.00 | 32.00  | 54             |
| Nite Club Black Two-Wheel Wagon                  |  |  |  |  | 20.75                        | 41.25 | 31.25  | 23.00                     | 43.00 | 34.00  | 63             |
| Nite Club Black Two-Wheel Knock Down Wagon       |  |  |  |  | 20.75                        | 41.25 | 31.25  | 22.00                     | 23.00 | 13.00  | 48             |
| Nite Club Black Two-Wheel Knock Down Wagon – UPS |  |  |  |  | 20.75                        | 41.25 | 31.25  | 19.00                     | 24.00 | 36.00  | 54             |
| Antique Red T-2000 Two-Wheel Wagon               |  |  |  |  | 28.00                        | 41.75 | 32.25  | 31.00                     | 46.00 | 37.00  | 109            |
| Antique Red T-3000 Two-Wheel Wagon               |  |  |  |  | 28.00                        | 44.50 | 32.00  | 30.00                     | 46.00 | 36.00  | 109            |
| Antique Red Profiteer Two-Wheel Wagon            |  |  |  |  | 28.00                        | 40.50 | 33.25  | 31.00                     | 46.00 | 36.00  | 109            |
| Antique Red Four-Wheel Wagon                     |  |  |  |  | 29.75                        | 59.00 | 33.25  | 33.00                     | 62.00 | 39.00  | 174            |
| Antique Red Steerable Four-Wheel Wagon           |  |  |  |  | 30.50                        | 59.00 | 33.25  | 33.00                     | 62.00 | 39.00  | 192            |

OIL PUMPS, HEATERS AND WARMERS NORTH AMERICA

| ELECTRICAL                                                      |           |       |      |      | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|-----------------------------------------------------------------|-----------|-------|------|------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                                                         | VOLTAGE   | WATTS | AMPS | NEMA | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| 7700 Automatic Bucket Pump, remote control                      | 120V/60HZ | 700   | 5.8  | -    | 22.00                        | 13.00 | 13.00  | 25.00                     | 15.00 | 15.00  | 20             |
| 7700 Automatic Bucket Pump, self contained (use with Profiteer) | 120V/60HZ | 700   | 5.8  | 5-15 | 22.00                        | 13.00 | 13.00  | 25.00                     | 15.00 | 15.00  | 20             |
| 7700 Automatic Bucket Salt/Sugar Pump                           | 120V/60HZ | 700   | 5.8  | -    | 22.00                        | 13.00 | 13.00  | 25.00                     | 15.00 | 15.00  | 20             |
| Hot Rod                                                         | 120V/60HZ | 400   | 3.3  | 5-15 | 2.50                         | 23.50 | 2.25   | 4.00                      | 24.00 | 2.50   | 4              |
| Bag-in-Box Pump with side oil line                              | 120V/60HZ | 250   | 2.1  | -    | 18.00                        | 13.75 | 16.50  | 22.00                     | 17.25 | 20.00  | 37             |
| Bag-in-Box Pump Heated with side oil line                       | 120V/60HZ | 250   | 2.1  | -    | 18.00                        | 13.75 | 16.50  | 22.00                     | 17.25 | 20.00  | 35             |
| Bag-in-Box Pump Heated with front/rear discharge                | 120V/60HZ | 250   | 2.1  | -    | 18.00                        | 13.75 | 16.50  | 22.00                     | 17.25 | 19.00  | 35             |
| Bag-in-Box Salt/Sugar Pump with Side oil line                   | 120V/60HZ | 250   | 2.1  | -    | 18.00                        | 13.75 | 16.50  | 22.00                     | 17.25 | 19.00  | 35             |
| Bag-in-Box Backroom Warmer Heated 4 shelf unit                  | 120V/60HZ | 180   | 1.5  | 5-15 | 17.00                        | 16.00 | 49.50  | 20.00                     | 20.00 | 51.00  | 74             |

METRIC WEIGHT VOLUME TESTER NORTH AMERICA

| ELECTRICAL                  |           |       |       |       | MACHINE DIMENSIONS<br>INCHES |       |        | SHIP DIMENSIONS<br>INCHES |       |        | SHIP<br>WEIGHT |
|-----------------------------|-----------|-------|-------|-------|------------------------------|-------|--------|---------------------------|-------|--------|----------------|
| MACHINE                     | VOLTAGE   | WATTS | AMPS  | NEMA  | LENGTH                       | WIDTH | HEIGHT | LENGTH                    | WIDTH | HEIGHT | lb             |
| Metric Weight Volume Tester | 120V/60HZ | 2300  | 19.19 | L5-30 | 23.00                        | 29.00 | 76.50  | 34.00                     | 36.00 | 83.00  | 314            |

Contact Cretors for machine agency approval listings.

# SMALL POPPERS EXPORT – CE MARK AVAILABLE

| ELECTRICAL                        |            |           |           |       |      | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|-----------------------------------|------------|-----------|-----------|-------|------|-----------------------------------|--------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                           | KETTLE     | SERVINGS* | VOLTAGE   | WATTS | AMPS | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| Nugget                            | 6 oz       | 120       | 230V/50HZ | 1100  | 4.8  | 36.83                             | 52.07  | 78.11  | 48.26                          | 60.96  | 86.36  | 25.20          |
| Apprentice                        | 6 oz       | 120       | 230V/50HZ | 1250  | 5.4  | 35.56                             | 45.72  | 71.12  | 50.80                          | 63.50  | 80.65  | 31.50          |
| Goldrush Red Top                  | 6 oz       | 120       | 230V/50HZ | 1150  | 5    | 36.83                             | 53.34  | 69.85  | 48.26                          | 60.96  | 78.74  | 25.20          |
| Goldrush Antique                  | 6 oz       | 120       | 230V/50HZ | 1150  | 5    | 35.56                             | 53.34  | 85.73  | 48.26                          | 60.96  | 91.44  | 25.20          |
| Goldrush Antique on Wagon Base    | 6 oz       | 120       | 230V/50HZ | 1150  | 5    | 52.71                             | 104.78 | 165.10 | 60.33                          | 112.40 | 172.72 | 60.75          |
| Nite Club                         | 6 oz       | 120       | 230V/50HZ | 1150  | 5    | 36.83                             | 53.34  | 69.85  | 48.26                          | 60.96  | 78.74  | 25.20          |
| Trilogy                           | 8/12/16 oz | 160-320   | 230V/50HZ | 1440  | 7.1  | 53.34                             | 60.96  | 87.63  | 66.04                          | 73.66  | 101.60 | 42.30          |
| T-2000 Red Top                    | 8 oz       | 160       | 230V/50HZ | 1325  | 5.8  | 53.34                             | 53.34  | 77.47  | 66.04                          | 66.04  | 83.82  | 36.90          |
| T-2000 Antique                    | 8 oz       | 160       | 230V/50HZ | 1325  | 5.8  | 53.34                             | 53.34  | 95.25  | 66.04                          | 66.04  | 104.14 | 35.10          |
| T-2000 Antique on Wagon Base      | 8 oz       | 160       | 230V/50HZ | 1325  | 5.8  | 71.12                             | 106.05 | 168.91 | 78.74                          | 109.22 | 177.80 | 83.25          |
| T-3000 Red Top                    | 12 oz      | 240       | 230V/50HZ | 1800  | 7.8  | 53.34                             | 60.96  | 87.63  | 66.04                          | 73.66  | 101.60 | 47.25          |
| T-3000 Antique                    | 12 oz      | 240       | 230V/50HZ | 1800  | 7.8  | 56.52                             | 63.50  | 104.14 | 66.04                          | 73.66  | 111.76 | 48.60          |
| T-3000 Antique on Wagon Base      | 12 oz      | 240       | 230V/50HZ | 1800  | 7.8  | 71.12                             | 111.76 | 177.80 | 78.74                          | 109.22 | 190.50 | 98.10          |
| T-3000 Plus Red Top               | 12 oz      | 240       | 230V/50HZ | 2260  | 9.8  | 53.34                             | 60.96  | 87.63  | 66.04                          | 73.66  | 101.60 | 50.85          |
| Antique T-3000 Plus Red Top       | 12 oz      | 240       | 230V/50HZ | 2260  | 9.8  | 56.52                             | 63.50  | 104.14 | 66.04                          | 73.66  | 111.76 | 48.60          |
| T-3000 Antique Plus on Wagon Base | 12 oz      | 240       | 230V/50HZ | 2260  | 9.8  | 71.12                             | 111.76 | 177.80 | 78.74                          | 109.22 | 190.50 | 98.10          |
| Profiteer Red Top                 | 14 oz      | 280       | 230V/50HZ | 1800  | 8    | 55.88                             | 72.39  | 87.63  | 71.12                          | 86.36  | 99.06  | 56.70          |
| Profiteer Antique                 | 14 oz      | 280       | 230V/50HZ | 1800  | 8    | 59.69                             | 76.20  | 107.32 | 71.12                          | 86.36  | 114.30 | 57.60          |
| Profiteer Antique on Wagon Base   | 14 oz      | 280       | 230V/50HZ | 1800  | 8    | 71.12                             | 106.05 | 183.52 | 78.74                          | 110.50 | 190.50 | 106.65         |

\* 1 oz servings per hour

Export machines are provided with Euro plugs as standard. Optional plugs may be requested.

Base and unit ship separately unless specified.

Due to voltage variations, your Amp draw may vary. OHM's Law is Amps=Watts/Volts

Contact Cretors for machine agency approval listings.

# LARGE POPPERS - SUSPENDED KETTLE EXPORT – CE MARK AVAILABLE

| ELECTRICAL                                    |         |           |               |              |      | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|-----------------------------------------------|---------|-----------|---------------|--------------|------|-----------------------------------|--------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                                       | KETTLE  | SERVINGS* | VOLTAGE       | WATTS        | AMPS | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| Econo-Merchant Counter                        | 16 oz   | 320       | 230V/50HZ     | 3150         | 26.3 | 56.52                             | 71.76  | 93.98  | 71.12                          | 83.82  | 109.22 | 58.50          |
| Econo-Merchant on Base                        | 16 oz   | 320       | 230V/50HZ     | 3150         | 26.3 | 56.52                             | 71.55  | 172.72 | 71.12                          | 83.82  | 187.96 | 180.00         |
| Merchant Counter with Sign                    | 16 oz   | 320       | 230V/50HZ     | 3300         | 27.5 | 56.52                             | 73.03  | 101.60 | 71.12                          | 83.82  | 109.22 | 68.40          |
| Merchant on Base                              | 16 oz   | 320       | 230V/50HZ     | 3300         | 27.5 | 56.52                             | 73.03  | 180.34 | 71.12                          | 83.82  | 195.58 | 180.00         |
| Diplomat 3' Counter                           | 20 oz   | 400       | 230/380V/50HZ | 4500         | -    | 71.12                             | 91.44  | 127.64 | 83.82                          | 104.14 | 142.24 | 135.00         |
| Diplomat 3' Floor                             | 20 oz   | 400       | 230/380V/50HZ | 4500         | -    | 71.12                             | 91.44  | 187.96 | 109.22                         | 109.22 | 205.74 | 181.35         |
| Diplomat 3' Floor Ventless                    | 20 oz   | 400       | 230/380V/50HZ | 4500         | -    | 71.12                             | 91.44  | 210.82 | 109.22                         | 109.22 | 226.06 | 181.35         |
| Diplomat 3' Floor ANSUL                       | 20 oz   | 400       | 230/380V/50HZ | 4500         | -    | 71.12                             | 91.44  | 187.96 | 109.22                         | 109.22 | 205.74 | 181.35         |
| Diplomat 4' Floor                             | 20 oz   | 400       | 230/380V/50HZ | 6180         | -    | 81.28                             | 121.92 | 193.04 | 93.98                          | 142.24 | 208.28 | 236.25         |
| Diplomat 5' Floor                             | 20 oz   | 400       | 230/380V/50HZ | 6180         | -    | 81.28                             | 152.40 | 193.04 | 93.98                          | 170.18 | 208.28 | 265.50         |
| Diplomat 6' Floor                             | 20 oz   | 400       | 230/380V/50HZ | 6180         | -    | 81.28                             | 182.88 | 193.04 | 99.06                          | 208.28 | 208.28 | 409.95         |
| Diplomat 6' Twin Kettle Floor                 | 2x20 oz | 800       | 230/380V/50HZ | 6180<br>4150 | -    | 81.28                             | 182.88 | 193.04 | 99.06                          | 208.28 | 208.28 | 409.95         |
| Diplomat 6' Twin Kettle Floor<br>Pass Through | 2x20 oz | 800       | 230/380V/50HZ | 6180<br>4150 | -    | 81.28                             | 182.88 | 193.04 | 99.06                          | 83.82  | 208.28 | 409.95         |
| Diplomat 3' Counter                           | 32 oz   | 640       | 230/380V/50HZ | 5685         | -    | 71.12                             | 91.44  | 127.64 | 83.82                          | 104.14 | 148.59 | 135.00         |
| Diplomat 3' Floor                             | 32 oz   | 640       | 230/380V/50HZ | 5685         | -    | 71.12                             | 91.44  | 187.96 | 109.22                         | 109.22 | 205.74 | 186.75         |
| Diplomat 3' Floor Ventless                    | 32 oz   | 640       | 230/380V/50HZ | 5685         | -    | 71.12                             | 91.44  | 210.82 | 109.22                         | 109.22 | 226.06 | 186.75         |
| Diplomat 3' Floor ANSUL                       | 32 oz   | 640       | 230/380V/50HZ | 5685         | -    | 71.12                             | 91.44  | 187.96 | 109.22                         | 109.22 | 205.74 | 186.75         |
| Diplomat 4' Self Serve Counter                | 32 oz   | 640       | 230/380V/50HZ | 7300         | -    | 73.66                             | 121.92 | 137.16 | 99.06                          | 144.78 | 162.56 | 135.00         |
| Diplomat 4' Floor                             | 32 oz   | 640       | 230/380V/50HZ | 7300         | -    | 81.28                             | 121.92 | 193.04 | 93.98                          | 142.24 | 208.28 | 236.25         |
| Diplomat 5' Floor                             | 32 oz   | 640       | 230/380V/50HZ | 7300         | -    | 81.28                             | 152.40 | 193.04 | 93.98                          | 170.18 | 208.28 | 265.50         |
| Diplomat 6' Floor                             | 32 oz   | 640       | 230/380V/50HZ | 7500         | -    | 81.28                             | 182.88 | 193.04 | 99.06                          | 208.28 | 208.28 | 409.95         |
| Diplomat 6' Twin Kettle Floor                 | 2x32 oz | 1280      | 230/380V/50HZ | 7500<br>5280 | -    | 81.28                             | 182.88 | 193.04 | 99.06                          | 208.28 | 208.28 | 409.95         |
| Diplomat 6' Twin Kettle Floor<br>Pass Through | 2x32 oz | 1280      | 230/380V/50HZ | 7500<br>5280 | -    | 81.28                             | 182.88 | 193.04 | 99.06                          | 83.82  | 208.28 | 409.95         |

# LARGE POPPERS - SUSPENDED KETTLE (CONTINUED) EXPORT – CE MARK AVAILABLE

| ELECTRICAL                                    |         |           |               |              |      | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|-----------------------------------------------|---------|-----------|---------------|--------------|------|-----------------------------------|--------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                                       | KETTLE  | SERVINGS* | VOLTAGE       | WATTS        | AMPS | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| Diplomat 3' Counter                           | 48 oz   | 960       | 230/380V/50HZ | 8640         | -    | 71.12                             | 91.44  | 127.64 | 83.82                          | 104.14 | 148.59 | 135.00         |
| Diplomat 3' Floor                             | 48 oz   | 960       | 230/380V/50HZ | 8640         | -    | 71.12                             | 91.44  | 196.85 | 109.22                         | 109.22 | 208.28 | 202.50         |
| Diplomat 3' Floor Ventless                    | 48 oz   | 960       | 230/380V/50HZ | 8640         | -    | 71.12                             | 91.44  | 210.82 | 109.22                         | 109.22 | 226.06 | 202.50         |
| Diplomat 3' Floor ANSUL                       | 48 oz   | 960       | 230/380V/50HZ | 8640         | -    | 71.12                             | 91.44  | 196.85 | 109.22                         | 109.22 | 208.28 | 202.50         |
| Diplomat 4' Floor                             | 48 oz   | 960       | 230/380V/50HZ | 8710         | -    | 81.28                             | 121.92 | 193.04 | 93.98                          | 142.24 | 208.28 | 236.25         |
| Diplomat 5' Floor                             | 48 oz   | 960       | 230/380V/50HZ | 8710         | -    | 81.28                             | 152.40 | 193.04 | 93.98                          | 170.18 | 208.28 | 265.50         |
| Diplomat 6' Floor                             | 48 oz   | 960       | 230/380V/50HZ | 8710         | -    | 81.28                             | 182.88 | 193.04 | 99.06                          | 208.28 | 208.28 | 409.95         |
| Diplomat 6' Twin Kettle Floor                 | 2x48 oz | 1920      | 230/380V/50HZ | 8550<br>6250 | -    | 81.28                             | 182.88 | 193.04 | 99.06                          | 208.28 | 208.28 | 409.95         |
| Diplomat 6' Twin Kettle Floor<br>Pass Through | 2x48 oz | 1920      | 230/380V/50HZ | 8550<br>6250 | -    | 81.28                             | 182.88 | 193.04 | 99.06                          | 208.28 | 208.28 | 409.95         |
| Diplomat 3' Counter                           | 60 oz   | 1200      | 230/380V/50HZ | 8640         | -    | 71.12                             | 91.44  | 127.64 | 83.82                          | 104.14 | 148.59 | 135.00         |
| Diplomat 3' Floor                             | 60 oz   | 1,200     | 230/380V/50HZ | 8640         | -    | 71.12                             | 91.44  | 196.85 | 109.22                         | 109.22 | 208.28 | 204.75         |
| Diplomat 3' Floor Ventless                    | 60 oz   | 1200      | 230/380V/50HZ | 8640         | -    | 71.12                             | 91.44  | 210.82 | 109.22                         | 109.22 | 226.06 | 204.75         |
| Diplomat 3' Floor ANSUL                       | 60 oz   | 1200      | 230/380V/50HZ | 8640         | -    | 71.12                             | 91.44  | 196.85 | 109.22                         | 109.22 | 208.28 | 204.75         |
| Diplomat 4' Floor                             | 60 oz   | 1200      | 230/380V/50HZ | 8710         | -    | 81.28                             | 121.92 | 193.04 | 93.98                          | 142.24 | 208.28 | 236.25         |
| Diplomat 5' Floor                             | 60 oz   | 1200      | 230/380V/50HZ | 8710         | -    | 81.28                             | 152.40 | 193.04 | 93.98                          | 170.18 | 208.28 | 268.65         |
| Diplomat 6' Floor                             | 60 oz   | 1200      | 230/380V/50HZ | 8710         | -    | 81.28                             | 182.88 | 193.04 | 99.06                          | 208.28 | 208.28 | 409.95         |
| Diplomat 6' Twin Kettle Floor                 | 2x60 oz | 2400      | 230/380V/50HZ | 8550<br>6520 | -    | 81.28                             | 182.88 | 193.04 | 99.06                          | 208.28 | 208.28 | 409.95         |
| Diplomat 6' Twin Kettle Floor<br>Pass Through | 2x60 oz | 2400      | 230/380V/50HZ | 8550<br>6250 | -    | 81.28                             | 182.88 | 193.04 | 99.06                          | 208.28 | 208.28 | 409.95         |
| Diplomat 6' Twin Pop N' Roll                  | 2x60 oz | 2400      | 230/380V/50HZ | 8550<br>6250 | -    | 81.28                             | 182.88 | 196.85 | 99.06                          | 208.28 | 208.28 | 394.20         |
| Headliner Counter                             | 20 oz   | 400       | 230/380V/50HZ | 5200         | -    | 71.76                             | 91.44  | 119.38 | 83.82                          | 114.30 | 139.70 | 135.00         |
| Headliner Floor                               | 20 oz   | 400       | 230/380V/50HZ | 5200         | -    | 71.76                             | 91.44  | 187.96 | 109.22                         | 109.22 | 205.74 | 182.25         |
| Headliner Counter with sign                   | 32 oz   | 640       | 230/380V/50HZ | 6600         | -    | 71.76                             | 91.44  | 119.38 | 83.82                          | 104.14 | 142.24 | 137.25         |
| Headliner Floor with sign                     | 32 oz   | 640       | 230/380V/50HZ | 6600         | -    | 71.76                             | 91.44  | 187.96 | 109.22                         | 109.22 | 205.74 | 182.25         |

# LARGE POPPERS - SUSPENDED KETTLE (CONTINUED) EXPORT – CE MARK AVAILABLE

| ELECTRICAL               |        |           |               |       |      | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|--------------------------|--------|-----------|---------------|-------|------|-----------------------------------|--------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                  | KETTLE | SERVINGS* | VOLTAGE       | WATTS | AMPS | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| Mach 5 3' Counter        | 32 oz  | 640       | 230/380V/50HZ | 6185  | -    | 71.12                             | 91.44  | 135.89 | 83.82                          | 104.14 | 176.53 | 145.35         |
| Mach 5 3' Floor          | 32 oz  | 640       | 230/380V/50HZ | 6185  | -    | 71.12                             | 91.44  | 196.85 | 109.22                         | 109.22 | 210.82 | 200.25         |
| Mach 5 3' Floor Ventless | 32 oz  | 640       | 230/380V/50HZ | 6618  | -    | 71.12                             | 91.44  | 210.82 | 109.22                         | 109.22 | 226.06 | 200.25         |
| Mach 5 3' Floor ANSUL    | 32 oz  | 640       | 230/380V/50HZ | 6185  | -    | 71.12                             | 91.44  | 196.85 | 109.22                         | 109.22 | 210.82 | 200.25         |
| Mach 5 4' Floor          | 32 oz  | 640       | 230/380V/50HZ | 6185  | -    | 71.12                             | 124.46 | 190.50 | 93.98                          | 142.24 | 208.28 | 225.00         |
| Mach 5 5' Floor          | 32 oz  | 640       | 230/380V/50HZ | 6185  | -    | 82.55                             | 152.40 | 189.23 | 93.98                          | 170.18 | 208.28 | 265.50         |
| Mach 5 3' Counter        | 48 oz  | 960       | 230/380V/50HZ | 7735  | -    | 71.12                             | 91.44  | 135.89 | 83.82                          | 104.14 | 176.53 | 146.70         |
| Mach 5 3' Floor          | 48 oz  | 960       | 230/380V/50HZ | 7735  | -    | 71.12                             | 91.44  | 196.85 | 109.22                         | 109.22 | 210.82 | 200.25         |
| Mach 5 3' Floor Ventless | 48 oz  | 960       | 230/380V/50HZ | 8168  | -    | 71.12                             | 91.44  | 210.82 | 109.22                         | 109.22 | 226.06 | 200.25         |
| Mach 5 3' Floor ANSUL    | 48 oz  | 960       | 230/380V/50HZ | 7735  | -    | 71.12                             | 91.44  | 196.85 | 109.22                         | 109.22 | 210.82 | 200.25         |
| Mach 5 4' Floor          | 48 oz  | 960       | 230/380V/50HZ | 7735  | -    | 71.12                             | 124.46 | 190.50 | 93.98                          | 142.24 | 208.28 | 227.25         |
| Mach 5 5' Floor          | 48 oz  | 960       | 230/380V/50HZ | 7735  | -    | 82.55                             | 152.40 | 189.23 | 93.98                          | 170.18 | 208.28 | 269.10         |
| Mach 5 3' Counter        | 60 oz  | 1200      | 230/380V/50HZ | 7735  | -    | 71.12                             | 91.44  | 135.89 | 83.82                          | 104.14 | 176.53 | 146.70         |
| Mach 5 3' Floor          | 60 oz  | 1200      | 230/380V/50HZ | 7735  | -    | 71.12                             | 91.44  | 196.85 | 109.22                         | 109.22 | 210.82 | 200.25         |
| Mach 5 3' Floor Ventless | 60 oz  | 1200      | 230/380V/50HZ | 8168  | -    | 71.12                             | 91.44  | 210.82 | 109.22                         | 109.22 | 226.06 | 200.25         |
| Mach 5 3' Floor ANSUL    | 60 oz  | 1200      | 230/380V/50HZ | 7735  | -    | 71.12                             | 91.44  | 196.85 | 109.22                         | 109.22 | 210.82 | 200.25         |
| Mach 5 4' Floor          | 60 oz  | 1200      | 230/380V/50HZ | 7735  | -    | 71.12                             | 124.46 | 190.50 | 93.98                          | 142.24 | 208.28 | 228.60         |
| Mach 5 5' Floor          | 60 oz  | 1200      | 230/380V/50HZ | 7735  | -    | 82.55                             | 152.40 | 189.23 | 93.98                          | 170.18 | 208.28 | 269.10         |

\* 1 oz servings per hour

• Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

Add 750 watts for 32 oz stainless steel kettles.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.

# LARGE POPPERS - PEDESTAL STYLE EXPORT – CE MARK AVAILABLE

| ELECTRICAL                                        |         |           |           |              |        | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|---------------------------------------------------|---------|-----------|-----------|--------------|--------|-----------------------------------|--------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                                           | KETTLE  | SERVINGS* | VOLTAGE   | WATTS        | BTU    | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| <b>12 oz Giant</b>                                |         |           |           |              |        |                                   |        |        |                                |        |        |                |
| Giant Propane/Natural                             | 12 oz   | 240       | 230V/50HZ | 100          | 13,000 | 30.48                             | 35.56  | 60.96  | 38.10                          | 40.64  | 63.50  | 13.05          |
| Gas Giant Propane with 12V Battery                | 12 oz   | 240       | 12VDC     | 100          | 13,000 | 30.48                             | 35.56  | 60.96  | 38.10                          | 40.64  | 63.50  | 13.05          |
| Gas Popper on Cart                                | 12 oz   | 240       | 12VDC     | 100          | 13,000 | 45.72                             | 111.76 | 142.24 | 71.12                          | 119.38 | 154.94 | 83.25          |
| <b>20 oz Giant</b>                                |         |           |           |              |        |                                   |        |        |                                |        |        |                |
| Electric Giant & OEM Popper                       | 20 oz   | 400       | 230V/50HZ | 3800         | -      | 26.67                             | 26.67  | 69.85  | 63.50                          | 71.12  | 88.90  | 45.00          |
| Electric Giant Open Stadium Cabinet 5'            | 20 oz   | 400       | 230V/50HZ | 5100         | -      | 98.43                             | 152.40 | 160.02 | 114.30                         | 175.26 | 180.34 | 271.35         |
| Electric Giant Enclosed President Cabinet 4'      | 20 oz   | 400       | 230V/50HZ | 5100         | -      | 71.12                             | 121.92 | 190.50 | 93.98                          | 142.24 | 208.28 | 237.60         |
| Electric Giant Enclosed President Cabinet 5'      | 20 oz   | 400       | 230V/50HZ | 5100         | -      | 71.12                             | 152.40 | 190.50 | 93.98                          | 170.18 | 208.28 | 267.75         |
| Electric Giant Enclosed President Cabinet 6' Twin | 2x20 oz | 800       | 230V/50HZ | •            | -      | 71.12                             | 182.88 | 190.50 | 99.06                          | 213.36 | 182.88 | 303.75         |
| Electric Giant on Knock Down Table 3.5'           | 20 oz   | 400       | 230V/50HZ | 3800         | -      | 85.09                             | 106.68 | 154.94 | 99.06                          | 123.95 | 167.64 | 121.50         |
| Electric Giant on Knock Down Table 4.5'           | 20 oz   | 400       | 230V/50HZ | 3800         | -      | 77.47                             | 134.62 | 156.21 | 99.06                          | 146.30 | 167.64 | 135.00         |
| Electric Giant on Knock Down Table 6'             | 20 oz   | 400       | 230V/50HZ | 3800         | -      | 84.46                             | 173.99 | 156.21 | 99.06                          | 195.58 | 167.64 | 175.50         |
| Electric Giant on Knock Down Table 6' Twin        | 2x20 oz | 800       | 230V/50HZ | 3800<br>3800 | -      | 84.46                             | 201.93 | 156.21 | 99.06                          | 220.98 | 170.18 | 254.25         |
| <b>32 oz Giant</b>                                |         |           |           |              |        |                                   |        |        |                                |        |        |                |
| Electric Giant & OEM Popper                       | 32 oz   | 640       | 230V/50HZ | 5200         | -      | 45.72                             | 58.42  | 82.55  | 63.50                          | 71.12  | 88.90  | 52.20          |
| Gas Giant Propane/Natural *Equipped for Pump      | 32 oz   | 640       | 230V/50HZ | 160          | 31,000 | 62.23                             | 47.63  | 81.28  | 63.50                          | 68.58  | 87.63  | 46.80          |
| Electric Giant Open Stadium Cabinet 5'            | 32 oz   | 640       | 230V/50HZ | 6650         | -      | 71.12                             | 152.40 | 160.02 | 99.06                          | 175.26 | 180.34 | 226.35         |
| Electric Giant Enclosed President Cabinet 4'      | 32 oz   | 640       | 230V/50HZ | 7150         | -      | 71.12                             | 121.92 | 190.50 | 93.98                          | 142.24 | 208.28 | 237.60         |
| Electric Giant Enclosed President Cabinet 5'      | 32 oz   | 640       | 230V/50HZ | 6650         | -      | 71.12                             | 152.40 | 190.50 | 93.98                          | 170.18 | 208.28 | 268.65         |
| Electric Giant Enclosed President Cabinet 6' Twin | 2x32 oz | 1280      | 230V/50HZ | 6800<br>5200 | -      | 71.12                             | 182.88 | 190.50 | 99.06                          | 213.36 | 208.28 | 303.75         |
| Electric Giant Enclosed President No Top 4'       | 32 oz   | 640       | 230V/50HZ | 6250         | -      | 71.12                             | 121.92 | 168.28 | 99.06                          | 144.78 | 182.88 | 220.50         |
| Electric Giant Enclosed President No Top 5'       | 32 oz   | 640       | 230V/50HZ | 6250         | -      | 71.12                             | 152.40 | 168.28 | 99.06                          | 175.26 | 182.88 | 220.50         |

# LARGE POPPERS - PEDESTAL STYLE (CONTINUED) EXPORT – CE MARK AVAILABLE

| ELECTRICAL                                               |         |           |           |              |                | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|----------------------------------------------------------|---------|-----------|-----------|--------------|----------------|-----------------------------------|--------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                                                  | KETTLE  | SERVINGS* | VOLTAGE   | WATTS        | BTU            | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| Electric Giant<br>Enclosed President No Top 6' Twin      | 2x32 oz | 1280      | 230V/50HZ | 6800<br>5200 | -              | 71.12                             | 182.88 | 168.28 | 99.06                          | 213.36 | 182.88 | 220.50         |
| Electric Giant<br>on Knock Down Table 3.5'               | 32 oz   | 640       | 230V/50HZ | 5200         | -              | 85.09                             | 106.68 | 154.94 | 99.06                          | 121.92 | 167.64 | 121.50         |
| Electric Giant<br>on Knock Down Table 4.5'               | 32 oz   | 640       | 230V/50HZ | 5200         | -              | 77.47                             | 134.62 | 156.21 | 99.06                          | 146.05 | 165.10 | 135.00         |
| Electric Giant<br>on Knock Down Table 6'                 | 32 oz   | 640       | 230V/50HZ | 5200         | -              | 84.46                             | 177.80 | 156.21 | 99.06                          | 195.58 | 172.72 | 175.50         |
| Electric Giant<br>on Knock Down Table 6' Twin            | 2x32 oz | 1280      | 230V/50HZ | 5200<br>5200 | -              | 84.46                             | 205.74 | 156.21 | 93.98                          | 220.98 | 167.64 | 254.25         |
| Gas Giant Propane/Natural<br>on Knock Down Table 3.5'    | 32 oz   | 640       | 230V/50HZ | 160          | 3,100          | 85.09                             | 119.38 | 154.94 | 99.06                          | 128.27 | 167.64 | 128.70         |
| Gas Giant Propane/Natural<br>on Knock Down Table 4.5'    | 32 oz   | 640       | 230V/50HZ | 160          | 3,100          | 77.47                             | 147.32 | 156.21 | 99.06                          | 146.05 | 165.10 | 164.25         |
| Gas Giant Propane/Natural<br>on Knock Down Table 6'      | 32 oz   | 640       | 230V/50HZ | 160          | 3,100          | 84.46                             | 182.88 | 156.21 | 99.06                          | 203.20 | 165.10 | 164.25         |
| Gas Giant Propane/Natural<br>on Knock Down Table 6' Twin | 2x32 oz | 1280      | 230V/50HZ | 160<br>160   | 3,100<br>3,100 | 85.22                             | 259.08 | 156.21 | 99.06                          | 265.43 | 172.72 | 247.50         |
| <b>48 oz Giant</b>                                       |         |           |           |              |                |                                   |        |        |                                |        |        |                |
| Giant & OEM Popper                                       | 48 oz   | 960       | 230V/50HZ | 6800         | -              | 45.72                             | 58.42  | 82.55  | 63.50                          | 71.12  | 88.90  | 52.20          |
| Electric Giant<br>Open Stadium Cabinet 5'                | 48 oz   | 960       | 230V/50HZ | 8200         | -              | 71.12                             | 60.00  | 63.00  | 39.00                          | 69.00  | 71.00  | 234.00         |
| Electric Giant<br>Enclosed President Cabinet 4'          | 48 oz   | 960       | 230V/50HZ | 8200         | -              | 71.12                             | 121.92 | 190.50 | 99.06                          | 144.78 | 208.28 | 237.60         |
| Electric Giant<br>Enclosed President Cabinet 5'          | 48 oz   | 960       | 230V/50HZ | 8200         | -              | 71.12                             | 152.40 | 190.50 | 96.52                          | 175.26 | 208.28 | 245.70         |
| Electric Giant<br>Enclosed President Cabinet 6' Twin     | 2x48 oz | 1920      | 230V/50HZ | 8350<br>6800 | -              | 71.12                             | 182.88 | 193.04 | 99.06                          | 213.36 | 208.28 | 392.40         |
| Electric Giant<br>Enclosed President No Top 4'           | 48 oz   | 960       | 230V/50HZ | 8000         | -              | 71.12                             | 121.92 | 168.91 | 99.06                          | 144.78 | 182.88 | 220.50         |
| Electric Giant<br>Enclosed President No Top 5'           | 48 oz   | 960       | 230V/50HZ | 8000         | -              | 71.12                             | 152.40 | 168.91 | 99.06                          | 175.26 | 182.88 | 222.75         |
| Electric Giant<br>Enclosed President No Top 6' Twin      | 2x48 oz | 1920      | 230V/50HZ | 8350<br>6800 | -              | 71.12                             | 182.88 | 169.04 | 99.06                          | 213.36 | 182.88 | 351.00         |
| Electric Giant<br>on Knock Down Table 3.5'               | 48 oz   | 960       | 230V/50HZ | 6800         | -              | 85.09                             | 106.68 | 154.94 | 99.06                          | 121.92 | 167.64 | 121.50         |
| Electric Giant<br>on Knock Down Table 4.5'               | 48 oz   | 960       | 230V/50HZ | 6800         | -              | 77.47                             | 134.62 | 156.21 | 99.06                          | 146.30 | 165.10 | 135.00         |
| Electric Giant<br>on Knock Down Table 6'                 | 48 oz   | 960       | 230V/50HZ | 6800         | -              | 84.46                             | 177.80 | 156.21 | 99.06                          | 195.58 | 172.72 | 175.50         |
| Electric Giant<br>on Knock Down Table 6' Twin            | 2x48 oz | 1920      | 230V/50HZ | 6800<br>6800 | -              | 84.46                             | 205.74 | 156.21 | 93.98                          | 220.98 | 167.64 | 254.25         |

# LARGE POPPERS - PEDESTAL STYLE (CONTINUED) EXPORT – CE MARK AVAILABLE

| ELECTRICAL                                               |         |           |           |              |                  | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|----------------------------------------------------------|---------|-----------|-----------|--------------|------------------|-----------------------------------|--------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                                                  | KETTLE  | SERVINGS* | VOLTAGE   | WATTS        | BTU              | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| <b>60 oz Giant</b>                                       |         |           |           |              |                  |                                   |        |        |                                |        |        |                |
| Giant & OEM Popper                                       | 60 oz   | 1200      | 230V/50HZ | 6800         | -                | 45.72                             | 58.42  | 82.55  | 63.50                          | 71.12  | 88.90  | 52.20          |
| Gas Giant Propane/Natural<br>*Equipped for Pump          | 60 oz   | 1200      | 230V/50HZ | 160          | 50,000           | 53.98                             | 53.34  | 83.82  | 63.50                          | 68.58  | 87.63  | 51.75          |
| Electric Giant<br>Open Stadium Cabinet 5'                | 60 oz   | 1200      | 230V/50HZ | 8200         | -                | 71.12                             | 152.40 | 160.02 | 99.06                          | 175.26 | 180.34 | 234.00         |
| Electric Giant<br>Enclosed President Cabinet 4'          | 60 oz   | 1200      | 230V/50HZ | 8200         | -                | 71.12                             | 121.92 | 193.04 | 99.06                          | 144.78 | 208.28 | 237.60         |
| Electric Giant<br>Enclosed President Cabinet 5'          | 60 oz   | 1200      | 230V/50HZ | 8200         | -                | 71.12                             | 152.40 | 193.04 | 99.06                          | 175.26 | 208.28 | 258.75         |
| Electric Giant<br>Enclosed President Cabinet 6' Twin     | 2x60 oz | 2400      | 230V/50HZ | 8350<br>6800 | -                | 71.12                             | 182.88 | 193.04 | 99.06                          | 213.36 | 208.28 | 392.40         |
| Electric Giant<br>Enclosed President No Top 4'           | 60 oz   | 1200      | 230V/50HZ | •            | -                | 71.12                             | 121.92 | 168.91 | 99.06                          | 144.78 | 182.88 | 220.50         |
| Electric Giant<br>Enclosed President No Top 5'           | 60 oz   | 1200      | 230V/50HZ | 8000         | -                | 71.12                             | 152.40 | 168.91 | 99.06                          | 175.26 | 182.88 | 245.70         |
| Electric Giant<br>Enclosed President No Top 6' Twin      | 2x60 oz | 2400      | 230V/50HZ | 8350<br>6800 | -                | 71.12                             | 182.88 | 168.91 | 99.06                          | 213.36 | 182.88 | 351.00         |
| Electric Giant<br>on Knock Down Table 3.5'               | 60 oz   | 1200      | 230V/50HZ | 6800         | -                | 85.09                             | 106.68 | 154.94 | 99.06                          | 121.92 | 167.64 | 121.50         |
| Electric Giant<br>on Knock Down Table 4.5'               | 60 oz   | 1200      | 230V/50HZ | 6800         | -                | 77.47                             | 134.62 | 156.21 | 99.06                          | 144.78 | 165.10 | 135.00         |
| Electric Giant<br>on Knock Down Table 6'                 | 60 oz   | 1200      | 230V/50HZ | 6800         | -                | 84.46                             | 176.53 | 156.21 | 99.06                          | 195.58 | 172.72 | 175.95         |
| Electric Giant<br>on Knock Down Table 6' Twin            | 2x60 oz | 2400      | 230V/50HZ | 6800<br>6800 | -                | 85.09                             | 205.74 | 156.21 | 93.98                          | 215.90 | 168.91 | 254.25         |
| Gas Giant Propane/Natural<br>on Knock Down Table 3.5'    | 60 oz   | 1200      | 230V/50HZ | 160          | 50,000           | 84.46                             | 119.38 | 157.48 | 99.06                          | 135.89 | 167.64 | 128.70         |
| Gas Giant Propane/Natural<br>on Knock Down Table 6'      | 60 oz   | 1200      | 230V/50HZ | 160          | 50,000           | 84.46                             | 182.88 | 156.21 | 99.06                          | 195.58 | 175.26 | 164.25         |
| Gas Giant Propane/Natural<br>on Knock Down Table 6' Twin | 2x60 oz | 2400      | 230V/50HZ | 160<br>160   | 50,000<br>50,000 | 84.46                             | 233.68 | 160.02 | 99.06                          | 243.84 | 177.80 | 264.15         |

\* 1 oz servings per hour

• Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers.

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

OEM Poppers are designed with an extra set of switches that control other cabinet features (fan and lights).

All Giant poppers available in left hand or right hand dump.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.

# GOURMET COOKING EQUIPMENT EXPORT – CE MARK AVAILABLE

| ELECTRICAL                                                                   |                |           |              | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |                |                | SHIP<br>WEIGHT |               |
|------------------------------------------------------------------------------|----------------|-----------|--------------|-----------------------------------|--------|--------|--------------------------------|----------------|----------------|----------------|---------------|
| MACHINE                                                                      | KETTLE         | VOLTAGE   | WATTS        | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH          | HEIGHT         | kg             |               |
| Double Feature<br>12 oz dual Caramelizer and Popper                          | 12 oz          | 230V/50HZ | 1740         | 48.26                             | 43.18  | 85.09  | 58.42                          | 53.34          | 91.44          | •              |               |
| Receiving Tray                                                               | -              | -         | -            | 66.04                             | 66.04  | 17.78  | 76.20                          | 76.72          | 25.4           | •              |               |
| CMD25 Caramelizer                                                            | -              | 230V/50HZ | 3000         | 53.34                             | 40.64  | 71.12  | 63.50                          | 71.12          | 88.90          | 51.75          |               |
| CMD25 Caramelizer<br>on 6' Knock Down Table                                  | -              | 230V/50HZ | 3000         | 85.09                             | 180.34 | 152.40 | 99.06                          | 220.98         | 167.64         | 173.25         |               |
| CMD25 Caramelizer<br>on 6' Cooling Table with Fan                            | -              | 230V/50HZ | 3140         | 85.09                             | 180.34 | 152.40 | 99.06                          | 220.98         | 167.64         | 173.25         |               |
| CMD25 Twin Caramelizer<br>on 6' Twin Knock Down Table                        | -              | 230V/50HZ | 6000         | 85.09                             | 212.09 | 158.75 | 93.98                          | 220.98         | 167.64         | 258.75         |               |
| CMD25* Twin Caramelizer<br>on 6' Twin Cooling Table with Fan                 | -              | 230V/50HZ | 6140         | 85.09                             | 212.09 | 158.75 | 93.98                          | 220.98         | 167.64         | 258.75         |               |
| CMD25* Caramelizer and 32 oz Giant<br>on 6' Twin Knock Down Table            | CMD25<br>32 oz | 230V/50HZ | 3000<br>5200 | 85.09                             | 212.09 | 158.75 | 93.98                          | 220.98         | 167.64         | 247.50         |               |
| CMD25* Caramelizer and 32 oz Giant<br>on 6' Twin Cooling Table with Fan      | CMD25<br>32 oz | 230V/50HZ | 3140<br>5200 | 85.09                             | 212.09 | 158.75 | 93.98                          | 220.98         | 167.64         | 225.00         |               |
| CMD25* Caramelizer and 48 oz Giant<br>on 6' Twin Knock Down Table            | CMD25<br>48 oz | 230V/50HZ | 3000<br>6800 | 85.09                             | 212.09 | 165.10 | 93.98                          | 220.98         | 167.64         | 225.00         |               |
| CMD25* Caramelizer and 48 oz Giant<br>on 6' Twin Cooling Table with Fan      | CMD25<br>48 oz | 230V/50HZ | 3140<br>6800 | 83.82                             | 210.82 | 165.10 | 93.98                          | 220.98         | 167.64         | 247.50         |               |
| CMD25* Caramelizer and 60 oz Giant<br>on 6' Twin Cooling Table               | CMD25<br>60 oz | 230V/50HZ | 3000<br>6800 | 83.82                             | 210.82 | 167.64 | 93.98                          | 220.98         | 167.64         | 247.50         |               |
| CMD25* Caramelizer and 60 oz Giant<br>on 6' Twin Cooling Table with Fan      | CMD25<br>60 oz | 230V/50HZ | 3140<br>6800 | 83.82                             | 210.82 | 167.64 | 93.98                          | 220.98         | 167.64         | 247.50         |               |
| CMD50 Caramelizer                                                            | -              | 230V/50HZ | 3500         | 60.96                             | 49.53  | 78.74  | Box 1<br>Box 2                 | 71.12<br>33.02 | 63.50<br>33.02 | 88.90<br>33.02 | 56.25<br>2.25 |
| CMD50 Twin Caramelizer<br>on 6' Twin Cooling Table with Fan                  | -              | 230V/50HZ | 3640<br>3500 | 83.82                             | 182.25 | 151.13 | 93.98                          | 220.98         | 167.64         | 258.75         |               |
| CMD100 Caramelizer (5' tall frame)                                           | -              | 230V/50HZ | 8220         | 83.82                             | 106.68 | 170.18 | 99.06                          | 152.40         | 180.34         | 260.10         |               |
| CMD100 Caramelizer on Cooling Table<br>(6' table attaches to frame) with fan | -              | 230V/50HZ | 8250         | 88.90                             | 246.38 | 165.10 | 99.06                          | 152.40         | 177.80         | 260.10         |               |
| Coater Mixer Tumbler - Commercial                                            | -              | 230V/50HZ | 325          | 63.50                             | 66.04  | 76.20  | Box 1<br>Box 2                 | 48.26<br>55.88 | 60.96<br>55.88 | 81.28<br>50.80 | 18.00<br>7.20 |
| Coater Mixer Tumbler - Retail                                                | -              | 230V/50HZ | 163          | 63.50                             | 66.04  | 76.20  | Box 1<br>Box 2                 | 48.26<br>55.88 | 60.96<br>55.88 | 81.28<br>50.80 | 18.00<br>7.20 |
| Cooling Cart with Removeable Bin                                             | -              | -         | -            | 38.10                             | 66.04  | 53.34  | 50.80                          | 76.20          | 60.96          | 13.50          |               |
| 7 qt Countertop Cheese Warmer                                                | 7 qt           | 230V/50HZ | 550          | -                                 | 30.48  | 24.77  | •                              | •              | •              | •              |               |
| 11 qt Countertop Cheese Warmer                                               | 11 qt          | 230V/50HZ | 750          | -                                 | 34.93  | 24.77  | •                              | •              | •              | •              |               |

\* Also available with CMD50 in place of CMD25. For CMD50 option, add 500 watts to listed CMD25 wattage

• Contact Cretors for details

Contact Cretors for machine agency approval listings.

## HOT AIR POPPERS AND PUFFERS EXPORT – CE MARK AVAILABLE

| ELECTRICAL                         |        |           |               |        |      | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|------------------------------------|--------|-----------|---------------|--------|------|-----------------------------------|--------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                            | KETTLE | SERVINGS* | VOLTAGE       | WATTS  | AMPS | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| Poppi                              | 12 oz  | 240       | 230V/50HZ     | 3250   | 30   | 42.55                             | 47.63  | 86.36  | 55.88                          | 60.96  | 101.60 | •              |
| Model 40 Continuous Hot Air Popper | -      | 40 lb     | 230/380V/50HZ | 10,000 | -    | 81.28                             | 166.37 | 162.56 | 96.52                          | 177.80 | 175.26 | •              |
| Model 40 Continuous Hot Air Puffer | -      | 40 lb     | 230/380V/50HZ | 10,000 | -    | 81.28                             | 166.37 | 162.56 | 96.52                          | 177.80 | 175.26 | •              |
| OriginatAir                        | -      | 40 lb     | 230/380V/50HZ | 10,000 | -    | 81.28                             | 207.36 | 162.56 | 96.52                          | 220.98 | 175.26 | •              |

## CORNDITIONER AND DISPLAY CABINETS EXPORT – CE MARK AVAILABLE

| ELECTRICAL                                            |              |  |       |      | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|-------------------------------------------------------|--------------|--|-------|------|-----------------------------------|--------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                                               | VOLTAGE      |  | WATTS | AMPS | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| 20" Counter Showcase Cornditioner                     | 230V/50HZ    |  | 555   | 2.4  | 76.20                             | 50.80  | 68.58  | 83.82                          | 63.50  | 88.90  | 85.50          |
| 36" Counter Showcase Cornditioner                     | 230V/50HZ    |  | 555   | 2.4  | 76.20                             | 91.44  | 68.58  | 83.82                          | 104.14 | 86.36  | 87.75          |
| 36" Counter Showcase Cornditioner (shallow depth)     | 230V/50HZ    |  | 555   | 2.4  | 54.61                             | 91.44  | 68.58  | 83.82                          | 104.14 | 86.36  | 87.75          |
| Counter Showcase 48"                                  | 230V/50HZ    |  | 555   | 2.4  | 76.20                             | 121.92 | 68.58  | 83.82                          | 134.62 | 86.36  | 113.85         |
| Modular Showcase"                                     | 230V/50HZ    |  | 1490  | 6.5  | 62.23                             | 91.44  | 129.54 | 83.82                          | 104.14 | 139.70 | 88.65          |
| Combination Modular and Counter Showcase Cornditioner | 230V/50HZ    |  | 2045  | 8.9  | 77.47                             | 91.44  | 193.04 | 93.98                          | 106.68 | 213.36 | 174.15         |
| Diplomat Self Serve 24" Cornditioner                  | 230V/50/60HZ |  | 950   | 4.13 | 60.96                             | 60.96  | 101.60 | 76.20                          | 76.20  | 116.84 | 135.00         |
| Diplomat Self Serve 48" Cornditioner                  | 230V/50HZ    |  | 1450  | 6.3  | 73.66                             | 121.92 | 147.32 | 99.06                          | 144.78 | 172.72 | 192.60         |
| Dipolomat Showcase Cabinet                            | 230V/50HZ    |  | 2000  | 8.7  | 71.12                             | 91.44  | 109.86 | 83.82                          | 104.14 | 139.70 | 101.25         |
| Mobil Roc N' Roll Cornditioner                        | 230V/50HZ    |  | 1310  | 5.69 | 66.04                             | 76.20  | 77.47  | 86.36                          | 88.90  | 93.98  | 70.20          |
| Bulk Cabinet                                          | 230V/50HZ    |  | 450   | 1.9  | 48.26                             | 48.26  | 68.58  | 55.88                          | 55.88  | 76.20  | 30.60          |
| Popcorn Display Cabinet                               | 230V/50HZ    |  | 80    | 0.35 | 36.20                             | 36.20  | 60.96  | 48.26                          | 48.26  | 76.20  | 13.50          |
| Pretzel Display Cabinet                               | 230V/50HZ    |  | 130   | 0.57 | 36.20                             | 36.20  | 60.96  | 48.26                          | 48.26  | 76.20  | 13.50          |
| Churro Display Cabinet                                | 230V/50HZ    |  | 130   | 0.57 | 36.20                             | 36.20  | 60.96  | 48.26                          | 48.26  | 76.20  | 13.50          |

For Canada: 5-15 plug is max 1440 watts

• Contact Cretors for details

Contact Cretors for machine agency approval listings.

## TOPPERS AND DISPENSERS EXPORT – CE MARK AVAILABLE

| ELECTRICAL                                                           |           |       |      | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|----------------------------------------------------------------------|-----------|-------|------|-----------------------------------|--------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                                                              | VOLTAGE   | WATTS | AMPS | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| 36" Integrated Butter Topper                                         | 230V/50HZ | 1050  | 4.6  | 76.20                             | 91.44  | 114.30 | 83.82                          | 104.14 | 86.36  | 96.30          |
| 48" Integrated Butter Topper                                         | 230V/50HZ | 1050  | 4.6  | 76.20                             | 121.92 | 114.30 | 83.82                          | 134.62 | 86.36  | 101.25         |
| Bag-in-Box Butter Topper<br>(holds 2-35 lb Boxes of oil)             | 230V/50HZ | 275   | 1.2  | 45.72                             | 35.56  | 41.91  | 53.34                          | 43.18  | 63.50  | 20.25          |
| Mini Butter Topper                                                   | 230V/50HZ | 380   | 1.7  | 55.88                             | 20.83  | 46.48  | 66.04                          | 33.02  | 58.42  | 13.05          |
| Countertop Butter Topper (auto)<br>(accommodates one 2.5 gallon bag) | 230V/50HZ | 380   | 1.7  | 63.50                             | 29.21  | 45.09  | 73.66                          | 43.18  | 58.42  | 15.30          |

## NACHO EQUIPMENT EXPORT – CE MARK AVAILABLE

| ELECTRICAL                       |           |       |      | MACHINE DIMENSIONS<br>CENTIMETERS |       |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|----------------------------------|-----------|-------|------|-----------------------------------|-------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                          | VOLTAGE   | WATTS | AMPS | LENGTH                            | WIDTH | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| Nacho Cheese Pump with Sign      | 230V/50HZ | 645   | 2.7  | 45.72                             | 30.48 | 47.63  | 63.50                          | 43.18  | 71.12  | 20.70          |
| Condiment Dispenser              | 230V/50HZ | 400   | 1.74 | 40.64                             | 16.51 | 50.80  | 48.26                          | 48.26  | 76.20  | 13.50          |
| Nacho Bulk Cornditioner Cabinet  | 230V/50HZ | 450   | 1.9  | 48.26                             | 48.26 | 68.58  | 55.88                          | 55.88  | 76.20  | 30.60          |
| Nacho Alto Cornditioner Cabinet  | 230V/50HZ | 550   | 2.39 | 48.26                             | 46.99 | 92.08  | 58.42                          | 58.42  | 68.58  | 20.25          |
| Mas Grande Cornditioner Cabinet  | 230V/50HZ | 1050  | 4.6  | 58.42                             | 88.27 | 78.74  | 68.58                          | 99.06  | 86.36  | 41.40          |
| Nacho Pequeno Cabinet            | 230V/50HZ | 120   | 0.52 | 36.20                             | 36.20 | 61.60  | 48.26                          | 48.26  | 76.20  | 13.50          |
| Nacho Tray Cornditioner Cabinet  | 230V/50HZ | 450   | 1.9  | 48.26                             | 48.26 | 68.58  | 55.88                          | 55.88  | 76.20  | 30.60          |
| Portion Pak Cornditioner Cabinet | 230V/50HZ | 425   | 1.8  | 41.91                             | 33.02 | 48.26  | 43.18                          | 53.34  | 63.50  | 20.25          |
| Nacho Chip Case                  | 230V/50HZ | 80    | 0.35 | 116.13                            | 77.42 | 120.97 | 161.29                         | 109.68 | 180.64 | 9.32           |

## HOT DOG GRILLS AND BUN WARMERS EXPORT – CE MARK AVAILABLE

| ELECTRICAL                 |                              |           |       |      | MACHINE DIMENSIONS<br>CENTIMETERS |       |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|----------------------------|------------------------------|-----------|-------|------|-----------------------------------|-------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                    | APPROXIMATE CAPACITY         | VOLTAGE   | WATTS | AMPS | LENGTH                            | WIDTH | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| HD24 Hot Dog Grill         | 24 at once/<br>144 per hour* | 230V/50HZ | 1000  | 4.3  | 55.88                             | 55.88 | 20.32  | 66.04                          | 60.96  | 30.48  | 19.8           |
| HD24 Bun Warmer            | 36 buns                      | 230V/50HZ | 250   | 1.09 | 48.26                             | 50.17 | 25.40  | 66.04                          | 60.96  | 30.48  | 22.95          |
| Stackable Hot Dog Stand    | -                            | 230V/50HZ | 8     | .03  | 55.88                             | 45.72 | 45.09  | 66.04                          | 55.88  | 55.88  | •              |
| HD36 Hot Dog Grill         | 36 at once/<br>216 per hour* | 230V/50HZ | 1850  | 7.6  | 60.96                             | 90.17 | 24.13  | 71.12                          | 101.60 | 33.02  | 41.85          |
| HD36 Bun Warmer            | 55 buns                      | 230V/50HZ | 350   | 1.4  | 53.34                             | 86.36 | 19.69  | 66.04                          | 101.60 | 25.40  | 32.85          |
| Hot Dog Broiler and Warmer | 36 hot dogs/48 buns          | 230V/50HZ | 1200  | 5.2  | 63.50                             | 90.17 | 43.18  | 73.66                          | 99.06  | 50.80  | 31.5           |

\* 5 to 1 hot dogs – 5 hot dogs per pound

• Contact Cretors for details

Contact Cretors for machine agency approval listings.

## PIZZA EQUIPMENT EXPORT – CE MARK AVAILABLE

| ELECTRICAL                 |           |       |      | MACHINE DIMENSIONS<br>CENTIMETERS |       |        | SHIP DIMENSIONS<br>CENTIMETERS |       |        | SHIP<br>WEIGHT |
|----------------------------|-----------|-------|------|-----------------------------------|-------|--------|--------------------------------|-------|--------|----------------|
| MACHINE                    | VOLTAGE   | WATTS | AMPS | LENGTH                            | WIDTH | HEIGHT | LENGTH                         | WIDTH | HEIGHT | kg             |
| Pizza Oven                 | 230V/50HZ | 900   | 3.91 | 60.96                             | 50.80 | 35.56  | 76.20                          | 76.20 | 99.06  | 49.50          |
| Pizza Warmer               | 230V/50HZ | 550   | 2.4  | 58.42                             | 51.44 | 76.20  | 76.20                          | 76.20 | 91.44  | 45.00          |
| Pizza Oven and Warmer Unit | 230V/50HZ | 1440  | 6.3  | 60.96                             | 50.80 | 97.79  | 96.52                          | 83.82 | 132.08 | 72.00          |

For Canada: 5-15 plug is max 1440 watts

## COTTON CANDY EQUIPMENT EXPORT – CE MARK AVAILABLE

| ELECTRICAL                                     |                         |           |       |      | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |                |                | SHIP<br>WEIGHT |               |
|------------------------------------------------|-------------------------|-----------|-------|------|-----------------------------------|--------|--------|--------------------------------|----------------|----------------|----------------|---------------|
| MACHINE                                        | APPROXIMATE<br>CAPACITY | VOLTAGE   | WATTS | AMPS | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH          | HEIGHT         | kg             |               |
| Ringmaster Lite 5" Floss Head<br>includes bowl | 8-10 lb/hour            | 230V/50HZ | 1250  | 5.4  | 33.66                             | 33.02  | 43.82  | Box 1<br>Box 2                 | 40.64<br>78.74 | 40.64<br>78.74 | 50.80<br>30.48 | 13.50<br>9.90 |
| Ringmaster 5" Floss Head<br>includes bowl      | 10-12 lb/hour           | 230V/50HZ | 1700  | 7.4  | 52.07                             | 34.29  | 43.82  | Box 1<br>Box 2                 | 63.50<br>78.74 | 40.64<br>78.74 | 55.88<br>30.48 | 23.85<br>9.90 |
| Ringmaster 7" Floss Head<br>includes bowl      | 15-18 lb/hour           | 230V/50HZ | 2350  | 9.8  | 53.34                             | 34.29  | 44.45  | Box 1<br>Box 2                 | 63.50<br>78.74 | 40.64<br>78.74 | 55.88<br>30.48 | 24.75<br>9.90 |
| Stationary Cabinet                             | -                       | 230V/50HZ | 130   | 0.56 | 69.85                             | 69.85  | 181.61 |                                | 86.36          | 88.90          | 195.58         | 112.50        |
| 2-Wheel Cotton Candy Wagon                     | -                       | -         | -     | -    | 71.12                             | 101.60 | 76.20  |                                | 76.20          | 116.84         | 83.82          | 51.75         |
| 2-Wheel Cotton Candy<br>Knock Down Wagon       | -                       | -         | -     | -    | 71.12                             | 101.60 | 76.20  |                                | 62.23          | 60.96          | 27.94          | 24.30         |

## ICE AND FOOD SHAVERS EXPORT – CE MARK AVAILABLE

| ELECTRICAL              |               |           |       |      | MACHINE DIMENSIONS<br>CENTIMETERS |       |        | SHIP DIMENSIONS<br>CENTIMETERS |       |        | SHIP<br>WEIGHT |
|-------------------------|---------------|-----------|-------|------|-----------------------------------|-------|--------|--------------------------------|-------|--------|----------------|
| MACHINE                 | CAPACITY/HR   | VOLTAGE   | WATTS | AMPS | LENGTH                            | WIDTH | HEIGHT | LENGTH                         | WIDTH | HEIGHT | kg             |
| Food Shaver             | Up to 500 lb  | 230V/50HZ | 828   | 3.6  | 48.26                             | 35.56 | 38.10  | 68.58                          | 43.18 | 40.64  | 19.8           |
| Electric Shaver         | Up to 500 lb  | 230V/50HZ | 828   | 3.6  | 48.26                             | 35.56 | 38.10  | 68.58                          | 43.18 | 40.64  | 19.8           |
| Gas Shaver              | Up to 500 lb  | -         | -     | -    | 71.12                             | 53.34 | 52.07  | 71.12                          | 58.42 | 55.88  | 31.5           |
| Battery Shaver          | Up to 500 lb  | -         | -     | -    | 68.58                             | 43.18 | 38.10  | 66.04                          | 43.18 | 40.64  | 20.25          |
| Big Max Shaver          | Up to 1500 lb | 230V/50HZ | 828   | 3.6  | 43.18                             | 58.42 | 45.72  | 55.88                          | 71.12 | 58.42  | 40.05          |
| Microflake              | Up to 500 lb  | 230V/50HZ | 351   | 1.53 | 35.56                             | 48.26 | 50.80  | 50.80                          | 58.42 | 73.66  | 31.5           |
| Ice Shaver Display Case | -             | 230V/50HZ | 8     | 0.03 | 35.56                             | 48.26 | 48.26  | 40.64                          | 53.34 | 55.88  | 8.55           |
| Paneled Counter Stand   | -             | -         | -     | -    | 38.10                             | 48.26 | 30.48  | 40.64                          | 53.34 | 33.02  | 3.15           |
| Open Counter Stand      | -             | -         | -     | -    | 38.10                             | 48.26 | 30.48  | 40.64                          | 53.34 | 33.02  | 3.15           |

Contact Cretors for machine agency approval listings.

## WAGON BASES EXPORT – CE MARK AVAILABLE

|                                                  |        |        |        | MACHINE DIMENSIONS<br>CENTIMETERS |        |        | SHIP DIMENSIONS<br>CENTIMETERS |        |        | SHIP<br>WEIGHT |
|--------------------------------------------------|--------|--------|--------|-----------------------------------|--------|--------|--------------------------------|--------|--------|----------------|
| MACHINE                                          | LENGTH | WIDTH  | HEIGHT | LENGTH                            | WIDTH  | HEIGHT | LENGTH                         | WIDTH  | HEIGHT | kg             |
| Antique Red Goldrush 2-Wheel Wagon               | 52.71  | 102.87 | 79.38  | 58.42                             | 109.22 | 86.36  | 58.42                          | 109.22 | 86.36  | 27.90          |
| Red Goldrush Two-Wheel Knock Down Wagon          | 52.71  | 104.78 | 79.38  | 53.98                             | 53.98  | 35.56  | 53.98                          | 53.98  | 35.56  | 21.15          |
| Red Goldrush Two-Wheel Knock Down Wagon – UPS    | 52.71  | 104.78 | 79.38  | 48.26                             | 60.96  | 81.28  | 48.26                          | 60.96  | 81.28  | 24.30          |
| Nite Club Black Two-Wheel Wagon                  | 52.71  | 104.78 | 79.38  | 58.42                             | 109.22 | 86.36  | 58.42                          | 109.22 | 86.36  | 28.35          |
| Nite Club Black Two-Wheel Knock Down Wagon       | 52.71  | 104.78 | 79.38  | 55.88                             | 58.42  | 33.02  | 55.88                          | 58.42  | 33.02  | 21.60          |
| Nite Club Black Two-Wheel Knock Down Wagon - UPS | 52.71  | 104.78 | 79.38  | 48.26                             | 60.96  | 91.44  | 48.26                          | 60.96  | 91.44  | 24.30          |
| Antique Red T-2000 Two-Wheel Wagon               | 71.12  | 106.05 | 81.92  | 78.74                             | 116.84 | 93.98  | 78.74                          | 116.84 | 93.98  | 49.05          |
| Antique Red T-3000 Two-Wheel Wagon               | 71.12  | 113.03 | 81.28  | 76.20                             | 116.84 | 91.44  | 76.20                          | 116.84 | 91.44  | 49.05          |
| Antique Red Profiteer Two-Wheel Wagon            | 71.12  | 102.87 | 84.46  | 78.74                             | 116.84 | 91.44  | 78.74                          | 116.84 | 91.44  | 49.05          |
| Antique Red Four-Wheel Wagon                     | 75.57  | 149.86 | 84.46  | 83.82                             | 157.48 | 99.06  | 83.82                          | 157.48 | 99.06  | 78.30          |
| Antique Red Steerable Four-Wheel Wagon           | 77.47  | 149.86 | 84.46  | 83.82                             | 157.48 | 99.06  | 83.82                          | 157.48 | 99.06  | 86.40          |

## OIL PUMPS, HEATERS AND WARMERS EXPORT – CE MARK AVAILABLE

| ELECTRICAL                                                         |           |       |      | MACHINE DIMENSIONS<br>CENTIMETERS |       |        | SHIP DIMENSIONS<br>CENTIMETERS |       |        | SHIP<br>WEIGHT |
|--------------------------------------------------------------------|-----------|-------|------|-----------------------------------|-------|--------|--------------------------------|-------|--------|----------------|
| MACHINE                                                            | VOLTAGE   | WATTS | AMPS | LENGTH                            | WIDTH | HEIGHT | LENGTH                         | WIDTH | HEIGHT | kg             |
| 7700 Automatic Bucket Pump, remote control                         | 230V/50HZ | 700   | 3    | 55.88                             | 33.02 | 33.02  | 63.50                          | 38.10 | 38.10  | 9.00           |
| 7700 Automatic Bucket Pump, self contained<br>(use with Profiteer) | 230V/50HZ | 700   | 3    | 55.88                             | 33.02 | 33.02  | 63.50                          | 38.10 | 38.10  | 9.00           |
| 7700 Automatic Bucket Salt/Sugar Pump                              | 230V/50HZ | 700   | 3    | 55.88                             | 33.02 | 33.02  | 63.50                          | 38.10 | 38.10  | 9.00           |
| Hot Rod                                                            | 230V/50HZ | 400   | 1.7  | 6.35                              | 59.69 | 5.72   | 10.16                          | 60.96 | 6.35   | 1.80           |
| Bag-in-Box Pump with side oil line                                 | 230V/50HZ | 250   | 1.1  | 45.72                             | 34.93 | 41.91  | 55.88                          | 43.82 | 50.80  | 16.65          |
| Bag-in-Box Pump Heated with side oil line                          | 230V/50HZ | 250   | 1.1  | 45.72                             | 34.93 | 41.91  | 55.88                          | 43.82 | 50.80  | 15.75          |
| Bag-in-Box Pump<br>Heated with front/rear discharge                | 230V/50HZ | 250   | 1.1  | 45.72                             | 34.93 | 41.91  | 55.88                          | 43.82 | 48.26  | 15.75          |
| Bag-in-Box Salt/Sugar Pump<br>with Side oil line                   | 230V/50HZ | 250   | 1.1  | 45.72                             | 34.93 | 41.91  | 55.88                          | 43.82 | 48.26  | 15.75          |
| Bag-in-Box Backroom Warmer<br>Heated 4 shelf unit                  | 230V/50HZ | 180   | 8    | 43.18                             | 40.64 | 125.73 | 50.80                          | 50.80 | 129.54 | 33.30          |

## METRIC WEIGHT VOLUME TESTER EXPORT – CE MARK AVAILABLE

| ELECTRICAL                  |           |       |      | MACHINE DIMENSIONS<br>CENTIMETERS |       |        | SHIP DIMENSIONS<br>CENTIMETERS |       |        | SHIP<br>WEIGHT |
|-----------------------------|-----------|-------|------|-----------------------------------|-------|--------|--------------------------------|-------|--------|----------------|
| MACHINE                     | VOLTAGE   | WATTS | AMPS | LENGTH                            | WIDTH | HEIGHT | LENGTH                         | WIDTH | HEIGHT | kg             |
| Metric Weight Volume Tester | 230V/50HZ | 2300  | 10   | 58.42                             | 73.66 | 194.31 | 86.36                          | 91.44 | 210.82 | 141.30         |

Contact Cretors for machine agency approval listings.

# FORMULAS, CONVERSIONS AND ENGINEERING CONSTANTS

Ohm's Law Ref. 108

## VOLTS

$$\text{Volts} = \sqrt{\text{Watts} \times \text{Ohms}}$$

$$\text{Volts} = \frac{\text{Watts}}{\text{Amperes}}$$


$$\text{Volts} = \text{Amperes} \times \text{Ohms}$$

## OHMS

$$\text{Ohms} = \frac{\text{Volts}}{\text{Amperes}}$$

$$\text{Ohms} = \frac{\text{Volts}^2}{\text{Watts}}$$

$$\text{Ohms} = \frac{\text{Watts}}{\text{Amperes}^2}$$



## AMPERES

$$\text{Amperes} = \frac{\text{Volts}}{\text{Ohms}}$$

$$\text{Amperes} = \frac{\text{Watts}}{\text{Volts}}$$

$$\text{Amperes} = \sqrt{\frac{\text{Watts}}{\text{Ohms}}}$$

## WATTS

$$\text{Watts} = \frac{\text{Volts}^2}{\text{Ohms}}$$

$$\text{Watts} = \text{Amperes}^2 \times \text{Ohms}$$

$$\text{Watts} = \text{Volts} \times \text{Amperes}$$

Wattage varies directly as a ratio of voltages squared

$$W_2 = W_1 \times \left(\frac{E_2}{E_1}\right)^2$$

$$3 \text{ Phases Amperes} = \frac{\text{Total Watts}}{\text{Volts} \times 1.732}$$

**C. Cretors and Company** manufactures and provides high quality equipment. We are aggressive in researching, developing and improving equipment design while striving for product excellence. Long considered the cornerstone in the industry, we ensure every Cretors product is tested in-house before shipment; allowing us to maintain our leading edge in business. With worldwide distribution, Cretors products are designed and constructed to meet various agency approvals.



### UL Listed and Recognized

UL approved equipment is tested by Underwriters Laboratories for compliance with the appropriate safety standards for risk of fire, electric shock and related hazards.



### ULS Sanitation

ULS Sanitation is used for products intended for the food service equipment market place. It indicates that UL has used ANSI/NSF 4 or 8 standards to evaluate the product for compliance with the appropriate food safety standards.



### C-UL Listed Canada

The C-UL classification marking is used for products intended for the Canadian marketplace. It indicates that UL has used Canadian standards to evaluate the product for specific hazards or properties.



### CE Mark

This official marking is required by the European Community for all electric and electronic equipment that will be sold or put into service anywhere in the European community. The mark states that a particular product fulfills and complies with all essential safety and environmental requirements.

Contact your Cretors representative for a complete list of agency approvals for each machine.

Images may not reflect current equipment modifications, features and accessories.



We invented the popcorn machine  
**THEN JUST KEPT GOING!**

Cretors continues to lead the way in design and delivery of equipment solutions for the concession and snack food industry. As a fifth generation family business with a long tradition of exceptional quality, we take pride in providing revolutionary, profitable goods and services to our customers.

**C. CRETORS AND COMPANY**

176 Mittel Drive | Wood Dale, Illinois 60191  
Main 847.616.6900 | Fax 847.616.6970 | 800.228.1885  
[www.cretors.com](http://www.cretors.com)